

2024

# Aspirus Health Plan Medicare Advantage Plans (PPO) Formulary (List of Covered Drugs)

- Essential Rx (PPO)

This formulary was updated on 04/18/2024.

**PLEASE READ: This document contains information about the drugs we cover in these plans.**

*For more recent information or other questions, please contact:*

**Aspirus Health Plan** Customer Service at 715.631.7411 or 1.855.931.4850 (this call is free)

**TTY users call:** 715.631.7413 or 1.855.931.4852 (this call is free)

**Hours:** 8 am – 8 pm, seven days a week, or visit [medicare.aspirushealthplan.com](https://www.medicare.aspirushealthplan.com)

# Notice of Nondiscrimination

Aspirus Health Plan complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability or sex. Aspirus Health Plan does not exclude people or treat them differently because of race, color, national origin, age, disability or sex.

We provide aids and services at no charge to people with disabilities to communicate effectively with us, such as TTY line, or written information in other formats, such as large print.

If you need these services, contact us at **715-631-7411 (voice)** or toll free at **1-855-931-4850 (voice)**, **715-631-7413 (TTY)**, or **1-855-931-4852 (TTY)**.

We provide language services at no charge to people whose primary language is not English, such as qualified interpreters or information written in other languages.

If you need these services, contact us at the **number on the back of your membership card** or **715-631-7411** or toll free at **1-855-931-4850 (voice)**; **715-631-7413** or toll free at **1-855-931-4852 (TTY)**.

If you believe that Aspirus Health Plan has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability or sex, you can file an oral or written grievance.

## **Oral grievance**

If you are a current Aspirus Health Plan member, please call the number on the back of your membership card. Otherwise please call **715-631-7411** or toll free at **1-855-931-4850 (voice)**; **715-631-7413** or toll free at **1-855-931-4852 (TTY)**. You can also use these numbers if you need assistance filing a grievance.

## **Written grievance**

### *Mailing Address*

Attn: Appeals and Grievances

Aspirus Health Plan

PO Box 51

Minneapolis, MN 55440

Email: [cagMA@aspirushealthplan.com](mailto:cagMA@aspirushealthplan.com)

Fax: 715-631-7439

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services

200 Independence Avenue SW

Room 509F, HHH Building

Washington, D.C. 20201

1-800-368-1019, 1-800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 715-631-7411/1-855-931-4850 (TTY: 715-631-7413/1-855-931-4852).

LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 715-631-7411/1-855-931-4850 (TTY: 715-631-7413/1-855-931-4852).

XIYYEEFFANNAA: Afaan dubbattu Oroomiffa, tajaajila gargaarsa afaanii, kanfaltiidhaan ala, ni argama. Bilbilaa 715-631-7411/1-855-931-4850 (TTY: 715-631-7413/1-855-931-4852).

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 715-631-7411/1-855-931-4850 (TTY: 715-631-7413/1-855-931-4852).

注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 715-631-7411/1-855-931-4850 (TTY: 715-631-7413/1-855-931-4852)。

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 715-631-7411/1-855-931-4850 (телетайп: 715-631-7413/1-855-931-4852).

ໂປດຊາບ: ຖ້າວ່າ ທ່ານເວົ້າພາສາ ລາວ, ການບໍລິການຊ່ວຍເຫຼືອດ້ານພາສາ, ໂດຍບໍ່ເສັຽຄ່າ, ແມ່ນມີພ້ອມໃຫ້ທ່ານ. ໂທ 715-631-7411/1-855-931-4850 (TTY: 612-676-6810/1-800-688-2534).

ማስታወሻ: የሚናገሩት ቋንቋ አማርኛ ከሆነ የትርጉም አርዳታ ድርጅቶች፣ በነጻ ሊያገለግሉት ተዘጋጅተዋል። ወደ ሚክሰሎው ቁጥር ይደውሉ 715-631-7411/1-855-931-4850 (መስማት ለተሳናቸው: 612-676-6810/1-800-688-2534).

ဟံသုဂ်ဟံသး-နမ္မာကတိ၊ ကညီ ကျိအယိ၊ နမ္မာနာ ကျိအတိမာစာလ၊ တလက်ဘုဂ်လက်စ၊ နိတမံဘုဂ်သုနုဂ်လိ။  
ကိ: 715-631-7411/1-855-931-4850 (TTY: 715-631-7413/1-855-931-4852).

ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 715-631-7411/1-855-931-4850 (TTY: 715-631-7413/1-855-931-4852).

ប្រយ័ត្ន: បើសិនជាអ្នកនិយាយភាសាអង់គ្លេស, រសវាជំនួយវេជ្ជកម្មភាសា ដោយមិនគិតលុយ គឺអាចមានសំរាប់អ្នក។ ចូរ ទូរស័ព្ទ 715-631-7411/1-855-931-4850 (TTY: 715-631-7413/1-855-931-4852)។

ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 715-631-7411/1-855-931-4850 (رقم هاتف الصم والبكم: 715-631-7413/1-855-931-4852).

ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 715-631-7411/1-855-931-4850 (ATS : 715-631-7413/1-855-931-4852).

주의: 한국어를 사용하지는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 715-631-7411/1-855-931-4850 (TTY: 715-631-7413/1-855-931-4852) 번으로 전화해 주십시오.

PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 715-631-7411/1-855-931-4850 (TTY: 715-631-7413/1-855-931-4852).

## Multi-Language Insert Multi-language Interpreter Services

**English:** We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at **715-631-7411/1-855-931-4850**. Someone who speaks English/Language can help you. This is a free service.

**Spanish:** Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al **715-631-7411/1-855-931-4850**. Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

**Chinese Mandarin:** 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 **715-631-7411/1-855-931-4850**。我们的中文工作人员很乐意帮助您。这是一项免费服务。

**Chinese Cantonese:** 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 **715-631-7411/1-855-931-4850**。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

**Tagalog:** Mayroon kaming libreng serbisyo sa pagsasalang-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasalang-wika, tawagan lamang kami sa **715-631-7411/1-855-931-4850**. Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

**French:** Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au **715-631-7411/1-855-931-4850**. Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

**Vietnamese:** Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi **715-631-7411/1-855-931-4850** sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

**German:** Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter **715-631-7411/1-855-931-4850**. Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

**Korean:** 당사는 의료 보험 또는 약품 보험에 관한 질문에 대해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 **715-631-7411/1-855-931-4850** 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

**Russian:** Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону **715-631-7411/1-855-931-4850**. Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

**Arabic:** إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بالصحة أو جدول الأدوية لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على **715-631-7411/1-855-931-4850**. سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

**Hindi:** हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं। एक दुभाषिया प्राप्त करने के लिए, बस हमें **715-631-7411/1-855-931-4850** र फोन करें। कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है। यह एक मुफ्त सेवा है।

**Italian:** È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero **715-631-7411/1-855-931-4850**. Un nostro incaricato che parla Italianovi fornirà l'assistenza necessaria. È un servizio gratuito.

**Portuguese:** Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número **715-631-7411/1-855-931-4850**. Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

**French Creole:** Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan **715-631-7411/1-855-931-4850**. Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

**Polish:** Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer **715-631-7411/1-855-931-4850**. Ta usługa jest bezpłatna.

**Japanese:** 当社の健康 健康保険と薬品 処方薬プランに関するご質問にお答えするために、無料の通訳サービスがあります。通訳をご用命になるには、**715-631-7411/1-855-931-4850** にお電話ください。日本語を話す人 者が支援いたします。これは無料のサービスです。

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Aspirus Health Plan, Inc. When it refers to “plan” or “our plan,” it means Aspirus Health Plan Medicare Advantage Plans.

This document includes a list of the drugs (formulary) for our plan which is current as of 04/18/2024. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2025, and from time to time during the year.

## **What is the Aspirus Health Plan Formulary?**

A formulary is a list of covered drugs selected by Aspirus Health Plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Aspirus Health Plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Aspirus Health Plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your *Evidence of Coverage*.

## **Can the Formulary (drug list) change?**

Most changes in drug coverage happen on January 1, but Aspirus Health Plan may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find

information in the section below titled “How do I request an exception to the Aspirus Health Plan Formulary?”

- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand-name drug currently on the formulary or add new restrictions to the brand-name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
  - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Aspirus Health Plan Formulary?”

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 04/18/2024. To get updated information about the drugs covered by Aspirus Health Plan, please contact us. Our contact information appears on the front and back cover pages. Updates to the Aspirus Health Plan Formulary are available on our website, [aspirushealthplan.com/medicare](https://aspirushealthplan.com/medicare). Upon your request, Aspirus Health Plan will mail you an updated printed edition.

## **How do I use the Formulary?**

---

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 13. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs

used to treat a heart condition are listed under the category, “Cardiovascular Agents.” If you know what your drug is used for, look for the category name in the list that begins on page 13. Then look under the category name for your drug.

### ***Alphabetical Listing***

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 177. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## **What are generic drugs?**

---

Aspirus Health Plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

## **Are there any restrictions on my coverage?**

---

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Aspirus Health Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from Aspirus Health Plan before you fill your prescriptions. If you don’t get approval, Aspirus Health Plan may not cover the drug.
- **Quantity Limits:** For certain drugs, Aspirus Health Plan limits the amount of the drug that Aspirus Health Plan will cover. For example, Aspirus Health Plan provides 30 tablets per prescription for *escitalopram* 20 mg. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Aspirus Health Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Aspirus Health Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Aspirus Health Plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 13. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online a document that explains our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.



You can ask Aspirus Health Plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the Aspirus Health Plan Formulary?” on page 9 for information about how to request an exception.

## **What if my drug is not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact Customer Service and ask if your drug is covered. If you learn that Aspirus Health Plan does not cover your drug, you have two options:

- You can ask Customer Service for a list of similar drugs that are covered by Aspirus Health Plan. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by Aspirus Health Plan.
- You can ask Aspirus Health Plan to make an exception and cover your drug. See below for information about how to request an exception.

## **How do I request an exception to the Aspirus Health Plan Formulary?**

You can ask Aspirus Health Plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level, unless the drug is on the specialty tier (Tier 5). If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Aspirus Health Plan limit the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Aspirus Health Plan will only approve your request for an exception if the alternative drug is included on the plan’s formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tier or utilization restriction exception. **When you request a formulary, tier or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber’s supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a

decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

---

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

## **Transition of Care**

---

If you are a current Aspirus Health Plan member transitioning to a different level of care, you may be prescribed medications not on our formulary. While you are talking with your doctor to determine your course of action, you are eligible to receive a 31-day transition supply of the drug since you are transitioning to a different level of care. If you are a current Aspirus Health Plan member, admitted or discharged from a long-term care facility, you will be allowed refill-too-soon overrides to ensure that you have access to an adequate supply of your medications.

## **For more information**

---

For more detailed information about your Aspirus Health Plan prescription drug coverage, please review your *Evidence of Coverage* and other plan materials.

If you have questions about Aspirus Health Plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227), 24 hours a day 7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## Aspirus Health Plan Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by Aspirus Health Plan Medicare Advantage Plans. If you have trouble finding your drug in the list, turn to the Index that begins on page 177.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., JANUVIA) and generic drugs are listed in lower-case italics (e.g., *lisinopril*).

The information in the Requirements/Limits column tells you if Aspirus Health Plan have any special requirements for coverage of your drug.

<b>Explanation of Requirements/Limits</b>	
<b>PA</b>	Prior authorization: Drugs that require approval from Aspirus Health Plan before we'll cover it
<b>PA<sup>2</sup></b>	Prior Authorization: Drugs that require approval if you haven't taken the drug before
<b>PA<sup>3</sup></b>	Prior Authorization: Drugs that require review to determine coverage under Part B or Part D
<b>ST</b>	Step Therapy: Drugs that require you to try another drug before we'll cover it
<b>QL</b>	Quantity limit: There are limits to the amount of drug covered per fill
<b>Part B Covered</b>	Diabetic supplies covered under Part B (medical) benefit
<b>INS</b>	Insulins with a \$35 copay per one-month supply
<b>VAC</b>	Part D Adult Vaccine covered at \$0 (no cost)
<b>VAC AGE</b>	Part D Adult Vaccine covered at \$0 (no cost) for ages 19 – 45
<b>MFG</b>	Drug coverage is limited to certain manufacturers
<b>NDS</b>	Drugs limited to a 30-day supply per fill

<b>Explanation of Requirements/Limits</b>	
<b>LA</b>	Drugs that are only available at certain pharmacies. If you have questions, call Customer Service at the number on the back of your member ID card.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ADHD/ANTI-NARCOLEPSY/ANTI-OBESITY/ANOREXIANTS</b>		
<b>AMPHETAMINES</b>		
<i>amphetamine-dextroamphetamine</i>	4	
<i>amphetamine-dextroamphetamine</i>	3	
<i>lisdexamfetamine dimesylate (lisdexamfetamine dimesylate 10 mg cap, lisdexamfetamine dimesylate 20 mg cap, lisdexamfetamine dimesylate 30 mg cap, lisdexamfetamine dimesylate 40 mg cap, lisdexamfetamine dimesylate 50 mg cap, lisdexamfetamine dimesylate 60 mg cap, lisdexamfetamine dimesylate 70 mg cap)</i>	4	
<i>methamphetamine hcl</i>	4	
<b>ATTENTION-DEFICIT/HYPERACTIVITY DISORDER (ADHD) AGENTS</b>		
<i>atomoxetine hcl</i>	2	QL 60 EA / 30 DAYS
<i>clonidine hcl er 0.1 mg tab er 12h</i>	4	
<b>STIMULANTS - MISC.</b>		
<i>armodafinil</i>	4	QL 30 EA / 30 DAYS PA
<i>methylphenidate hcl (methylphenidate hcl 5 mg tab, methylphenidate hcl 10 mg tab, methylphenidate hcl 20 mg tab)</i>	3	
<i>methylphenidate hcl (methylphenidate hcl 5 mg/5ml solution, methylphenidate hcl 10 mg/5ml solution)</i>	4	
<i>methylphenidate hcl er (la)</i>	4	
<i>methylphenidate hcl er (methylphenidate hcl er 10 mg tab er, methylphenidate hcl er 20 mg tab er)</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>modafinil</i>	3	<div data-bbox="1130 205 1195 239">QL</div> 60 EA / 30 DAYS <div data-bbox="1130 254 1195 287">PA</div>
<b>AMINOGLYCOSIDES</b>		
<b>AMINOGLYCOSIDES</b>		
<i>amikacin sulfate 1 gm/4ml solution</i>	2	
<i>amikacin sulfate 500 mg/2ml solution</i>	4	
GENTAMICIN IN SALINE (GENTAMICIN IN SALINE 0.8-0.9 MG/ML-% SOLUTION, GENTAMICIN IN SALINE 1-0.9 MG/ML-% SOLUTION, GENTAMICIN IN SALINE 1.2-0.9 MG/ML-% SOLUTION, GENTAMICIN IN SALINE 1.6-0.9 MG/ML-% SOLUTION)	4	
<i>gentamicin sulfate 10 mg/ml solution</i>	2	
<i>gentamicin sulfate 40 mg/ml solution</i>	4	
<i>neomycin sulfate</i>	2	
<i>paromomycin sulfate</i>	4	
STREPTOMYCIN SULFATE	4	
<i>tobramycin 300 mg/4ml nebu soln</i>	5	<div data-bbox="1130 1161 1195 1224">QL</div> 224 ML / 28 OVER TIME <div data-bbox="1130 1241 1195 1274">PA</div>
		<div data-bbox="1130 1287 1195 1350">NDS</div> Non-Extended Day Supply
<i>tobramycin 300 mg/5ml nebu soln</i>	5	<div data-bbox="1130 1371 1195 1434">QL</div> 300 ML / 30 DAYS <div data-bbox="1130 1430 1195 1463">PA</div>
		<div data-bbox="1130 1476 1195 1539">NDS</div> Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
TOBRAMYCIN SULFATE (TOBRAMYCIN SULFATE 1.2 GM RECON SOLN, TOBRAMYCIN SULFATE 1.2 GM/30ML SOLUTION, TOBRAMYCIN SULFATE 2 GM/50ML SOLUTION, TOBRAMYCIN SULFATE 10 MG/ML SOLUTION, TOBRAMYCIN SULFATE 80 MG/2ML SOLUTION)	4	
<b>ANALGESICS - ANTI-INFLAMMATORY</b>		
<b>ANTI-TNF-ALPHA - MONOCLONAL ANTIBODIES</b>		
HADLIMA 40 MG/0.4ML SOLN PRSYR	5	QL 2.4 ML / 28 DAYS PA NDS Non-Extended Day Supply
HADLIMA 40 MG/0.8ML SOLN PRSYR	5	QL 4.8 ML / 28 DAYS PA NDS Non-Extended Day Supply
HADLIMA PUSHTOUCH 40 MG/0.4ML SOLN A-INJ	5	QL 2.4 ML / 28 DAYS PA NDS Non-Extended Day Supply
HADLIMA PUSHTOUCH 40 MG/0.8ML SOLN A-INJ	5	QL 4.8 ML / 28 DAYS PA NDS Non-Extended Day Supply
HUMIRA (2 PEN) 40 MG/0.8ML PEN KIT	5	QL 4 EA / 28 DAYS PA NDS Non-Extended Day Supply
HUMIRA (2 SYRINGE) 40 MG/0.8ML PREF SY KT	5	QL 4 EA / 28 DAYS PA NDS Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
HUMIRA 10 MG/0.1ML PREF SY KT (ABBVIE)	5	<p>QL 2 EA / 28 DAYS</p> <p>PA</p> <p>MFG Drug coverage is limited to certain manufacturers</p> <p>NDS Non-Extended Day Supply</p>
HUMIRA 20 MG/0.2ML PREF SY KT (ABBVIE)	5	<p>QL 2 EA / 28 DAYS</p> <p>PA</p> <p>MFG Drug coverage is limited to certain manufacturers</p> <p>NDS Non-Extended Day Supply</p>
HUMIRA 40 MG/0.4ML PREF SY KT (ABBVIE)	5	<p>QL 4 EA / 28 DAYS</p> <p>PA</p> <p>MFG Drug coverage is limited to certain manufacturers</p> <p>NDS Non-Extended Day Supply</p>
HUMIRA PEDIATRIC CROHNS START 80 MG/0.8ML & 40MG/0.4ML PREF SY KT	5	<p>QL 2 EA / 180 OVER TIME</p> <p>PA</p> <p>NDS Non-Extended Day Supply</p>
HUMIRA PEDIATRIC CROHNS START 80 MG/0.8ML PREF SY KT	5	<p>QL 3 EA / 180 OVER TIME</p> <p>PA</p> <p>NDS Non-Extended Day Supply</p>
HUMIRA PEN 40 MG/0.4ML PEN KIT (ABBVIE)	5	<p>QL 4 EA / 28 DAYS</p> <p>PA</p> <p>MFG Drug coverage is limited to certain manufacturers</p> <p>NDS Non-Extended Day Supply</p>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
HUMIRA PEN 80 MG/0.8ML PEN KIT (ABBVIE)	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 2 EA / 28 DAYS</li> <li><span style="background-color: #c48e3d; color: white; padding: 2px 5px; border-radius: 3px;">PA</span></li> <li><span style="background-color: #333; color: white; padding: 2px 5px; border-radius: 3px;">MFG</span> Drug coverage is limited to certain manufacturers</li> <li><span style="background-color: #c48e3d; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> </ul>
HUMIRA PEN-CD/UC/HS STARTER 80 MG/0.8ML PEN KIT (ABBVIE)	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 3 EA / 180 OVER TIME</li> <li><span style="background-color: #c48e3d; color: white; padding: 2px 5px; border-radius: 3px;">PA</span></li> <li><span style="background-color: #333; color: white; padding: 2px 5px; border-radius: 3px;">MFG</span> Drug coverage is limited to certain manufacturers</li> <li><span style="background-color: #c48e3d; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> </ul>
HUMIRA PEN-PEDIATRIC UC START 80 MG/0.8ML PEN KIT (ABBVIE)	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 4 EA / 180 OVER TIME</li> <li><span style="background-color: #c48e3d; color: white; padding: 2px 5px; border-radius: 3px;">PA</span></li> <li><span style="background-color: #333; color: white; padding: 2px 5px; border-radius: 3px;">MFG</span> Drug coverage is limited to certain manufacturers</li> <li><span style="background-color: #c48e3d; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> </ul>
HUMIRA PEN-PSOR/UEIT STARTER	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 3 EA / 180 OVER TIME</li> <li><span style="background-color: #c48e3d; color: white; padding: 2px 5px; border-radius: 3px;">PA</span></li> <li><span style="background-color: #c48e3d; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> </ul>
HUMIRA-CD/UC/HS STARTER	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 6 EA / 180 OVER TIME</li> <li><span style="background-color: #c48e3d; color: white; padding: 2px 5px; border-radius: 3px;">PA</span></li> <li><span style="background-color: #c48e3d; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> </ul>
HUMIRA-PS/UV/ADOL HS STARTER	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 4 EA / 180 OVER TIME</li> <li><span style="background-color: #c48e3d; color: white; padding: 2px 5px; border-radius: 3px;">PA</span></li> <li><span style="background-color: #c48e3d; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
SIMPONI (SIMPONI 100 MG/ML SOLN A-INJ, SIMPONI 100 MG/ML SOLN PRSYR)	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 3 ML / 28 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA</span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> </ul>
SIMPONI (SIMPONI 50 MG/0.5ML SOLN A-INJ, SIMPONI 50 MG/0.5ML SOLN PRSYR)	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 0.5 ML / 28 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA</span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> </ul>
<b>ANTIRHEUMATIC - ENZYME INHIBITORS</b>		
RINVOQ (RINVOQ 15 MG TAB ER 24H, RINVOQ 30 MG TAB ER 24H)	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA</span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> </ul>
RINVOQ 45 MG TAB ER 24H	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 84 EA / 180 OVER TIME</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA</span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> </ul>
XELJANZ (XELJANZ 5 MG TAB, XELJANZ 10 MG TAB)	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 60 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA</span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> </ul>
XELJANZ 1 MG/ML SOLUTION	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 300 ML / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA</span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> </ul>
XELJANZ XR	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA</span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> </ul>
<b>INTERLEUKIN-1 BLOCKERS</b>		
ARCALYST	5	<ul style="list-style-type: none"> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA</span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #00838f; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>INTERLEUKIN-6 RECEPTOR INHIBITORS</b>		
ACTEMRA 162 MG/0.9ML SOLN PRSYR	5	<ul style="list-style-type: none"> <li>QL 3.6 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
ACTEMRA ACTPEN	5	<ul style="list-style-type: none"> <li>QL 3.6 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
KEVZARA	5	<ul style="list-style-type: none"> <li>QL 2.28 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
<b>NONSTEROIDAL ANTI-INFLAMMATORY AGENTS (NSAIDS)</b>		
<i>celecoxib</i>	3	
<i>diclofenac potassium 50 mg tab</i>	2	
<i>diclofenac sodium (diclofenac sodium 25 mg tab dr, diclofenac sodium 50 mg tab dr, diclofenac sodium 75 mg tab dr)</i>	2	
<i>diclofenac sodium er</i>	4	
<i>ec-naproxen</i>	2	
<i>etodolac</i>	3	
<i>flurbiprofen 100 mg tab</i>	2	
<i>ibuprofen (motrin)</i>	1	
<i>indomethacin (indomethacin 25 mg cap, indomethacin 50 mg cap)</i>	2	
<i>ketorolac tromethamine 10 mg tab</i>	2	
<i>meloxicam (meloxicam 7.5 mg tab, meloxicam 15 mg tab)</i>	1	
<i>nabumetone</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>naproxen (naproxen 250 mg tab, naproxen 375 mg tab, naproxen 500 mg tab)</i>	1	
<i>naproxen (naproxen 375 mg tab dr, naproxen 500 mg tab dr)</i>	2	
<i>naproxen dr</i>	2	
<i>oxaprozin 600 mg tab</i>	4	
<i>piroxicam</i>	3	
<i>sulindac</i>	2	
<b>PHOSPHODIESTERASE 4 (PDE4) INHIBITORS</b>		
OTEZLA 10 & 20 & 30 MG TAB THPK	5	<ul style="list-style-type: none"> <li>QL 55 EA / 180 OVER TIME</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
OTEZLA 30 MG TAB	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<b>PYRIMIDINE SYNTHESIS INHIBITORS</b>		
<i>leflunomide</i>	3	
<b>SOLUBLE TUMOR NECROSIS FACTOR RECEPTOR AGENTS</b>		
ENBREL (ENBREL 25 MG/0.5ML SOLN PRSYR, ENBREL 25 MG/0.5ML SOLUTION, ENBREL 50 MG/ML SOLN PRSYR)	5	<ul style="list-style-type: none"> <li>QL 8 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
ENBREL MINI	5	<ul style="list-style-type: none"> <li>QL 8 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
ENBREL SURECLICK	5	<ul style="list-style-type: none"> <li><span style="background-color: #663399; color: white; padding: 2px;">QL</span> 8 ML / 28 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> <li><span style="background-color: #993300; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
<b>ANALGESICS - NONNARCOTIC</b>		
<b>SALICYLATES</b>		
<i>diflunisal</i>	3	
<b>ANALGESICS - OPIOID</b>		
<b>OPIOID AGONISTS</b>		
<i>fentanyl (fentanyl 12 mcg/hr patch 72hr, fentanyl 25 mcg/hr patch 72hr, fentanyl 50 mcg/hr patch 72hr, fentanyl 75 mcg/hr patch 72hr, fentanyl 100 mcg/hr patch 72hr)</i>	4	<ul style="list-style-type: none"> <li><span style="background-color: #663399; color: white; padding: 2px;">QL</span> 10 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> </ul>
<i>fentanyl citrate (fentanyl citrate 400 mcg loz handle, fentanyl citrate 600 mcg loz handle, fentanyl citrate 800 mcg loz handle, fentanyl citrate 1200 mcg loz handle, fentanyl citrate 1600 mcg loz handle)</i>	5	<ul style="list-style-type: none"> <li><span style="background-color: #663399; color: white; padding: 2px;">QL</span> 120 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> <li><span style="background-color: #993300; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
<i>fentanyl citrate 200 mcg loz handle</i>	4	<ul style="list-style-type: none"> <li><span style="background-color: #663399; color: white; padding: 2px;">QL</span> 120 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA</span></li> </ul>
<i>hydromorphone hcl 1 mg/ml liquid</i>	4	<ul style="list-style-type: none"> <li><span style="background-color: #663399; color: white; padding: 2px;">QL</span> 2400 ML / 30 OVER TIME</li> </ul>
<i>hydromorphone hcl 2 mg tab</i>	3	<ul style="list-style-type: none"> <li><span style="background-color: #663399; color: white; padding: 2px;">QL</span> 450 EA / 30 DAYS</li> </ul>
<i>hydromorphone hcl 4 mg tab</i>	3	<ul style="list-style-type: none"> <li><span style="background-color: #663399; color: white; padding: 2px;">QL</span> 240 EA / 30 DAYS</li> </ul>
<i>hydromorphone hcl 8 mg tab</i>	3	<ul style="list-style-type: none"> <li><span style="background-color: #663399; color: white; padding: 2px;">QL</span> 120 EA / 30 DAYS</li> </ul>
<i>hydromorphone hcl pf (hydromorphone hcl pf 10 mg/ml solution, hydromorphone hcl pf 50 mg/5ml solution, hydromorphone hcl pf 500 mg/50ml solution)</i>	4	<ul style="list-style-type: none"> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>3</sup></span></li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>methadone hcl (methadone hcl 5 mg tab, methadone hcl 10 mg tab)</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">360 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b5722; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
METHADONE HCL 10 MG/5ML SOLUTION	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">1800 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b5722; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
METHADONE HCL 5 MG/5ML SOLUTION	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">3600 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b5722; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
<i>morphine sulfate (concentrate) (morphine sulfate (concentrate) 10 mg/0.5ml solution, morphine sulfate (concentrate) 20 mg/ml solution, morphine sulfate (concentrate) 100 mg/5ml solution)</i>	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">180 ML / 30 DAYS</div> </div>
<i>morphine sulfate (morphine sulfate 15 mg tab, morphine sulfate 30 mg tab)</i>	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">180 EA / 30 DAYS</div> </div>
MORPHINE SULFATE 10 MG/5ML SOLUTION	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">1800 ML / 30 DAYS</div> </div>
MORPHINE SULFATE 20 MG/5ML SOLUTION	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">900 ML / 30 DAYS</div> </div>
<i>morphine sulfate er (morphine sulfate er 15 mg tab er, morphine sulfate er 30 mg tab er, morphine sulfate er 60 mg tab er, morphine sulfate er 100 mg tab er)</i>	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">120 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b5722; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
<i>morphine sulfate er 200 mg tab er</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">120 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b5722; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
<i>oxycodone hcl (oxycodone hcl 10 mg tab, oxycodone hcl 15 mg tab, oxycodone hcl 20 mg tab, oxycodone hcl 30 mg tab)</i>	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">180 EA / 30 DAYS</div> </div>
<i>oxycodone hcl 100 mg/5ml conc</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">270 EA / 30 DAYS</div> </div>
<i>oxycodone hcl 5 mg cap</i>	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">360 EA / 30 OVER TIME</div> </div>
<i>oxycodone hcl 5 mg tab</i>	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">360 EA / 30 DAYS</div> </div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>oxycodone hcl 5 mg/5ml solution</i>	3	QL 5400 ML / 30 DAYS
<i>tramadol hcl 50 mg tab</i>	3	QL 240 EA / 30 DAYS
<b>OPIOID COMBINATIONS</b>		
<i>acetaminophen-codeine (acetaminophen-codeine 300-15 mg tab, acetaminophen-codeine 300-30 mg tab, acetaminophen-codeine 300-60 mg tab)</i>	3	QL 390 EA / 30 DAYS
<i>acetaminophen-codeine 120-12 mg/5ml solution</i>	3	QL 4980 ML / 30 DAYS
ACETAMINOPHEN-CODEINE 120-12 MG/5ML SOLUTION	3	QL 4980 ML / 30 DAYS
<i>endocet</i>	3	QL 360 EA / 30 DAYS
<i>hydrocodone-acetaminophen (hydrocodone-acetaminophen 2.5-108 mg/5ml solution, hydrocodone-acetaminophen 5-217 mg/10ml solution, hydrocodone-acetaminophen 7.5-325 mg/15ml solution)</i>	4	QL 5400 ML / 30 DAYS
<i>hydrocodone-acetaminophen (hydrocodone-acetaminophen 5-325 mg tab, hydrocodone-acetaminophen 7.5-325 mg tab, hydrocodone-acetaminophen 10-325 mg tab)</i>	3	QL 360 EA / 30 DAYS
<i>oxycodone-acetaminophen (oxycodone-acetaminophen 2.5-325 mg tab, oxycodone-acetaminophen 5-325 mg tab, oxycodone-acetaminophen 7.5-325 mg tab, oxycodone-acetaminophen 10-325 mg tab)</i>	3	QL 360 EA / 30 DAYS
<i>tramadol-acetaminophen</i>	3	QL 360 EA / 30 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>OPIOID PARTIAL AGONISTS</b>		
BELBUCA	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">60 EA / 30 OVER TIME</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
<i>buprenorphine</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">4 EA / 28 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
<i>buprenorphine hcl (buprenorphine hcl 2 mg sl tab, buprenorphine hcl 8 mg sl tab)</i>	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">90 EA / 30 DAYS</div> </div>
<i>buprenorphine hcl-naloxone hcl (buprenorphine hcl-naloxone hcl 2-0.5 mg film, buprenorphine hcl-naloxone hcl 4-1 mg film, buprenorphine hcl-naloxone hcl 8-2 mg film)</i>	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">90 EA / 30 DAYS</div> </div>
<i>buprenorphine hcl-naloxone hcl (buprenorphine hcl-naloxone hcl 2-0.5 mg sl tab, buprenorphine hcl-naloxone hcl 8-2 mg sl tab)</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">90 EA / 30 DAYS</div> </div>
<i>buprenorphine hcl-naloxone hcl 12-3 mg film</i>	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">60 EA / 30 DAYS</div> </div>
<i>butorphanol tartrate 10 mg/ml solution</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">10 ML / 30 DAYS</div> </div>
<b>ANDROGENS-ANABOLIC</b>		
<b>ANDROGENS</b>		
<i>danazol</i>	4	
ERYTHROMYCIN BASE 250 MG CP DR PART	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">300 GM / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
<i>testosterone (testosterone 1.62 % gel, testosterone 20.25 mg/act (1.62%) gel, testosterone 40.5 mg/2.5gm (1.62%) gel)</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">150 GM / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
<i>testosterone 10 mg/act (2%) gel</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">120 GM / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>testosterone 20.25 mg/1.25gm (1.62%) gel</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">75 GM / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b5722; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
<i>testosterone 25 mg/2.5gm (1%) gel</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">300 GM / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b5722; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
<i>testosterone 30 mg/act solution</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">180 GM / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b5722; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
TESTOSTERONE 50 MG/5GM (1%) GEL	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">300 GM / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b5722; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
<i>testosterone 50 mg/5gm (1%) gel</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">300 GM / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b5722; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
<i>testosterone cypionate 100 mg/ml solution</i>	3	<div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b5722; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
TESTOSTERONE CYPIONATE 200 MG/ML SOLUTION	3	<div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b5722; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
<i>testosterone cypionate 200 mg/ml solution</i>	3	<div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b5722; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
TESTOSTERONE ENANTHATE	4	<div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b5722; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
<b>ANORECTAL AND RELATED PRODUCTS</b>		
<b>INTRARECTAL STEROIDS</b>		
<i>budesonide 2 mg foam</i>	4	<div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b5722; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
<i>hydrocortisone 100 mg/60ml enema</i>	4	
<b>RECTAL STEROIDS</b>		
<i>hydrocortisone (perianal)</i>	2	
<i>procto-med hc</i>	2	
<i>proctosol hc</i>	2	
<i>proctozone-hc</i>	2	




You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>VASODILATING AGENTS</b>		
<i>nitroglycerin 0.4 % ointment</i>	4	
<b>ANTHELMINTICS</b>		
<b>ANTHELMINTICS</b>		
<i>albendazole</i>	5	NDS Non-Extended Day Supply
<i>ivermectin 3 mg tab</i>	3	PA
<i>praziquantel</i>	4	
<b>ANTI-INFECTIVE AGENTS - MISC.</b>		
<b>ANTI-INFECTIVE AGENTS - MISC.</b>		
<i>baciim</i>	2	
BACITRACIN 50000 UNIT RECON SOLN	2	
<i>metronidazole (metronidazole 250 mg tab, metronidazole 500 mg tab)</i>	2	
<i>metronidazole 500 mg/100ml solution</i>	4	
<i>pentamidine isethionate for injection solution</i>	4	
<i>pentamidine isethionate for nebulization solution</i>	4	QL 1 EA / 28 DAYS PA <sup>3</sup>
<i>tinidazole</i>	4	
<i>trimethoprim</i>	2	
XIFAXAN 200 MG TAB	4	QL 9 EA / 30 OVER TIME
XIFAXAN 550 MG TAB	5	QL 90 EA / 30 DAYS PA NDS Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ANTI-INFECTIVE MISC. - COMBINATIONS</b>		
<i>sulfamethoxazole-trimethoprim (sulfamethoxazole-trimethoprim 400-80 mg tab, sulfamethoxazole-trimethoprim 800-160 mg tab)</i>	1	
<i>sulfamethoxazole-trimethoprim 200-40 mg/5ml suspension</i>	2	
<i>sulfatrim pediatric</i>	2	
<b>ANTIPROTOZOAL AGENTS</b>		
<i>atovaquone</i>	5	NDS Non-Extended Day Supply
<i>nitazoxanide</i>	5	QL 6 EA / 3 OVER TIME NDS Non-Extended Day Supply
<b>CARBAPENEMS</b>		
<i>ertapenem sodium</i>	4	
<i>imipenem-cilastatin (imipenem-cilastatin 250 mg recon soln, imipenem-cilastatin 500 mg recon soln)</i>	4	
<i>meropenem (meropenem 1 gm recon soln, meropenem 500 mg recon soln)</i>	4	
MEROPENEM-SODIUM CHLORIDE 1 GM/50ML RECON SOLN	4	QL 30 EA / 10 OVER TIME
MEROPENEM-SODIUM CHLORIDE 500 MG/50ML RECON SOLN	4	QL 10 EA / 10 DAYS
<b>CHLORAMPHENICOLS</b>		
CHLORAMPHENICOL SOD SUCCINATE	2	
<b>CYCLIC LIPOPEPTIDES</b>		
<i>daptomycin</i>	5	NDS Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>GLYCOPEPTIDES</b>		
DALVANCE	5	 Non-Extended Day Supply
<i>vancomycin hcl (vancomycin hcl 1 gm recon soln, vancomycin hcl 1.25 gm recon soln, vancomycin hcl 1.5 gm recon soln, vancomycin hcl 5 gm recon soln, vancomycin hcl 10 gm recon soln, vancomycin hcl 500 mg recon soln, vancomycin hcl 750 mg recon soln)</i>	4	
<i>vancomycin hcl (vancomycin hcl 125 mg cap, vancomycin hcl 250 mg cap)</i>	4	 120 EA / 30 DAYS
VANCOMYCIN HCL 100 GM RECON SOLN	4	 2 EA / 10 OVER TIME
VANCOMYCIN HCL IN NAACL (VANCOMYCIN HCL IN NAACL 1-0.9 GM/200ML-% SOLUTION, VANCOMYCIN HCL IN NAACL 500-0.9 MG/100ML-% SOLUTION)	3	
<b>LEPROSTATICS</b>		
<i>dapsone (dapsone 25 mg tab, dapsone 100 mg tab)</i>	3	
<b>LINCOSAMIDES</b>		
<i>clindamycin hcl</i>	2	
<i>clindamycin palmitate hcl</i>	4	
<i>clindamycin phosphate (clindamycin phosphate 9 gm/60ml solution, clindamycin phosphate 300 mg/2ml solution, clindamycin phosphate 600 mg/4ml solution, clindamycin phosphate 900 mg/6ml solution, clindamycin phosphate 9000 mg/60ml solution)</i>	4	
<i>clindamycin phosphate in d5w</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
CLINDAMYCIN PHOSPHATE IN NAACL	4	
<i>lincomycin hcl</i>	2	
<b>MONOBACTAMS</b>		
<i>aztreonam</i>	4	
CAYSTON	5	<ul style="list-style-type: none"> <li>QL 84 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<b>OXAZOLIDINONES</b>		
<i>linezolid (linezolid 600 mg tab, linezolid 600 mg/300ml solution)</i>	4	
<i>linezolid 100 mg/5ml recon susp</i>	5	NDS Non-Extended Day Supply
LINEZOLID IN SODIUM CHLORIDE	4	
SIVEXTRO 200 MG TAB	5	<ul style="list-style-type: none"> <li>QL 6 EA / 6 OVER TIME</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
ZYVOX 200 MG/100ML SOLUTION	3	
<b>POLYMYXINS</b>		
<i>colistimethate sodium (cba)</i>	4	
<i>polymyxin b sulfata</i>	2	
<b>URINARY ANTI-INFECTIVES</b>		
<i>fosfomicin tromethamine</i>	4	
<i>methenamine hippurate</i>	3	
<i>methenamine mandelate</i>	2	
<i>nitrofurantoin macrocrystal (nitrofurantoin macrocrystal 50 mg cap, nitrofurantoin macrocrystal 100 mg cap)</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>nitrofurantoin monohyd macro</i>	3	
<b>ANTIANGINAL AGENTS</b>		
<b>ANTIANGINALS-OTHER</b>		
<i>ranolazine er</i>	3	
<b>NITRATES</b>		
<i>isosorbide dinitrate (isosorbide dinitrate 5 mg tab, isosorbide dinitrate 10 mg tab, isosorbide dinitrate 20 mg tab, isosorbide dinitrate 30 mg tab)</i>	2	
ISOSORBIDE MONONITRATE	1	
<i>isosorbide mononitrate er</i>	2	
NITRO-BID	4	
<i>nitroglycerin (nitroglycerin 0.1 mg/hr patch 24hr, nitroglycerin 0.2 mg/hr patch 24hr, nitroglycerin 0.3 mg sl tab, nitroglycerin 0.4 mg sl tab, nitroglycerin 0.4 mg/hr patch 24hr, nitroglycerin 0.6 mg sl tab, nitroglycerin 0.6 mg/hr patch 24hr)</i>	2	
<i>nitroglycerin 0.4 mg/spray solution</i>	4	
<b>ANTIANSXIETY AGENTS</b>		
<b>ANTIANSXIETY AGENTS - MISC.</b>		
<i>bupirone hcl (bupirone hcl 5 mg tab, bupirone hcl 7.5 mg tab, bupirone hcl 10 mg tab, bupirone hcl 15 mg tab, bupirone hcl 30 mg tab)</i>	2	
<i>hydroxyzine hcl (hydroxyzine hcl 10 mg tab, hydroxyzine hcl 25 mg tab, hydroxyzine hcl 50 mg tab)</i>	4	
<i>hydroxyzine pamoate (hydroxyzine pamoate 25 mg cap, hydroxyzine pamoate 50 mg cap)</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>BENZODIAZEPINES</b>		
<i>alprazolam (alprazolam 0.25 mg tab, alprazolam 0.5 mg tab, alprazolam 1 mg tab)</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">120 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> </div>
<i>alprazolam 2 mg tab</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">150 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> </div>
<i>clorazepate dipotassium</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">180 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> </div>
<i>diazepam (diazepam 2 mg tab, diazepam 5 mg tab, diazepam 10 mg tab)</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">120 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> </div>
<i>diazepam 5 mg/5ml solution</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">1200 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> </div>
<i>diazepam 5 mg/ml conc</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">240 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> </div>
<i>diazepam intensol</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">240 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> </div>
<i>lorazepam (lorazepam 0.5 mg tab, lorazepam 1 mg tab, lorazepam 2 mg tab)</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">150 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> </div>
<i>lorazepam 2 mg/ml conc</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">150 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> </div>
<i>lorazepam intensol</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">150 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> </div>
<i>oxazepam</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">120 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> </div>
<b>ANTIARRHYTHMICS</b>		
<b>ANTIARRHYTHMICS TYPE I-A</b>		
<i>disopyramide phosphate</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>quinidine gluconate er</i>	4	
QUINIDINE SULFATE	2	
<b>ANTIARRHYTHMICS TYPE I-B</b>		
<i>mexiletine hcl</i>	3	
<b>ANTIARRHYTHMICS TYPE I-C</b>		
<i>flecainide acetate</i>	3	
<i>propafenone hcl</i>	3	
<i>propafenone hcl er</i>	4	
<b>ANTIARRHYTHMICS TYPE III</b>		
<i>amiodarone hcl (amiodarone hcl 100 mg tab, amiodarone hcl 400 mg tab)</i>	4	
<i>amiodarone hcl 200 mg tab</i>	2	
<i>dofetilide</i>	4	
<i>pacerone (pacerone 100 mg tab, pacerone 400 mg tab)</i>	4	
<i>pacerone 200 mg tab</i>	2	
<b>ANTIASTHMATIC AND BRONCHODILATOR AGENTS</b>		
<b>ANTI-INFLAMMATORY AGENTS</b>		
<i>cromolyn sodium 20 mg/2ml nebu soln</i>	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> </div> <div>           Non-Extended Day Supply         </div> </div>
<b>ANTIASTHMATIC - MONOCLONAL ANTIBODIES</b>		
FASENRA	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">LA</div> </div> <div>           Non-Extended Day Supply         </div> </div>
FASENRA PEN	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">LA</div> </div> <div>           Non-Extended Day Supply         </div> </div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
XOLAIR (XOLAIR 300 MG/2ML SOLN A-INJ, XOLAIR 300 MG/2ML SOLN PRSYR)	5	<ul style="list-style-type: none"> <li>QL 8 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
XOLAIR 150 MG RECON SOLN	5	<ul style="list-style-type: none"> <li>QL 8 EA / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
XOLAIR 150 MG/ML SOLN A-INJ	5	<ul style="list-style-type: none"> <li>QL 2 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
XOLAIR 150 MG/ML SOLN PRSYR	5	<ul style="list-style-type: none"> <li>QL 8 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
XOLAIR 75 MG/0.5ML SOLN A-INJ	5	<ul style="list-style-type: none"> <li>QL 1 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
XOLAIR 75 MG/0.5ML SOLN PRSYR	5	<ul style="list-style-type: none"> <li>QL 1 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<b>BRONCHODILATORS - ANTICHOLINERGICS</b>		
ATROVENT HFA	4	<ul style="list-style-type: none"> <li>QL 25.8 GM / 30 DAYS</li> </ul>
INCRUSE ELLIPTA	3	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> </ul>
<i>ipratropium bromide 0.02 % solution</i>	2	<ul style="list-style-type: none"> <li>PA<sup>3</sup></li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>LEUKOTRIENE MODULATORS</b>		
<i>montelukast sodium (montelukast sodium 4 mg chew tab, montelukast sodium 4 mg packet, montelukast sodium 5 mg chew tab)</i>	2	
<i>montelukast sodium 10 mg tab</i>	1	
<i>zafirlukast</i>	4	
<b>SELECTIVE PHOSPHODIESTERASE 4 (PDE4) INHIBITORS</b>		
<i>roflumilast</i>	4	
<b>STEROID INHALANTS</b>		
ASMANEX (120 METERED DOSES)	3	QL 2 EA / 30 DAYS
ASMANEX (30 METERED DOSES)	3	QL 1 EA / 30 DAYS
ASMANEX (60 METERED DOSES)	3	QL 1 EA / 30 DAYS
ASMANEX HFA	3	QL 13 GM / 30 DAYS
<i>budesonide (budesonide 0.25 mg/2ml suspension, budesonide 0.5 mg/2ml suspension, budesonide 1 mg/2ml suspension)</i>	4	QL 120 ML / 30 DAYS PA <sup>3</sup>
FLUTICASONE PROPIONATE HFA (FLUTICASONE PROPIONATE HFA 110 MCG/ACT AEROSOL, FLUTICASONE PROPIONATE HFA 220 MCG/ACT AEROSOL)	4	QL 24 GM / 30 DAYS
FLUTICASONE PROPIONATE HFA 44 MCG/ACT AEROSOL	4	QL 21.2 GM / 30 DAYS
QVAR REDHALER 40 MCG/ACT AERO BA	3	QL 10.6 GM / 30 DAYS
QVAR REDHALER 80 MCG/ACT AERO BA	3	QL 21.2 GM / 30 DAYS


You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>SYMPATHOMIMETICS</b>		
ALBUTEROL SULFATE (5 MG/ML) 0.5% NEBU SOLN	2	PA <sup>3</sup>
<i>albuterol sulfate (albuterol sulfate 0.63 mg/3ml nebu soln, albuterol sulfate 1.25 mg/3ml nebu soln, albuterol sulfate (2.5 mg/3ml) 0.083% nebu soln)</i>	2	PA <sup>3</sup>
<i>albuterol sulfate (albuterol sulfate 2 mg tab, albuterol sulfate 4 mg tab)</i>	4	
<i>albuterol sulfate (albuterol sulfate 2.5 mg/0.5ml nebu soln, albuterol sulfate (5 mg/ml) 0.5% nebu soln)</i>	2	PA <sup>3</sup>
<i>albuterol sulfate 2 mg/5ml syrup</i>	2	
<i>albuterol sulfate hfa (proair equivalent)</i>	2	QL 17 GM / 30 DAYS
ALBUTEROL SULFATE HFA (PROVENTIL EQUIVALENT)	2	QL 17 GM / 30 DAYS
ANORO ELLIPTA	3	QL 60 EA / 30 DAYS
<i>arformoterol tartrate</i>	4	QL 120 ML / 30 DAYS PA <sup>3</sup>
BREO ELLIPTA	3	QL 60 EA / 30 DAYS
<i>breyna</i>	3	QL 20.6 GM / 30 DAYS
BREZTRI AEROSPHERE	3	QL 10.7 GM / 30 DAYS
<i>budesonide-formoterol fumarate</i>	3	QL 20.4 GM / 30 DAYS
COMBIVENT RESPIMAT	3	QL 8 GM / 30 DAYS
DULERA	3	QL 26 GM / 30 DAYS
<i>fluticasone-salmeterol (fluticasone-salmeterol 100-50 mcg/act aer pow ba, fluticasone-salmeterol 250-50 mcg/act aer pow ba, fluticasone-salmeterol 500-50 mcg/act aer pow ba)</i>	3	QL 60 EA / 30 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>formoterol fumarate</i>	4	QL 120 ML / 30 DAYS PA <sup>3</sup>
<i>ipratropium-albuterol</i>	2	PA <sup>3</sup>
<i>levalbuterol hcl (levalbuterol hcl 0.31 mg/3ml nebu soln, levalbuterol hcl 0.63 mg/3ml nebu soln, levalbuterol hcl 1.25 mg/0.5ml nebu soln, levalbuterol hcl 1.25 mg/3ml nebu soln)</i>	4	PA <sup>3</sup>
LEVALBUTEROL TARTRATE	3	QL 30 GM / 30 DAYS
STIOLTO RESPIMAT	3	QL 4 GM / 30 DAYS
STRIVERDI RESPIMAT	3	QL 4 GM / 30 DAYS
<i>terbutaline sulfate (terbutaline sulfate 2.5 mg tab, terbutaline sulfate 5 mg tab)</i>	4	
TRELEGY ELLIPTA	3	QL 60 EA / 30 DAYS
VENTOLIN HFA	3	QL 36 GM / 30 DAYS
<i>wixela inhub</i>	3	QL 60 EA / 30 DAYS
<b>XANTHINES</b>		
<i>theophylline</i>	2	
<i>theophylline er (theophylline er 300 mg tab er 12h, theophylline er 400 mg tab er 24h, theophylline er 450 mg tab er 12h, theophylline er 600 mg tab er 24h)</i>	2	
<b>ANTICOAGULANTS</b>		
<b>COUMARIN ANTICOAGULANTS</b>		
<i>jantoven</i>	1	
<i>warfarin sodium</i>	1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>DIRECT FACTOR XA INHIBITORS</b>		
ELIQUIS	3	
ELIQUIS DVT/PE STARTER PACK	3	
XARELTO (XARELTO 1 MG/ML RECON SUSP, XARELTO 2.5 MG TAB, XARELTO 10 MG TAB, XARELTO 15 MG TAB, XARELTO 20 MG TAB)	3	
XARELTO STARTER PACK	3	
<b>HEPARINS AND HEPARINOID-LIKE AGENTS</b>		
<i>enoxaparin sodium (enoxaparin sodium 30 mg/0.3ml soln prsy, enoxaparin sodium 40 mg/0.4ml soln prsy, enoxaparin sodium 60 mg/0.6ml soln prsy, enoxaparin sodium 80 mg/0.8ml soln prsy, enoxaparin sodium 100 mg/ml soln prsy, enoxaparin sodium 120 mg/0.8ml soln prsy, enoxaparin sodium 150 mg/ml soln prsy)</i>	4	
<i>fondaparinux sodium (fondaparinux sodium 5 mg/0.4ml solution, fondaparinux sodium 7.5 mg/0.6ml solution, fondaparinux sodium 10 mg/0.8ml solution)</i>	5	 Non-Extended Day Supply
<i>fondaparinux sodium 2.5 mg/0.5ml solution</i>	4	
<i>heparin sodium (porcine) (heparin sodium (porcine) 1000 unit/ml solution, heparin sodium (porcine) 5000 unit/ml solution, heparin sodium (porcine) 10000 unit/ml solution, heparin sodium (porcine) 20000 unit/ml solution)</i>	3	
<i>heparin sodium (porcine) pf 1000 unit/ml solution</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ANTICONVULSANTS</b>		
<b>AMPA GLUTAMATE RECEPTOR ANTAGONISTS</b>		
FYCOMPA (FYCOMPA 4 MG TAB, FYCOMPA 6 MG TAB)	5	QL 60 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
FYCOMPA (FYCOMPA 8 MG TAB, FYCOMPA 10 MG TAB, FYCOMPA 12 MG TAB)	5	QL 30 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
FYCOMPA 0.5 MG/ML SUSPENSION	5	QL 720 ML / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
FYCOMPA 2 MG TAB	4	QL 60 EA / 30 DAYS PA <sup>2</sup>
<b>ANTICONVULSANTS - BENZODIAZEPINES</b>		
<i>clobazam (clobazam 10 mg tab, clobazam 20 mg tab)</i>	4	QL 60 EA / 30 DAYS
<i>clobazam 2.5 mg/ml suspension</i>	4	QL 480 ML / 30 DAYS
<i>clonazepam (clonazepam 0.125 mg tab disp, clonazepam 0.25 mg tab disp, clonazepam 0.5 mg tab disp, clonazepam 1 mg tab disp)</i>	4	QL 90 EA / 30 DAYS PA <sup>2</sup>
<i>clonazepam (clonazepam 0.5 mg tab, clonazepam 1 mg tab)</i>	2	QL 90 EA / 30 DAYS PA <sup>2</sup>
<i>clonazepam 2 mg tab</i>	2	QL 300 EA / 30 DAYS PA <sup>2</sup>
<i>clonazepam 2 mg tab disp</i>	4	QL 300 EA / 30 DAYS PA <sup>2</sup>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
DIAZEPAM (DIAZEPAM 2.5 MG GEL, DIAZEPAM 10 MG GEL, DIAZEPAM 20 MG GEL)	4	QL 10 EA / 30 OVER TIME
NAYZILAM	4	QL 10 EA / 30 OVER TIME
SYMPAZAN (SYMPAZAN 10 MG FILM, SYMPAZAN 20 MG FILM)	5	QL 60 EA / 30 DAYS NDS Non-Extended Day Supply
SYMPAZAN 5 MG FILM	4	QL 60 EA / 30 DAYS
VALTOCO 10 MG DOSE	5	QL 10 EA / 30 OVER TIME NDS Non-Extended Day Supply
VALTOCO 15 MG DOSE	5	QL 10 EA / 30 OVER TIME NDS Non-Extended Day Supply
VALTOCO 20 MG DOSE	5	QL 10 EA / 30 OVER TIME NDS Non-Extended Day Supply
VALTOCO 5 MG DOSE	5	QL 10 EA / 30 OVER TIME NDS Non-Extended Day Supply
<b>ANTICONVULSANTS - MISC.</b>		
APTIOM (APTIOM 600 MG TAB, APTIOM 800 MG TAB)	4	QL 60 EA / 30 DAYS
APTIOM 200 MG TAB	4	QL 180 EA / 30 DAYS
APTIOM 400 MG TAB	4	QL 90 EA / 30 DAYS
BRIVIACT (BRIVIACT 10 MG TAB, BRIVIACT 25 MG TAB, BRIVIACT 50 MG TAB, BRIVIACT 75 MG TAB, BRIVIACT 100 MG TAB)	5	QL 60 EA / 30 DAYS NDS Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
BRIVIACT 10 MG/ML SOLUTION	5	<div data-bbox="1133 170 1192 212">QL</div> 600 ML / 30 DAYS <div data-bbox="1133 222 1192 285">NDS</div> Non-Extended Day Supply
<i>carbamazepine (carbamazepine 100 mg chew tab, carbamazepine 200 mg tab)</i>	3	
<i>carbamazepine 100 mg/5ml suspension</i>	4	
<i>carbamazepine er (carbamazepine er 100 mg cap er 12h, carbamazepine er 100 mg tab er 12h, carbamazepine er 200 mg cap er 12h, carbamazepine er 200 mg tab er 12h, carbamazepine er 300 mg cap er 12h, carbamazepine er 400 mg tab er 12h)</i>	4	
DIACOMIT	5	<div data-bbox="1133 829 1192 871">PA<sup>2</sup></div> <div data-bbox="1133 882 1192 945">NDS</div> Non-Extended Day Supply <div data-bbox="1133 955 1192 997">LA</div>
EPIDIOLEX	4	<div data-bbox="1133 1010 1192 1052">PA<sup>2</sup></div> <div data-bbox="1133 1062 1192 1104">LA</div>
<i>epitol</i>	2	
EPRONTIA	4	
FINTEPLA	5	<div data-bbox="1133 1241 1192 1283">QL</div> 360 ML / 30 DAYS <div data-bbox="1133 1293 1192 1335">PA<sup>2</sup></div> <div data-bbox="1133 1346 1192 1409">NDS</div> Non-Extended Day Supply <div data-bbox="1133 1419 1192 1461">LA</div>
<i>gabapentin (gabapentin 100 mg cap, gabapentin 300 mg cap, gabapentin 400 mg cap, gabapentin 600 mg tab, gabapentin 800 mg tab)</i>	2	
<i>gabapentin (gabapentin 250 mg/5ml solution, gabapentin 300 mg/6ml solution)</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>lacosamide (lacosamide 50 mg tab, lacosamide 100 mg tab, lacosamide 150 mg tab, lacosamide 200 mg tab)</i>	2	
<i>lacosamide 10 mg/ml solution</i>	4	
<i>lamotrigine (lamotrigine 25 mg tab disp, lamotrigine 50 mg tab disp, lamotrigine 100 mg tab disp, lamotrigine 200 mg tab disp)</i>	4	
<i>lamotrigine (lamotrigine 5 mg chew tab, lamotrigine 25 mg chew tab, lamotrigine 25 mg tab, lamotrigine 100 mg tab, lamotrigine 150 mg tab, lamotrigine 200 mg tab)</i>	2	
<i>lamotrigine er (lamotrigine er 25 mg tab er 24h, lamotrigine er 50 mg tab er 24h, lamotrigine er 100 mg tab er 24h, lamotrigine er 200 mg tab er 24h, lamotrigine er 250 mg tab er 24h, lamotrigine er 300 mg tab er 24h)</i>	4	
<i>levetiracetam (levetiracetam 100 mg/ml solution, levetiracetam 250 mg tab, levetiracetam 500 mg tab, levetiracetam 750 mg tab, levetiracetam 1000 mg tab)</i>	2	
<i>levetiracetam er (levetiracetam er 500 mg tab er 24h, levetiracetam er 750 mg tab er 24h)</i>	3	
<i>oxcarbazepine (oxcarbazepine 150 mg tab, oxcarbazepine 300 mg tab, oxcarbazepine 600 mg tab)</i>	3	
<i>oxcarbazepine 300 mg/5ml suspension</i>	4	
<i>pregabalin (pregabalin 25 mg cap, pregabalin 50 mg cap, pregabalin 75 mg cap, pregabalin 100 mg cap, pregabalin 150 mg cap, pregabalin 200 mg cap, pregabalin 225 mg cap, pregabalin 300 mg cap)</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>pregabalin 20 mg/ml solution</i>	4	
PRIMIDONE (PRIMIDONE 50 MG TAB, PRIMIDONE 125 MG TAB, PRIMIDONE 250 MG TAB)	2	
<i>roweepra 500 mg tab</i>	2	
<i>rufinamide (rufinamide 40 mg/ml suspension, rufinamide 400 mg tab)</i>	5	PA <sup>2</sup> NDS Non-Extended Day Supply
<i>rufinamide 200 mg tab</i>	4	PA <sup>2</sup>
SPRITAM	4	
<i>topiramate</i>	2	
ZONISADE	4	
<i>zonisamide</i>	2	
ZTALMY	5	QL 1100 ML / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
<b>CARBAMATES</b>		
<i>felbamate (felbamate 400 mg tab, felbamate 600 mg tab)</i>	4	
<i>felbamate 600 mg/5ml suspension</i>	5	NDS Non-Extended Day Supply
XCOPRI (250 MG DAILY DOSE) 100 & 150 MG TAB THPK	5	QL 56 EA / 28 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
XCOPRI (350 MG DAILY DOSE)	5	QL 56 EA / 28 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
XCOPRI (XCOPRI 14 X 150 MG & 14 X200 MG TAB THPK, XCOPRI 14 X 50 MG & 14 X100 MG TAB THPK)	5	QL 28 EA / 28 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
XCOPRI (XCOPRI 150 MG TAB, XCOPRI 200 MG TAB)	5	QL 60 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
XCOPRI (XCOPRI 50 MG TAB, XCOPRI 100 MG TAB)	5	QL 30 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
XCOPRI 14 X 12.5 MG & 14 X 25 MG TAB THPK	4	QL 28 EA / 28 DAYS PA <sup>2</sup>
<b>GABA MODULATORS</b>		
<i>tiagabine hcl (tiagabine hcl 2 mg tab, tiagabine hcl 4 mg tab, tiagabine hcl 12 mg tab, tiagabine hcl 16 mg tab)</i>	4	
<i>vigabatrin</i>	5	PA <sup>2</sup> NDS Non-Extended Day Supply LA
<i>vigadrone</i>	5	PA <sup>2</sup> NDS Non-Extended Day Supply LA
<i>vigpoder</i>	5	PA <sup>2</sup> NDS Non-Extended Day Supply LA
<b>HYDANTOINS</b>		
DILANTIN 30 MG CAP	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>phenytek</i>	2	
<i>phenytoin (phenytoin 50 mg chew tab, phenytoin 100 mg/4ml suspension, phenytoin 125 mg/5ml suspension)</i>	2	
<i>phenytoin infatabs</i>	2	
<i>phenytoin sodium extended</i>	2	
<b>SUCCINIMIDES</b>		
<i>ethosuximide (ethosuximide 250 mg cap, ethosuximide 250 mg/5ml solution)</i>	3	
<i>methsuximide</i>	4	
<b>VALPROIC ACID</b>		
<i>divalproex sodium</i>	2	
<i>divalproex sodium er</i>	2	
<i>valproic acid (valproic acid 250 mg cap, valproic acid 250 mg/5ml solution)</i>	2	
<b>ANTIDEPRESSANTS</b>		
<b>ALPHA-2 RECEPTOR ANTAGONISTS (TETRACYCLICS)</b>		
<i>mirtazapine (mirtazapine 15 mg tab disp, mirtazapine 30 mg tab disp, mirtazapine 45 mg tab disp)</i>	3	
<i>mirtazapine (mirtazapine 7.5 mg tab, mirtazapine 15 mg tab, mirtazapine 30 mg tab, mirtazapine 45 mg tab)</i>	2	
<b>ANTIDEPRESSANT COMBINATIONS</b>		
AUVELITY	4	QL 60 EA / 30 DAYS
<b>ANTIDEPRESSANTS - MISC.</b>		
<i>bupropion hcl (bupropion hcl 75 mg tab, bupropion hcl 100 mg tab)</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>bupropion hcl er (smoking det)</i>	2	
<i>bupropion hcl er (sr) (bupropion hcl er (sr) 100 mg tab er 12h, bupropion hcl er (sr) 150 mg tab er 12h, bupropion hcl er (sr) 200 mg tab er 12h)</i>	2	
<i>bupropion hcl er (xl) (bupropion hcl er (xl) 150 mg tab er 24h, bupropion hcl er (xl) 300 mg tab er 24h)</i>	2	
<b>GABA RECEPTOR MODULATOR - NEUROACTIVE STEROID</b>		
ZURZUVAE (ZURZUVAE 20 MG CAP, ZURZUVAE 25 MG CAP)	5	<ul style="list-style-type: none"> <li>QL 28 EA / 14 OVER TIME</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
ZURZUVAE 30 MG CAP	5	<ul style="list-style-type: none"> <li>QL 14 EA / 14 OVER TIME</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
<b>MONOAMINE OXIDASE INHIBITORS (MAOIS)</b>		
EMSAM	5	<ul style="list-style-type: none"> <li>NDS Non-Extended Day Supply</li> </ul>
MARPLAN	4	
PHENELZINE SULFATE 15 MG TAB	3	
<i>tranylcypromine sulfate</i>	4	
<b>SELECTIVE SEROTONIN REUPTAKE INHIBITORS (SSRIS)</b>		
<i>citalopram hydrobromide (citalopram hydrobromide 10 mg tab, citalopram hydrobromide 20 mg tab, citalopram hydrobromide 40 mg tab)</i>	1	
<i>citalopram hydrobromide 10 mg/5ml solution</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>escitalopram oxalate (escitalopram oxalate 5 mg tab, escitalopram oxalate 10 mg tab, escitalopram oxalate 20 mg tab)</i>	1	
<i>escitalopram oxalate 5 mg/5ml solution</i>	2	
<i>fluoxetine hcl (fluoxetine hcl 10 mg cap, fluoxetine hcl 20 mg cap, fluoxetine hcl 40 mg cap)</i>	1	
<i>fluoxetine hcl 20 mg/5ml solution</i>	2	
FLUOXETINE HCL 90 MG CAP DR	4	
<i>fluvoxamine maleate (fluvoxamine maleate 25 mg tab, fluvoxamine maleate 50 mg tab, fluvoxamine maleate 100 mg tab)</i>	3	
<i>fluvoxamine maleate er</i>	4	
<i>paroxetine hcl (paroxetine hcl 10 mg tab, paroxetine hcl 20 mg tab, paroxetine hcl 30 mg tab, paroxetine hcl 40 mg tab)</i>	2	
<i>paroxetine hcl 10 mg/5ml suspension</i>	4	
<i>paroxetine hcl er</i>	4	
<i>sertraline hcl (sertraline hcl 25 mg tab, sertraline hcl 50 mg tab, sertraline hcl 100 mg tab)</i>	1	
<i>sertraline hcl 20 mg/ml conc</i>	4	
<b>SEROTONIN MODULATORS</b>		
NEFAZODONE HCL	4	
<i>trazodone hcl (trazodone hcl 50 mg tab, trazodone hcl 100 mg tab, trazodone hcl 150 mg tab)</i>	1	
<i>trazodone hcl 300 mg tab</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
TRINTELLIX	4	QL 30 EA / 30 DAYS
<i>vilazodone hcl</i>	4	QL 30 EA / 30 DAYS
<b>SEROTONIN-NOREPINEPHRINE REUPTAKE INHIBITORS (SNRIS)</b>		
<i>desvenlafaxine succinate er</i>	4	
<i>duloxetine hcl (duloxetine hcl 20 mg cp dr part, duloxetine hcl 30 mg cp dr part, duloxetine hcl 60 mg cp dr part)</i>	2	
FETZIMA	4	QL 30 EA / 30 DAYS
FETZIMA TITRATION	4	QL 28 EA / 180 OVER TIME
<i>venlafaxine hcl</i>	2	
<i>venlafaxine hcl er (venlafaxine hcl er 37.5 mg cap er 24h, venlafaxine hcl er 75 mg cap er 24h, venlafaxine hcl er 150 mg cap er 24h)</i>	2	
<b>TRICYCLIC AGENTS</b>		
<i>amitriptyline hcl</i>	2	
<i>amoxapine</i>	4	
<i>clomipramine hcl (clomipramine hcl 25 mg cap, clomipramine hcl 50 mg cap, clomipramine hcl 75 mg cap)</i>	4	
<i>desipramine hcl</i>	4	
<i>doxepin hcl (doxepin hcl 10 mg cap, doxepin hcl 10 mg/ml conc, doxepin hcl 25 mg cap, doxepin hcl 50 mg cap, doxepin hcl 75 mg cap, doxepin hcl 100 mg cap, doxepin hcl 150 mg cap)</i>	4	
<i>imipramine hcl</i>	4	
<i>imipramine pamoate</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>nortriptyline hcl (nortriptyline hcl 10 mg cap, nortriptyline hcl 10 mg/5ml solution, nortriptyline hcl 25 mg cap, nortriptyline hcl 50 mg cap, nortriptyline hcl 75 mg cap)</i>	2	
<i>protriptyline hcl</i>	4	
<i>trimipramine maleate</i>	4	
<b>ANTIDIABETICS</b>		
<b>ALPHA-GLUCOSIDASE INHIBITORS</b>		
<i>acarbose</i>	2	
MIGLITOL	4	
<b>ANTIDIABETIC COMBINATIONS</b>		
<i>glipizide-metformin hcl</i>	1	
GLYXAMBI	3	QL 30 EA / 30 DAYS
INVOKAMET	3	QL 60 EA / 30 DAYS
INVOKAMET XR	3	QL 60 EA / 30 DAYS
JANUMET	3	QL 60 EA / 30 DAYS
JANUMET XR (JANUMET XR 50-1000 MG TAB ER 24H, JANUMET XR 50-500 MG TAB ER 24H)	3	QL 60 EA / 30 DAYS
JANUMET XR 100-1000 MG TAB ER 24H	3	QL 30 EA / 30 DAYS
JENTADUETO (JENTADUETO 2.5-1000 MG TAB, JENTADUETO 2.5-500 MG TAB)	3	QL 60 EA / 30 DAYS
JENTADUETO XR 2.5-1000 MG TAB ER 24H	3	QL 60 EA / 30 DAYS
JENTADUETO XR 5-1000 MG TAB ER 24H	3	QL 30 EA / 30 DAYS
<i>pioglitazone hcl-glimepiride</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>pioglitazone hcl-metformin hcl</i>	2	
SOLIQUA	3	<span>QL</span> 90 ML / 30 DAYS <span>INS</span> \$35 Insulin
SYNJARDY	3	<span>QL</span> 60 EA / 30 DAYS
SYNJARDY XR (SYNJARDY XR 5-1000 MG TAB ER 24H, SYNJARDY XR 10-1000 MG TAB ER 24H, SYNJARDY XR 12.5-1000 MG TAB ER 24H)	3	<span>QL</span> 60 EA / 30 DAYS
SYNJARDY XR 25-1000 MG TAB ER 24H	3	<span>QL</span> 30 EA / 30 DAYS
TRIJARDY XR (TRIJARDY XR 10-5-1000 MG TAB ER 24H, TRIJARDY XR 25-5-1000 MG TAB ER 24H)	3	<span>QL</span> 30 EA / 30 DAYS
TRIJARDY XR (TRIJARDY XR 5-2.5-1000 MG TAB ER 24H, TRIJARDY XR 12.5-2.5-1000 MG TAB ER 24H)	3	<span>QL</span> 60 EA / 30 DAYS
<b>BIGUANIDES</b>		
<i>metformin hcl (metformin hcl 500 mg tab, metformin hcl 850 mg tab, metformin hcl 1000 mg tab)</i>	1	
<i>metformin hcl er (metformin hcl er 500 mg tab er 24h, metformin hcl er 750 mg tab er 24h)</i>	1	
<b>DIABETIC OTHER</b>		
<i>diazoxide</i>	4	
GLUCAGON EMERGENCY 1 MG KIT	3	
GVOKE HYPOPEN 1-PACK	3	
GVOKE HYPOPEN 2-PACK	3	
GVOKE KIT	3	
GVOKE PFS	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>mifepristone 300 mg tab</i>	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<b>DIPEPTIDYL PEPTIDASE-4 (DPP-4) INHIBITORS</b>		
JANUVIA	3	QL 30 EA / 30 DAYS
TRADJENTA	3	QL 30 EA / 30 DAYS
<b>DOPAMINE RECEPTOR AGONISTS - ANTIDIABETIC</b>		
CYCLOSET	4	QL 180 EA / 30 DAYS
<b>INCRETIN MIMETIC AGENTS</b>		
BYDUREON BCISE	3	<ul style="list-style-type: none"> <li>QL 4 ML / 28 DAYS</li> <li>PA</li> </ul>
TRULICITY	3	<ul style="list-style-type: none"> <li>QL 2 ML / 28 DAYS</li> <li>PA</li> </ul>
<b>INSULIN</b>		
HUMULIN R U-500 (CONCENTRATED)	3	<ul style="list-style-type: none"> <li>PA<sup>3</sup></li> <li>INS \$35 Insulin</li> </ul>
HUMULIN R U-500 KWIKPEN	3	INS \$35 Insulin
INSULIN ASP PROT & ASP FLEXPEN	3	INS \$35 Insulin
INSULIN ASPART	3	<ul style="list-style-type: none"> <li>PA<sup>3</sup></li> <li>INS \$35 Insulin</li> </ul>
INSULIN ASPART FLEXPEN	3	INS \$35 Insulin
INSULIN ASPART PENFILL	3	INS \$35 Insulin
INSULIN ASPART PROT & ASPART	3	INS \$35 Insulin
LANTUS	3	INS \$35 Insulin
LANTUS SOLOSTAR	3	INS \$35 Insulin

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
NOVOLIN 70/30	3	INS \$35 Insulin
NOVOLIN 70/30 FLEXPEN	3	INS \$35 Insulin
NOVOLIN 70/30 FLEXPEN RELION	3	INS \$35 Insulin
NOVOLIN 70/30 RELION	3	INS \$35 Insulin
NOVOLIN N	3	INS \$35 Insulin
NOVOLIN N FLEXPEN	3	INS \$35 Insulin
NOVOLIN N FLEXPEN RELION	3	INS \$35 Insulin
NOVOLIN N RELION	3	INS \$35 Insulin
NOVOLIN R	3	INS \$35 Insulin
NOVOLIN R FLEXPEN	3	INS \$35 Insulin
NOVOLIN R FLEXPEN RELION	3	INS \$35 Insulin
NOVOLIN R RELION	3	INS \$35 Insulin
NOVOLOG	3	PA <sup>3</sup> INS \$35 Insulin
NOVOLOG 70/30 FLEXPEN RELION	3	INS \$35 Insulin
NOVOLOG FLEXPEN	3	INS \$35 Insulin
NOVOLOG FLEXPEN RELION	3	INS \$35 Insulin
NOVOLOG MIX 70/30	3	INS \$35 Insulin
NOVOLOG MIX 70/30 FLEXPEN	3	INS \$35 Insulin
NOVOLOG MIX 70/30 RELION	3	INS \$35 Insulin
NOVOLOG PENFILL	3	INS \$35 Insulin
NOVOLOG RELION	3	PA <sup>3</sup> INS \$35 Insulin
TOUJEO MAX SOLOSTAR	3	INS \$35 Insulin
TOUJEO SOLOSTAR	3	INS \$35 Insulin

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>INSULIN SENSITIZING AGENTS</b>		
<i>pioglitazone hcl</i>	1	
<b>MEGLITINIDE ANALOGUES</b>		
<i>nateglinide</i>	2	
<i>repaglinide</i>	2	
<b>SODIUM-GLUCOSE CO-TRANSPORTER 2 (SGLT2) INHIBITORS</b>		
INVOKANA	3	QL 30 EA / 30 DAYS
JARDIANCE	3	QL 30 EA / 30 DAYS
<b>SULFONYLUREAS</b>		
<i>glimepiride</i>	1	
<i>glipizide (glipizide 5 mg tab, glipizide 10 mg tab)</i>	1	
<i>glipizide er</i>	1	
<i>glipizide xl</i>	1	
<b>ANTIDIARRHEAL/PROBIOTIC AGENTS</b>		
<b>ANTIPERISTALTIC AGENTS</b>		
<i>diphenoxylate-atropine (diphenoxylate-atropine 2.5-0.025 mg tab, diphenoxylate-atropine 2.5-0.025 mg/5ml liquid)</i>	4	
<i>loperamide (immodium)</i>	2	
<b>ANTIDOTES AND SPECIFIC ANTAGONISTS</b>		
<b>ANTIDOTES - CHELATING AGENTS</b>		
CHEMET	3	
<i>deferasirox (deferasirox 180 mg tab, deferasirox 360 mg tab)</i>	5	PA NDS Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>deferasirox 90 mg tab</i>	4	PA
<b>OPIOID ANTAGONISTS</b>		
KLOXXADO	3	
NALOXONE HCL (NALOXONE HCL 0.4 MG/ML SOLN CART, NALOXONE HCL 0.4 MG/ML SOLUTION, NALOXONE HCL 2 MG/2ML SOLN PRSYR, NALOXONE HCL 4 MG/10ML SOLUTION)	1	
<i>naloxone hcl 4 mg/0.1ml liquid</i>	2	
<i>naltrexone hcl</i>	2	
OPVEE	3	
VIVITROL	5	NDS Non-Extended Day Supply
ZIMHI	2	
<b>ANTIEMETICS</b>		
<b>5-HT3 RECEPTOR ANTAGONISTS</b>		
<i>granisetron hcl 1 mg tab</i>	4	QL 60 EA / 30 DAYS PA <sup>3</sup>
<i>ondansetron</i>	2	PA <sup>3</sup>
<i>ondansetron hcl (ondansetron hcl 4 mg tab, ondansetron hcl 8 mg tab)</i>	2	PA <sup>3</sup>
<i>ondansetron hcl 4 mg/5ml solution</i>	4	PA <sup>3</sup>
<b>ANTIEMETICS - ANTICHOLINERGIC</b>		
<i>meclizine</i>	2	
<i>scopolamine</i>	4	
<b>ANTIEMETICS - MISCELLANEOUS</b>		
<i>doxylamine-pyridoxine</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>dronabinol</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #4a4a8a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>60 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div>
<b>SUBSTANCE P/NEUROKININ 1 (NK1) RECEPTOR ANTAGONISTS</b>		
<i>aprepitant (aprepitant 40 mg cap, aprepitant 125 mg cap)</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #4a4a8a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>3 EA / 2 OVER TIME</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA<sup>3</sup></div> </div>
<i>aprepitant (aprepitant 80 &amp; 125 mg cap, aprepitant 80 &amp; 125 mg misc, aprepitant 80 mg cap)</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #4a4a8a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>6 EA / 4 OVER TIME</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA<sup>3</sup></div> </div>
VARUBI (180 MG DOSE)	4	<div style="display: flex; align-items: center;"> <div style="background-color: #4a4a8a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>4 EA / 28 OVER TIME</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA<sup>3</sup></div> </div>
<b>ANTIFUNGALS</b>		
<b>ANTIFUNGAL - GLUCAN SYNTHESIS INHIBITORS</b>		
<i>casposfungin acetate</i>	4	
<i>micafungin sodium</i>	5	<div style="display: flex; align-items: center;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
<b>ANTIFUNGALS</b>		
ABELCET	4	<div style="display: flex; align-items: center;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA<sup>3</sup></div> </div>
AMPHOTERICIN B	4	<div style="display: flex; align-items: center;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA<sup>3</sup></div> </div>
<i>flucytosine</i>	5	<div style="display: flex; align-items: center;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
<i>griseofulvin microsize (griseofulvin microsize 125 mg/5ml suspension, griseofulvin microsize 500 mg tab)</i>	4	
<i>griseofulvin ultramicrosize</i>	4	
<i>nystatin 500000 unit tab</i>	2	
<i>terbinafine hcl 250 mg tab</i>	2	
<b>IMIDAZOLE-RELATED ANTIFUNGALS</b>		
CRESEMBA 372 MG RECON SOLN	5	<div style="display: flex; align-items: center;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NDS</div> <div>Non-Extended Day Supply</div> </div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>fluconazole (fluconazole 10 mg/ml recon susp, fluconazole 40 mg/ml recon susp)</i>	4	
<i>fluconazole (fluconazole 50 mg tab, fluconazole 100 mg tab, fluconazole 150 mg tab, fluconazole 200 mg tab)</i>	2	
<i>fluconazole in sodium chloride (fluconazole in sodium chloride 100-0.9 mg/50ml-% solution, fluconazole in sodium chloride 200-0.9 mg/100ml-% solution, fluconazole in sodium chloride 400-0.9 mg/200ml-% solution)</i>	4	
<i>itraconazole (itraconazole 10 mg/ml solution, itraconazole 100 mg cap)</i>	4	PA
<i>ketoconazole 200 mg tab</i>	2	
<i>posaconazole 100 mg tab dr</i>	5	PA NDS Non-Extended Day Supply
<i>voriconazole (voriconazole 50 mg tab, voriconazole 200 mg tab)</i>	4	PA
<i>voriconazole 200 mg recon soln</i>	5	PA NDS Non-Extended Day Supply
<i>voriconazole 40 mg/ml recon susp</i>	5	PA NDS Non-Extended Day Supply
<b>ANTIHISTAMINES</b>		
<b>ANTIHISTAMINES - NON-SEDATING</b>		
<i>cetirizine (zyrtec)</i>	2	
<i>levocetirizine (xyzal)</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ANTI-HISTAMINES - PHENOTHIAZINES</b>		
<i>promethazine hcl (promethazine hcl 6.25 mg/5ml solution, promethazine hcl 12.5 mg suppos, promethazine hcl 12.5 mg tab, promethazine hcl 25 mg suppos, promethazine hcl 25 mg tab, promethazine hcl 50 mg tab)</i>	4	
<b>ANTIHYPERLIPIDEMICS</b>		
<b>ANTIHYPERLIPIDEMICS - COMBINATIONS</b>		
<i>ezetimibe-simvastatin</i>	2	QL 30 EA / 30 DAYS
<b>ANTIHYPERLIPIDEMICS - MISC.</b>		
<i>icosapent ethyl</i>	4	
<i>omega-3-acid ethyl esters</i>	3	
<b>BILE ACID SEQUESTRANTS</b>		
<i>cholestyramine (cholestyramine 4 gm packet, cholestyramine 4 gm/dose powder)</i>	3	
<i>cholestyramine light (cholestyramine light 4 gm packet, cholestyramine light 4 gm/dose powder)</i>	3	
<i>colesevelam hcl</i>	4	
<i>colestipol hcl (colestipol hcl 1 gm tab, colestipol hcl 5 gm granules, colestipol hcl 5 gm packet)</i>	4	
<i>prevalite (prevalite 4 gm packet, prevalite 4 gm/dose powder)</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.





DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>FIBRIC ACID DERIVATIVES</b>		
<i>fenofibrate (fenofibrate 48 mg tab, fenofibrate 54 mg tab, fenofibrate 67 mg cap, fenofibrate 134 mg cap, fenofibrate 145 mg tab, fenofibrate 160 mg tab, fenofibrate 200 mg cap)</i>	2	
<i>fenofibrate micronized (fenofibrate micronized 43 mg cap, fenofibrate micronized 67 mg cap, fenofibrate micronized 134 mg cap, fenofibrate micronized 200 mg cap)</i>	2	
<i>fenofibric acid (fenofibric acid 45 mg cap dr, fenofibric acid 135 mg cap dr)</i>	4	
<i>gemfibrozil</i>	2	
<b>HMG COA REDUCTASE INHIBITORS</b>		
<i>atorvastatin calcium</i>	1	
<i>fluvastatin sodium</i>	2	
<i>lovastatin (lovastatin 20 mg tab, lovastatin 40 mg tab)</i>	1	QL 60 EA / 30 DAYS
<i>lovastatin 10 mg tab</i>	1	QL 30 EA / 30 DAYS
<i>pravastatin sodium</i>	1	
<i>rosuvastatin calcium</i>	1	
<i>simvastatin (simvastatin 5 mg tab, simvastatin 10 mg tab, simvastatin 20 mg tab, simvastatin 40 mg tab, simvastatin 80 mg tab)</i>	1	
<b>INTESTINAL CHOLESTEROL ABSORPTION INHIBITORS</b>		
<i>ezetimibe</i>	2	QL 30 EA / 30 DAYS
<b>NICOTINIC ACID DERIVATIVES</b>		
<i>niacin er (antihyperlipidemic)</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>PROTEIN CONVERTASE SUBTILISIN/KEXIN TYPE 9 INHIBITORS</b>		
PRALUENT	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">2 ML / 28 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e3a; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
REPATHA	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">6 ML / 28 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e3a; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
REPATHA PUSHTRONEX SYSTEM	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">7 ML / 28 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e3a; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
REPATHA SURECLICK	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">6 ML / 28 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e3a; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
<b>ANTIHYPERTENSIVES</b>		
<b>ACE INHIBITORS</b>		
<i>benazepril hcl</i>	1	
<i>captopril</i>	2	
<i>enalapril maleate (enalapril maleate 2.5 mg tab, enalapril maleate 5 mg tab, enalapril maleate 10 mg tab, enalapril maleate 20 mg tab)</i>	1	
<i>fosinopril sodium</i>	1	
<i>lisinopril</i>	1	
<i>moexipril hcl</i>	2	
PERINDOPRIL ERBUMINE (PERINDOPRIL ERBUMINE, PERINDOPRIL ERBUMINE 2 MG TAB, PERINDOPRIL ERBUMINE 8 MG TAB)	2	
<i>perindopril erbumine 4 mg tab</i>	2	
<i>quinapril hcl</i>	1	
<i>ramipril</i>	1	
<i>trandolapril</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>AGENTS FOR PHEOCHROMOCYTOMA</b>		
<i>metirosine</i>	5	 Non-Extended Day Supply
<i>phenoxybenzamine hcl</i>	5	 Non-Extended Day Supply
<b>ANGIOTENSIN II RECEPTOR ANTAGONISTS</b>		
<i>candesartan cilexetil</i>	2	
<i>irbesartan</i>	1	
<i>losartan potassium</i>	1	
<i>olmesartan medoxomil</i>	2	
<i>telmisartan</i>	2	
<i>valsartan (valsartan 40 mg tab, valsartan 80 mg tab, valsartan 160 mg tab, valsartan 320 mg tab)</i>	1	
<b>ANTIADRENERGIC ANTIHYPERTENSIVES</b>		
<i>clonidine tablet</i>	1	
<i>clonidine weekly patch</i>	3	
<i>doxazosin mesylate</i>	2	
<i>guanfacine hcl</i>	2	
<i>prazosin hcl</i>	2	
<i>terazosin hcl</i>	1	
<b>ANTIHYPERTENSIVE COMBINATIONS</b>		
<i>amlodipine besy-benazepril hcl</i>	2	
<i>amlodipine besylate-valsartan</i>	2	
<i>amlodipine-olmesartan (amlodipine-olmesartan 5-20 mg tab, amlodipine-olmesartan 5-40 mg tab, amlodipine-olmesartan 10-20 mg tab, amlodipine-olmesartan 10-40 mg tab)</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>atenolol-chlorthalidone</i>	2	
<i>benazepril-hydrochlorothiazide (benazepril-hydrochlorothiazide 5-6.25 mg tab, benazepril-hydrochlorothiazide 10-12.5 mg tab, benazepril-hydrochlorothiazide 20-12.5 mg tab, benazepril-hydrochlorothiazide 20-25 mg tab)</i>	1	
<i>bisoprolol-hydrochlorothiazide (bisoprolol-hydrochlorothiazide 2.5-6.25 mg tab, bisoprolol-hydrochlorothiazide 5-6.25 mg tab, bisoprolol-hydrochlorothiazide 10-6.25 mg tab)</i>	2	
<i>candesartan cilexetil-hctz</i>	2	
<i>enalapril-hydrochlorothiazide</i>	1	
<i>fosinopril sodium-hctz</i>	1	
<i>irbesartan-hydrochlorothiazide</i>	1	
<i>lisinopril-hydrochlorothiazide</i>	1	
<i>losartan potassium-hctz</i>	1	
<i>metoprolol-hydrochlorothiazide</i>	2	
<i>olmesartan medoxomil-hctz</i>	2	
<i>olmesartan-amlodipine-hctz</i>	3	
TELMISARTAN-AMLODIPINE	2	
<i>telmisartan-hctz</i>	2	
<i>valsartan-hydrochlorothiazide</i>	2	
<b>DIRECT RENIN INHIBITORS</b>		
<i>aliskiren fumarate</i>	4	
<b>SELECTIVE ALDOSTERONE RECEPTOR ANTAGONISTS (SARAS)</b>		
<i>eplerenone</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>VASODILATORS</b>		
<i>hydralazine hcl (hydralazine hcl 10 mg tab, hydralazine hcl 25 mg tab, hydralazine hcl 50 mg tab, hydralazine hcl 100 mg tab)</i>	2	
<i>minoxidil</i>	2	
<b>ANTIMALARIALS</b>		
<b>ANTIMALARIAL COMBINATIONS</b>		
<i>atovaquone-proguanil hcl</i>	4	
COARTEM	4	
<b>ANTIMALARIALS</b>		
<i>chloroquine phosphate</i>	4	
<i>hydroxychloroquine sulfate 200 mg tab</i>	2	
<i>mefloquine hcl</i>	2	
<i>primaquine phosphate</i>	3	
PRIMAQUINE PHOSPHATE 26.3 (15 BASE) MG TAB	3	
<i>pyrimethamine</i>	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">PA</div> <div style="margin-right: 5px;">NDS</div> <div style="margin-right: 5px;">LA</div> <div>Non-Extended Day Supply</div> </div>
<i>quinine sulfate</i>	4	PA
<b>ANTIMYASTHENIC/CHOLINERGIC AGENTS</b>		
<b>ANTIMYASTHENIC/CHOLINERGIC AGENTS</b>		
FIRDAPSE	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">PA</div> <div style="margin-right: 5px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
<i>pyridostigmine bromide 60 mg tab</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>pyridostigmine bromide 60 mg/5ml solution</i>	4	
<i>pyridostigmine bromide er</i>	4	
<b>ANTIMYCOBACTERIAL AGENTS</b>		
<b>ANTIMYCOBACTERIAL AGENTS</b>		
<i>ethambutol hcl</i>	2	
ISONIAZID (ISONIAZID 100 MG TAB, ISONIAZID 100 MG/ML SOLUTION)	2	
<i>isoniazid 300mg tab</i>	2	
<i>isoniazid 50 mg/5ml syrup</i>	4	
PASER	4	
PRIFTIN	4	
<i>pyrazinamide</i>	4	
<i>rifabutin</i>	4	
<i>rifampin (rifampin 150 mg cap, rifampin 300 mg cap)</i>	3	
<i>rifampin 600 mg recon soln</i>	4	
SIRTURO	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">LA</div> </div> <div>                     Non-Extended Day Supply                 </div> </div>
TRECTOR	4	
<b>ANTINEOPLASTICS AND ADJUNCTIVE THERAPIES</b>		
<b>ALKYLATING AGENTS</b>		
CYCLOPHOSPHAMIDE (CYCLOPHOSPHAMIDE 25 MG TAB, CYCLOPHOSPHAMIDE 50 MG TAB)	3	<div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>3</sup></div>
<i>cyclophosphamide 25 mg cap</i>	3	<div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>3</sup></div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>cyclophosphamide 50 mg cap</i>	3	PA <sup>3</sup>
GLEOSTINE	5	NDS Non-Extended Day Supply
LEUKERAN	4	
<i>temozolomide</i>	Part B Covered	
<b>ANTIMETABOLITES</b>		
<i>capecitabine</i>	Part B Covered	
<i>mercaptopurine</i>	3	
<i>methotrexate sodium (methotrexate sodium 2.5 mg tab, methotrexate sodium 50 mg/2ml solution)</i>	2	
<i>methotrexate sodium (pf) 50 mg/2ml solution</i>	2	
ONUREG	5	QL 14 ML / 28 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
PURIXAN	5	NDS Non-Extended Day Supply LA
TABLOID	4	
XATMEP	4	
<b>ANTINEOPLASTIC - ANGIOGENESIS INHIBITORS</b>		
FRUZAQLA 1 MG CAP	5	QL 84 EA / 28 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
FRUZAQLA 5 MG CAP	5	QL 21 EA / 28 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
INLYTA 1 MG TAB	5	<ul style="list-style-type: none"> <li>QL 180 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
INLYTA 5 MG TAB	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
LENVIMA (10 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
LENVIMA (12 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li>QL 90 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
LENVIMA (14 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
LENVIMA (18 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li>QL 90 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
LENVIMA (20 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
LENVIMA (24 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 90 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></li> <li><span style="background-color: #c85130; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></li> </ul>
LENVIMA (4 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></li> <li><span style="background-color: #c85130; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></li> </ul>
LENVIMA (8 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 60 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></li> <li><span style="background-color: #c85130; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></li> </ul>
<b>ANTINEOPLASTIC - ANTI-HER2 AGENTS</b>		
TUKYSA	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 120 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></li> <li><span style="background-color: #c85130; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></li> </ul>
<b>ANTINEOPLASTIC - BCL-2 INHIBITORS</b>		
VENCLEXTA 10 MG TAB	4	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 60 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></li> </ul>
VENCLEXTA 100 MG TAB	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 180 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></li> <li><span style="background-color: #c85130; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></li> </ul>
VENCLEXTA 50 MG TAB	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></li> <li><span style="background-color: #c85130; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
VENCLEXTA STARTING PACK	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px;">QL</span> 42 EA / 28 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #c85130; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px;">LA</span></li> </ul>
<b>ANTINEOPLASTIC - EGFR INHIBITORS</b>		
<i>erlotinib hcl (erlotinib hcl 100 mg tab, erlotinib hcl 150 mg tab)</i>	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #c85130; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> </ul>
<i>erlotinib hcl 25 mg tab</i>	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px;">QL</span> 90 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #c85130; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> </ul>
EXKIVITY	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px;">QL</span> 120 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #c85130; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px;">LA</span></li> </ul>
<i>gefitinib</i>	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #c85130; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> </ul>
GILOTRIF	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #c85130; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px;">LA</span></li> </ul>
TAGRISSO	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #c85130; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px;">LA</span></li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
VIZIMPRO	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #009999; color: white; padding: 2px;">LA</span></li> </ul>
<b>ANTINEOPLASTIC - HEDGEHOG PATHWAY INHIBITORS</b>		
DAURISMO	5	<ul style="list-style-type: none"> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #009999; color: white; padding: 2px;">LA</span></li> </ul>
ERIVEDGE	5	<ul style="list-style-type: none"> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #009999; color: white; padding: 2px;">LA</span></li> </ul>
ODOMZO	5	<ul style="list-style-type: none"> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
<b>ANTINEOPLASTIC - HORMONAL AND RELATED AGENTS</b>		
<i>abiraterone acetate 250 mg tab</i>	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 120 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
<i>abiraterone acetate 500 mg tab</i>	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 60 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
AKEEGA	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 60 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
<i>anastrozole</i>	2	
<i>bicalutamide</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
ELIGARD 22.5 MG KIT	4	QL 1 EA / 84 OVER TIME
ELIGARD 30 MG KIT	4	QL 1 EA / 112 OVER TIME
ELIGARD 45 MG KIT	4	QL 1 EA / 168 OVER TIME
ELIGARD 7.5 MG KIT	4	QL 1 EA / 28 DAYS
EMCYT	5	NDS Non-Extended Day Supply
ERLEADA 240 MG TAB	5	QL 30 EA / 30 DAYS
		PA <sup>2</sup>
ERLEADA 240 MG TAB	5	NDS Non-Extended Day Supply
		LA
		QL 120 EA / 30 DAYS
ERLEADA 60 MG TAB	5	PA <sup>2</sup>
		NDS Non-Extended Day Supply
		LA
<i>exemestane</i>	4	
FIRMAGON	4	PA <sup>2</sup>
FIRMAGON (240 MG DOSE)	4	PA <sup>2</sup>
<i>letrozole</i>	2	
<i>leuprolide acetate</i>	5	PA <sup>2</sup>
LUPRON DEPOT (1-MONTH) 3.75 MG KIT	5	QL 1 EA / 28 DAYS
		NDS Non-Extended Day Supply
LUPRON DEPOT (3-MONTH) 11.25 MG KIT	5	QL 1 EA / 84 OVER TIME
LYSODREN	5	NDS Non-Extended Day Supply
		LA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>megestrol acetate (megestrol acetate 20 mg tab, megestrol acetate 40 mg tab)</i>	2	PA <sup>2</sup>
<i>megestrol acetate (megestrol acetate 40 mg/ml suspension, megestrol acetate 400 mg/10ml suspension, megestrol acetate 800 mg/20ml suspension)</i>	4	PA
<i>nilutamide</i>	5	PA <sup>2</sup> NDS Non-Extended Day Supply
NUBEQA	5	QL 120 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
ORGOVYX	5	QL 30 EA / 28 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
ORSERDU 345 MG TAB	5	QL 30 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
ORSERDU 86 MG TAB	5	QL 90 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
SOLTAMOX	5	NDS Non-Extended Day Supply
<i>tamoxifen citrate</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>toremifene citrate</i>	5	NDS Non-Extended Day Supply
TRELSTAR MIXJECT 11.25 MG RECON SUSP	4	QL 1 EA / 84 OVER TIME
TRELSTAR MIXJECT 22.5 MG RECON SUSP	4	QL 1 EA / 168 OVER TIME
TRELSTAR MIXJECT 3.75 MG RECON SUSP	4	QL 1 EA / 28 DAYS
XTANDI (XTANDI 40 MG CAP, XTANDI 40 MG TAB)	5	QL 120 EA / 30 DAYS
		PA <sup>2</sup> NDS Non-Extended Day Supply LA
XTANDI 80 MG TAB	5	QL 60 EA / 30 DAYS
		PA <sup>2</sup> NDS Non-Extended Day Supply LA

### ANTINEOPLASTIC - HYPOXIA-INDUCIBLE FACTOR INHIBITORS

WELIREG	5	QL 90 EA / 30 DAYS
		PA <sup>2</sup> NDS Non-Extended Day Supply LA

### ANTINEOPLASTIC - IMMUNOMODULATORS

POMALYST	5	QL 21 EA / 28 DAYS
		PA <sup>2</sup> NDS Non-Extended Day Supply LA

### ANTINEOPLASTIC - PDGFR-ALPHA INHIBITORS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

QL 30 EA / 30 DAYS  
PA<sup>2</sup>  
NDS Non-Extended Day Supply  
LA

AYVAKIT 5

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
-----------	-----------	-----------------------

**ANTINEOPLASTIC - XPO1 INHIBITORS**

XPOVIO (100 MG ONCE WEEKLY) 50 MG TAB THPK	5	<span>QL</span> 8 EA / 28 DAYS <span>PA<sup>2</sup></span> <span>NDS</span> Non-Extended Day Supply <span>LA</span>
--	---	--

XPOVIO (40 MG ONCE WEEKLY) 40 MG TAB THPK	5	<span>QL</span> 4 EA / 28 DAYS <span>PA<sup>2</sup></span> <span>NDS</span> Non-Extended Day Supply <span>LA</span>
---	---	--

XPOVIO (40 MG TWICE WEEKLY) 40 MG TAB THPK	5	<span>QL</span> 8 EA / 28 DAYS <span>PA<sup>2</sup></span> <span>NDS</span> Non-Extended Day Supply <span>LA</span>
--	---	--

XPOVIO (60 MG ONCE WEEKLY) 60 MG TAB THPK	5	<span>QL</span> 4 EA / 28 DAYS <span>PA<sup>2</sup></span> <span>NDS</span> Non-Extended Day Supply <span>LA</span>
---	---	--

XPOVIO (60 MG TWICE WEEKLY)	5	<span>QL</span> 24 EA / 28 DAYS <span>PA<sup>2</sup></span> <span>NDS</span> Non-Extended Day Supply <span>LA</span>
-----------------------------	---	---

XPOVIO (80 MG ONCE WEEKLY) 40 MG TAB THPK	5	<span>QL</span> 8 EA / 28 DAYS <span>PA<sup>2</sup></span> <span>NDS</span> Non-Extended Day Supply <span>LA</span>
---	---	--

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
XPOVIO (80 MG TWICE WEEKLY)	5	<ul style="list-style-type: none"> <li>QL 32 EA / 28 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<b>ANTINEOPLASTIC COMBINATIONS</b>		
INQOVI	5	<ul style="list-style-type: none"> <li>QL 5 EA / 28 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
KISQALI FEMARA (400 MG DOSE)	5	<ul style="list-style-type: none"> <li>QL 70 EA / 28 OVER TIME</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
KISQALI FEMARA (600 MG DOSE)	5	<ul style="list-style-type: none"> <li>QL 91 EA / 28 OVER TIME</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
KISQALI FEMARA(200 MG DOSE)	5	<ul style="list-style-type: none"> <li>QL 49 EA / 28 OVER TIME</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
LONSURF	5	<ul style="list-style-type: none"> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<b>ANTINEOPLASTIC ENZYME INHIBITORS</b>		
ALECENSA	5	<ul style="list-style-type: none"> <li>QL 240 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
ALUNBRIG (ALUNBRIG 90 & 180 MG TAB THPK, ALUNBRIG 90 MG TAB, ALUNBRIG 180 MG TAB)	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
ALUNBRIG 30 MG TAB	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
AUGTYRO	5	<ul style="list-style-type: none"> <li>QL 240 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
BALVERSA (BALVERSA 3 MG TAB, BALVERSA 4 MG TAB)	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
BALVERSA 5 MG TAB	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
BOSULIF (BOSULIF 400 MG TAB, BOSULIF 500 MG TAB)	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
BOSULIF 100 MG CAP	5	<ul style="list-style-type: none"> <li>QL 150 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
BOSULIF 50 MG CAP	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #c85130; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> </ul>
BRAFTOVI	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px;">QL</span> 180 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #c85130; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px;">LA</span></li> </ul>
BRUKINSA	5	<ul style="list-style-type: none"> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #c85130; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px;">LA</span></li> </ul>
CABOMETYX	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #c85130; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px;">LA</span></li> </ul>
CALQUENCE 100 MG CAP	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px;">QL</span> 60 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #c85130; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> </ul>
CALQUENCE 100 MG TAB	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px;">QL</span> 60 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #c85130; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px;">LA</span></li> </ul>
CAPRELSA 100 MG TAB	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px;">QL</span> 60 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #c85130; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px;">LA</span></li> </ul>
CAPRELSA 300 MG TAB	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #c85130; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px;">LA</span></li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
COMETRIQ (100 MG DAILY DOSE)	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span>PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span>NDS</span> Non-Extended Day Supply</div> <div><span>LA</span></div> </div>
COMETRIQ (140 MG DAILY DOSE)	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span>PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span>NDS</span> Non-Extended Day Supply</div> <div><span>LA</span></div> </div>
COMETRIQ (60 MG DAILY DOSE)	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span>PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span>NDS</span> Non-Extended Day Supply</div> <div><span>LA</span></div> </div>
COPIKTRA	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span>QL</span> 60 EA / 30 DAYS</div> <div style="margin-bottom: 5px;"><span>PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span>NDS</span> Non-Extended Day Supply</div> <div><span>LA</span></div> </div>
COTELLIC	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span>QL</span> 63 EA / 28 DAYS</div> <div style="margin-bottom: 5px;"><span>PA<sup>2</sup></span></div> <div style="margin-bottom: 5px;"><span>NDS</span> Non-Extended Day Supply</div> <div><span>LA</span></div> </div>
<i>everolimus (everolimus 2.5 mg tab, everolimus 5 mg tab, everolimus 7.5 mg tab, everolimus 10 mg tab)</i>	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span>QL</span> 30 EA / 30 DAYS</div> <div style="margin-bottom: 5px;"><span>PA<sup>2</sup></span></div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>
<i>everolimus 2 mg tab sol</i>	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span>QL</span> 150 EA / 30 DAYS</div> <div style="margin-bottom: 5px;"><span>PA<sup>2</sup></span></div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>
<i>everolimus 3 mg tab sol</i>	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span>QL</span> 90 EA / 30 DAYS</div> <div style="margin-bottom: 5px;"><span>PA<sup>2</sup></span></div> <div><span>NDS</span> Non-Extended Day Supply</div> </div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>everolimus 5 mg tab sol</i>	5	QL 60 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
FOTIVDA	5	QL 21 EA / 28 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
GAVRETO	5	QL 120 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
IBRANCE	5	QL 21 EA / 28 OVER TIME PA <sup>2</sup> NDS Non-Extended Day Supply LA
ICLUSIG	5	QL 30 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
IDHIFA	5	QL 30 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
<i>imatinib mesylate 100 mg tab</i>	5	QL 90 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>imatinib mesylate 400 mg tab</i>	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 60 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> </ul>
IMBRUVICA (IMBRUVICA 70 MG CAP, IMBRUVICA 280 MG TAB, IMBRUVICA 420 MG TAB)	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></li> </ul>
IMBRUVICA 140 MG CAP	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 120 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></li> </ul>
IMBRUVICA 70 MG/ML SUSPENSION	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 324 ML / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></li> </ul>
INREBIC	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 120 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></li> </ul>
JAKAFI	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 60 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></li> </ul>
JAYPIRCA 100 MG TAB	5	<ul style="list-style-type: none"> <li><span style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 60 EA / 30 DAYS</li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></span></li> <li><span style="background-color: #8b6914; color: white; padding: 2px 5px; border-radius: 3px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">LA</span></li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
JAYPIRCA 50 MG TAB	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
KISQALI (200 MG DOSE)	5	<ul style="list-style-type: none"> <li>QL 21 EA / 28 OVER TIME</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
KISQALI (400 MG DOSE)	5	<ul style="list-style-type: none"> <li>QL 42 EA / 28 OVER TIME</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
KISQALI (600 MG DOSE)	5	<ul style="list-style-type: none"> <li>QL 63 EA / 28 OVER TIME</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
KOSELUGO 10 MG CAP	5	<ul style="list-style-type: none"> <li>QL 240 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
KOSELUGO 25 MG CAP	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
KRAZATI	5	<ul style="list-style-type: none"> <li>QL 180 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>lapatinib ditosylate</i>	5	PA <sup>2</sup> NDS Non-Extended Day Supply
LORBRENA 100 MG TAB	5	QL 30 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
LORBRENA 25 MG TAB	5	QL 90 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
LUMAKRAS 120 MG TAB	5	QL 240 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
LUMAKRAS 320 MG TAB	5	QL 90 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
LYNPARZA	5	QL 120 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
LYTGOBI (12 MG DAILY DOSE)	5	QL 84 EA / 28 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
LYTGOBI (16 MG DAILY DOSE)	5	QL 112 EA / 28 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME		DRUG TIER	REQUIREMENTS / LIMITS
LYTGOBI (20 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li>QL 140 EA / 28 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>	
MEKINIST 0.05 MG/ML RECON SOLN	5	<ul style="list-style-type: none"> <li>QL 1200 ML / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>	
MEKINIST 0.5 MG TAB	5	<ul style="list-style-type: none"> <li>QL 90 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>	
MEKINIST 2 MG TAB	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>	
MEKTOVI	5	<ul style="list-style-type: none"> <li>QL 180 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>	
NERLYNX	5	<ul style="list-style-type: none"> <li>QL 180 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>	
NINLARO	5	<ul style="list-style-type: none"> <li>QL 3 EA / 28 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>	
OGSIVEO 50 MG TAB	5	<ul style="list-style-type: none"> <li>QL 180 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
OJJAARA	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
<i>pazopanib hcl</i>	5	<ul style="list-style-type: none"> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
PEMAZYRE	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #009999; color: white; padding: 2px;">LA</span></li> </ul>
PIQRAY (200 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
PIQRAY (250 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 60 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
PIQRAY (300 MG DAILY DOSE)	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 60 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
QINLOCK	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 90 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #009999; color: white; padding: 2px;">LA</span></li> </ul>
RETEVMO 40 MG CAP	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 180 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #009999; color: white; padding: 2px;">LA</span></li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
RETEVMO 80 MG CAP	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px 5px;">QL</span> 120 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #009999; color: white; padding: 2px 5px;">LA</span></li> </ul>
REZLIDHIA	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px 5px;">QL</span> 60 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #009999; color: white; padding: 2px 5px;">LA</span></li> </ul>
ROZLYTREK 100 MG CAP	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px 5px;">QL</span> 150 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #009999; color: white; padding: 2px 5px;">LA</span></li> </ul>
ROZLYTREK 200 MG CAP	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px 5px;">QL</span> 90 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #009999; color: white; padding: 2px 5px;">LA</span></li> </ul>
ROZLYTREK 50 MG PACKET	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px 5px;">QL</span> 336 EA / 28 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> </ul>
RUBRACA	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px 5px;">QL</span> 120 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #009999; color: white; padding: 2px 5px;">LA</span></li> </ul>
RYDAPT	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px 5px;">QL</span> 224 EA / 28 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> </ul>
SCSEMBLIX 20 MG TAB	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px 5px;">QL</span> 60 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px 5px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px 5px;">NDS</span> Non-Extended Day Supply</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
SCEMBLIX 40 MG TAB	5	<ul style="list-style-type: none"> <li>QL 300 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
<i>sorafenib tosylate</i>	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
SPRYCEL (SPRYCEL 50 MG TAB, SPRYCEL 70 MG TAB, SPRYCEL 80 MG TAB, SPRYCEL 100 MG TAB, SPRYCEL 140 MG TAB)	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
SPRYCEL 20 MG TAB	5	<ul style="list-style-type: none"> <li>QL 90 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
STIVARGA	5	<ul style="list-style-type: none"> <li>QL 84 EA / 28 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<i>sunitinib malate</i>	5	<ul style="list-style-type: none"> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
TABRECTA	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
TAFINLAR (TAFINLAR 50 MG CAP, TAFINLAR 75 MG CAP)	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
TAFINLAR 10 MG TAB SOL	5	<ul style="list-style-type: none"> <li>QL 840 ML / 28 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
TALZENNA (TALZENNA 0.1 MG CAP, TALZENNA 0.35 MG CAP)	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
TALZENNA (TALZENNA 0.5 MG CAP, TALZENNA 0.75 MG CAP, TALZENNA 1 MG CAP)	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
TALZENNA 0.25 MG CAP	5	<ul style="list-style-type: none"> <li>QL 90 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
TASIGNA	5	<ul style="list-style-type: none"> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
TAZVERIK	5	<ul style="list-style-type: none"> <li>QL 240 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
TEPMETKO	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
TIBSOVO	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
TRUQAP	5	<ul style="list-style-type: none"> <li>QL 64 EA / 28 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
TURALIO 125 MG CAP	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
VANFLYTA 17.7 MG TAB	5	<ul style="list-style-type: none"> <li>QL 28 EA / 28 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
VANFLYTA 26.5 MG TAB	5	<ul style="list-style-type: none"> <li>QL 56 EA / 28 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
VERZENIO	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
VITRAKVI 100 MG CAP	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
VITRAKVI 20 MG/ML SOLUTION	5	<ul style="list-style-type: none"> <li>QL 300 ML / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
VITRAKVI 25 MG CAP	5	<ul style="list-style-type: none"> <li>QL 180 EA / 30 DAYS</li> <li>PA<sup>2</sup></li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
XALKORI (XALKORI 20 MG CAP SPRINK, XALKORI 50 MG CAP SPRINK)	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 120 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
XALKORI 150 MG CAP SPRINK	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 180 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
XALKORI 200 MG CAP	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 60 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #009999; color: white; padding: 2px;">LA</span></li> </ul>
XALKORI 250 MG CAP	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 120 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #009999; color: white; padding: 2px;">LA</span></li> </ul>
XOSPATA	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 90 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #009999; color: white; padding: 2px;">LA</span></li> </ul>
ZEJULA (ZEJULA 100 MG TAB, ZEJULA 200 MG TAB, ZEJULA 300 MG TAB)	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 30 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> </ul>
ZEJULA 100 MG CAP	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 90 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #009999; color: white; padding: 2px;">LA</span></li> </ul>
ZELBORAF	5	<ul style="list-style-type: none"> <li><span style="background-color: #666699; color: white; padding: 2px;">QL</span> 240 EA / 30 DAYS</li> <li><span style="background-color: #996633; color: white; padding: 2px;">PA<sup>2</sup></span></li> <li><span style="background-color: #993333; color: white; padding: 2px;">NDS</span> Non-Extended Day Supply</li> <li><span style="background-color: #009999; color: white; padding: 2px;">LA</span></li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
ZOLINZA	5	PA <sup>2</sup> NDS Non-Extended Day Supply
ZYDELIG	5	QL 60 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
ZYKADIA	5	QL 90 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
<b>ANTINEOPLASTICS MISC.</b>		
ACTIMMUNE	5	PA <sup>2</sup> NDS Non-Extended Day Supply LA
BESREMI	5	QL 2 ML / 28 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
<i>bexarotene 75 mg cap</i>	5	PA <sup>2</sup> NDS Non-Extended Day Supply
<i>hydroxyurea</i>	2	
MATULANE	5	NDS Non-Extended Day Supply LA
SYNRIBO	5	PA <sup>2</sup> NDS Non-Extended Day Supply LA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>tretinoin 10 mg cap</i>	5	NDS Non-Extended Day Supply
<b>CHEMOTHERAPY RESCUE/ANTIDOTE/PROTECTIVE AGENTS</b>		
IWILFIN	5	QL 240 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
<i>leucovorin calcium (leucovorin calcium 5 mg tab, leucovorin calcium 10 mg tab, leucovorin calcium 15 mg tab, leucovorin calcium 25 mg tab)</i>	3	
MESNEX 400 MG TAB	5	NDS Non-Extended Day Supply
<b>ANTIPARKINSON AND RELATED THERAPY AGENTS</b>		
<b>ANTIPARKINSON ADJUNCTIVE THERAPY</b>		
<i>carbidopa</i>	4	
NOURIANZ	5	QL 30 EA / 30 DAYS PA NDS Non-Extended Day Supply LA
<b>ANTIPARKINSON ANTICHOLINERGICS</b>		
<i>benztropine mesylate (benztropine mesylate 0.5 mg tab, benztropine mesylate 1 mg tab, benztropine mesylate 2 mg tab)</i>	2	
<i>trihexyphenidyl hcl (trihexyphenidyl hcl 2 mg tab, trihexyphenidyl hcl 5 mg tab)</i>	4	
TRIHEXYPHENIDYL HCL 0.4 MG/ML SOLUTION	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ANTIPARKINSON COMT INHIBITORS</b>		
<i>entacapone</i>	4	
<i>tolcapone</i>	5	<div style="display: flex; align-items: center;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
<b>ANTIPARKINSON DOPAMINERGICS</b>		
<i>amantadine hcl (amantadine hcl 50 mg/5ml solution, amantadine hcl 100 mg cap, amantadine hcl 100 mg tab)</i>	3	
<i>bromocriptine mesylate</i>	4	
CARBIDOPA-LEVODOPA (CARBIDOPA-LEVODOPA 10-100 MG TAB DISP, CARBIDOPA-LEVODOPA 25-100 MG TAB DISP, CARBIDOPA-LEVODOPA 25-250 MG TAB DISP)	4	
<i>carbidopa-levodopa (carbidopa-levodopa 10-100 mg tab, carbidopa-levodopa 25-100 mg tab, carbidopa-levodopa 25-250 mg tab)</i>	2	
<i>carbidopa-levodopa er</i>	2	
<i>carbidopa-levodopa-entacapone 12.5-50-200 mg tab</i>	4	
<i>carbidopa-levodopa-entacapone 18.75-75-200 mg tab</i>	4	
<i>carbidopa-levodopa-entacapone 25-100-200 mg tab</i>	4	
<i>carbidopa-levodopa-entacapone 31.25-125-200 mg tab</i>	4	
<i>carbidopa-levodopa-entacapone 37.5-150-200 mg tab</i>	4	
<i>carbidopa-levodopa-entacapone 50-200-200 mg tab</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>pramipexole dihydrochloride</i>	2	
<i>ropinirole hcl (ropinirole hcl 0.25 mg tab, ropinirole hcl 0.5 mg tab, ropinirole hcl 1 mg tab, ropinirole hcl 2 mg tab, ropinirole hcl 3 mg tab, ropinirole hcl 4 mg tab, ropinirole hcl 5 mg tab)</i>	2	
<i>ropinirole hcl er (ropinirole hcl er 2 mg tab er 24h, ropinirole hcl er 4 mg tab er 24h, ropinirole hcl er 6 mg tab er 24h, ropinirole hcl er 8 mg tab er 24h, ropinirole hcl er 12 mg tab er 24h)</i>	4	
<b>ANTIPARKINSON MONOAMINE OXIDASE INHIBITORS</b>		
<i>rasagiline mesylate</i>	4	
<i>selegiline hcl</i>	3	
<b>ANTIPSYCHOTICS/ANTIMANIC AGENTS</b>		
<b>ANTIMANIC AGENTS</b>		
<i>lithium</i>	2	
<i>lithium carbonate (lithium carbonate 150 mg cap, lithium carbonate 300 mg cap, lithium carbonate 300 mg tab)</i>	2	
LITHIUM CARBONATE 600 MG CAP	2	
<i>lithium carbonate er</i>	2	
<b>ANTIPSYCHOTICS - MISC.</b>		
CAPLYTA	4	<span>QL</span> 30 EA / 30 DAYS <span>PA<sup>2</sup></span>
<i>lurasidone hcl</i>	2	
NUPLAZID	5	<span>QL</span> 30 EA / 30 DAYS <span>PA<sup>2</sup></span> <span>NDS</span> Non-Extended Day Supply <span>LA</span>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
VRAYLAR (VRAYLAR 1.5 MG CAP, VRAYLAR 3 MG CAP, VRAYLAR 4.5 MG CAP, VRAYLAR 6 MG CAP)	4	QL 30 EA / 30 DAYS
VRAYLAR 1.5 & 3 MG CAP THPK	4	QL 7 EA / 180 OVER TIME
<i>ziprasidone hcl</i>	4	
<i>ziprasidone mesylate</i>	4	QL 60 ML / 30 DAYS
<b>BENZISOXAZOLES</b>		
FANAPT	4	QL 60 EA / 30 DAYS PA <sup>2</sup>
FANAPT TITRATION PACK	4	QL 8 EA / 180 OVER TIME PA <sup>2</sup>
INVEGA HAFYERA 1092 MG/3.5ML SUSP PRSYR	5	QL 3.5 ML / 180 OVER TIME NDS Non-Extended Day Supply
INVEGA HAFYERA 1560 MG/5ML SUSP PRSYR	5	QL 5 ML / 180 OVER TIME NDS Non-Extended Day Supply
INVEGA SUSTENNA 117 MG/0.75ML SUSP PRSYR	5	QL 0.75 ML / 28 DAYS NDS Non-Extended Day Supply
INVEGA SUSTENNA 156 MG/ML SUSP PRSYR	5	QL 1 ML / 28 DAYS NDS Non-Extended Day Supply
INVEGA SUSTENNA 234 MG/1.5ML SUSP PRSYR	5	QL 1.5 ML / 28 DAYS NDS Non-Extended Day Supply
INVEGA SUSTENNA 39 MG/0.25ML SUSP PRSYR	4	QL 0.25 ML / 28 DAYS
INVEGA SUSTENNA 78 MG/0.5ML SUSP PRSYR	5	QL 0.5 ML / 28 DAYS NDS Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME		DRUG TIER	REQUIREMENTS / LIMITS
INVEGA TRINZA 273 MG/0.88ML SUSP PRSYR	5	QL NDS	0.88 ML / 90 OVER TIME Non-Extended Day Supply
INVEGA TRINZA 410 MG/1.32ML SUSP PRSYR	5	QL NDS	1.32 ML / 90 OVER TIME Non-Extended Day Supply
INVEGA TRINZA 546 MG/1.75ML SUSP PRSYR	5	QL NDS	1.75 ML / 90 OVER TIME Non-Extended Day Supply
INVEGA TRINZA 819 MG/2.63ML SUSP PRSYR	5	QL NDS	2.63 ML / 90 OVER TIME Non-Extended Day Supply
<i>paliperidone er (paliperidone er 1.5 mg tab er 24h, paliperidone er 3 mg tab er 24h, paliperidone er 9 mg tab er 24h)</i>	4	QL	30 EA / 30 DAYS
<i>paliperidone er 6 mg tab er 24h</i>	4	QL	60 EA / 30 DAYS
PERSERIS	5	QL NDS	1 EA / 30 DAYS Non-Extended Day Supply
<i>risperidone (risperidone 0.25 mg tab disp, risperidone 0.5 mg tab disp, risperidone 1 mg tab disp, risperidone 2 mg tab disp, risperidone 3 mg tab disp, risperidone 4 mg tab disp)</i>	4		
<i>risperidone (risperidone 0.25 mg tab, risperidone 0.5 mg tab, risperidone 1 mg tab, risperidone 1 mg/ml solution, risperidone 2 mg tab, risperidone 3 mg tab, risperidone 4 mg tab)</i>	2		
<i>risperidone microspheres er (risperidone microspheres er 12.5 mg srer, risperidone microspheres er 25 mg srer)</i>	4	QL	2 EA / 28 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>risperidone microspheres er (risperidone microspheres er 37.5 mg srer, risperidone microspheres er 50 mg srer)</i>	5	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <div style="margin-right: 10px;">2 EA / 28 DAYS</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #c85134; color: white; padding: 2px 5px; margin-right: 5px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
UZEDY 100 MG/0.28ML SUSP PRSYR	5	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <div>0.28 ML / 30 DAYS</div> </div>
UZEDY 125 MG/0.35ML SUSP PRSYR	5	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <div style="margin-right: 10px;">0.35 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #c85134; color: white; padding: 2px 5px; margin-right: 5px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
UZEDY 150 MG/0.42ML SUSP PRSYR	5	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <div>0.42 ML / 60 OVER TIME</div> </div>
UZEDY 200 MG/0.56ML SUSP PRSYR	5	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <div>0.56 ML / 60 OVER TIME</div> </div>
UZEDY 250 MG/0.7ML SUSP PRSYR	5	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <div>0.7 ML / 60 OVER TIME</div> </div>
UZEDY 50 MG/0.14ML SUSP PRSYR	5	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <div style="margin-right: 10px;">0.14 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #c85134; color: white; padding: 2px 5px; margin-right: 5px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
UZEDY 75 MG/0.21ML SUSP PRSYR	5	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <div style="margin-right: 10px;">0.21 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #c85134; color: white; padding: 2px 5px; margin-right: 5px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
<b>BUTYROPHENONES</b>		
<i>haloperidol</i>	2	
<i>haloperidol decanoate</i>	4	
<i>haloperidol lactate 2 mg/ml conc</i>	2	
<i>haloperidol lactate 5 mg/ml solution</i>	4	
<b>DIBENZAPINES</b>		
<i>asenapine maleate</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <div>60 EA / 30 DAYS</div> </div>
<i>clozapine (clozapine 25 mg tab disp, clozapine 100 mg tab disp, clozapine 150 mg tab disp, clozapine 200 mg tab disp)</i>	4	
<i>clozapine (clozapine 25 mg tab, clozapine 50 mg tab, clozapine 100 mg tab, clozapine 200 mg tab)</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
CLOZAPINE 12.5 MG TAB DISP	4	
<i>loxapine succinate</i>	2	
<i>olanzapine (olanzapine 2.5 mg tab, olanzapine 5 mg tab, olanzapine 7.5 mg tab, olanzapine 10 mg tab, olanzapine 15 mg tab, olanzapine 20 mg tab)</i>	2	
<i>olanzapine (olanzapine 5 mg tab disp, olanzapine 10 mg recon soln, olanzapine 10 mg tab disp, olanzapine 15 mg tab disp, olanzapine 20 mg tab disp)</i>	4	
<i>quetiapine fumarate (quetiapine fumarate 25 mg tab, quetiapine fumarate 50 mg tab, quetiapine fumarate 100 mg tab, quetiapine fumarate 200 mg tab, quetiapine fumarate 300 mg tab, quetiapine fumarate 400 mg tab)</i>	2	
<i>quetiapine fumarate er</i>	4	
SECUADO	5	<div style="display: flex; align-items: center; gap: 5px;"> <div style="background-color: #4a4a8a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div>30 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; gap: 5px; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA<sup>2</sup></div> <div></div> </div> <div style="display: flex; align-items: center; gap: 5px; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
VERSACLOZ	5	<div style="display: flex; align-items: center; gap: 5px; margin-top: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
ZYPREXA RELPREVV 210 MG RECON SUSP	4	<div style="display: flex; align-items: center; gap: 5px; margin-top: 2px;"> <div style="background-color: #4a4a8a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div>2 EA / 28 DAYS</div> </div>
<b>DIHYDROINDOLONES</b>		
MOLINDONE HCL	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>PHENOTHIAZINES</b>		
<i>chlorpromazine hcl (chlorpromazine hcl 10 mg tab, chlorpromazine hcl 25 mg tab, chlorpromazine hcl 30 mg/ml conc, chlorpromazine hcl 50 mg tab, chlorpromazine hcl 100 mg tab, chlorpromazine hcl 100 mg/ml conc, chlorpromazine hcl 200 mg tab)</i>	4	
<i>compro</i>	4	
<i>fluphenazine decanoate</i>	4	
<i>fluphenazine hcl (fluphenazine hcl 1 mg tab, fluphenazine hcl 2.5 mg tab, fluphenazine hcl 2.5 mg/5ml elixir, fluphenazine hcl 2.5 mg/ml solution, fluphenazine hcl 5 mg tab, fluphenazine hcl 5 mg/ml conc, fluphenazine hcl 10 mg tab)</i>	4	
<i>perphenazine</i>	4	
<i>prochlorperazine</i>	4	
<i>prochlorperazine maleate</i>	4	
<i>thioridazine hcl</i>	4	
<i>trifluoperazine hcl</i>	3	
<b>QUINOLINONE DERIVATIVES</b>		
ABILIFY ASIMTUFII 720 MG/2.4ML PRSYR	5	QL 2.4 ML / 56 OVER TIME
ABILIFY ASIMTUFII 960 MG/3.2ML PRSYR	5	QL 3.2 ML / 56 OVER TIME
ABILIFY MAINTENA	5	QL 1 EA / 28 DAYS NDS Non-Extended Day Supply
<i>aripiprazole (aripiprazole 10 mg tab disp, aripiprazole 15 mg tab disp)</i>	5	QL 60 EA / 30 DAYS NDS Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.






DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>aripiprazole (aripiprazole 2 mg tab, aripiprazole 5 mg tab, aripiprazole 10 mg tab, aripiprazole 15 mg tab, aripiprazole 20 mg tab, aripiprazole 30 mg tab)</i>	3	
<i>aripiprazole 1 mg/ml solution</i>	4	
ARISTADA 1064 MG/3.9ML PRSYR	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div>3.9 ML / 56 OVER TIME</div> <div style="background-color: #996633; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
ARISTADA 441 MG/1.6ML PRSYR	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div>1.6 ML / 28 DAYS</div> <div style="background-color: #996633; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
ARISTADA 662 MG/2.4ML PRSYR	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div>2.4 ML / 28 DAYS</div> <div style="background-color: #996633; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
ARISTADA 882 MG/3.2ML PRSYR	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div>3.2 ML / 28 DAYS</div> <div style="background-color: #996633; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
ARISTADA INITIO	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div>4.8 ML / 365 OVER TIME</div> <div style="background-color: #996633; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
REXULTI	5	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div>30 EA / 30 DAYS</div> <div style="background-color: #996633; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
<b>THIOXANTHENES</b>		
<i>thiothixene</i>	4	
<b>ANTIVIRALS</b>		
<b>ANTIRETROVIRALS</b>		
<i>abacavir sulfate (abacavir sulfate 20 mg/ml solution, abacavir sulfate 300 mg tab)</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.












DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>abacavir sulfate-lamivudine</i>	4	
<i>abacavir-lamivudine-zidovudine</i>	5	NDS Non-Extended Day Supply
APRETUDE	5	NDS Non-Extended Day Supply
APTIVUS 250 MG CAP	5	NDS Non-Extended Day Supply
<i>atazanavir sulfate</i>	4	
BIKTARVY	5	NDS Non-Extended Day Supply
CABENUVA	5	NDS Non-Extended Day Supply
CIMDUO	5	NDS Non-Extended Day Supply
COMPLERA	4	
<i>darunavir</i>	5	NDS Non-Extended Day Supply
DELSTRIGO	5	NDS Non-Extended Day Supply
DESCOVY	5	QL 30 EA / 30 DAYS NDS Non-Extended Day Supply
DOVATO	5	NDS Non-Extended Day Supply
EDURANT	5	NDS Non-Extended Day Supply
EFAVIRENZ (EFAVIRENZ 50 MG CAP, EFAVIRENZ 200 MG CAP, EFAVIRENZ 600 MG TAB)	4	
<i>efavirenz-emtricitab-tenofo df</i>	5	NDS Non-Extended Day Supply
<i>efavirenz-lamivudine-tenofovir</i>	5	NDS Non-Extended Day Supply
<i>emtricitabine</i>	4	














You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>emtricitabine-tenofovir df (emtricitabine-tenofovir df 100-150 mg tab, emtricitabine-tenofovir df 133-200 mg tab, emtricitabine-tenofovir df 167-250 mg tab)</i>	5	 30 EA / 30 DAYS  Non-Extended Day Supply
<i>emtricitabine-tenofovir df 200-300 mg tab</i>	4	 30 EA / 30 DAYS
EMTRIVA 10 MG/ML SOLUTION	3	
<i>etravirine</i>	5	 Non-Extended Day Supply
EVOTAZ	5	 Non-Extended Day Supply
<i>fosamprenavir calcium</i>	5	 Non-Extended Day Supply
FUZEON	5	 Non-Extended Day Supply
GENVOYA	5	 Non-Extended Day Supply
INTELENCE 25 MG TAB	4	
INVIRASE	5	 Non-Extended Day Supply
ISENTRESS (ISENTRESS 100 MG CHEW TAB, ISENTRESS 100 MG PACKET, ISENTRESS 400 MG TAB)	5	 Non-Extended Day Supply
ISENTRESS 25 MG CHEW TAB	3	
ISENTRESS HD	5	 Non-Extended Day Supply
JULUCA	5	 Non-Extended Day Supply
<i>lamivudine (lamivudine 10 mg/ml solution, lamivudine 150 mg tab, lamivudine 300 mg tab)</i>	4	
<i>lamivudine-zidovudine</i>	4	
LEXIVA 50 MG/ML SUSPENSION	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>lopinavir-ritonavir (lopinavir-ritonavir 100-25 mg tab, lopinavir-ritonavir 200-50 mg tab)</i>	2	
<i>lopinavir-ritonavir 400-100 mg/5ml solution</i>	4	
<i>maraviroc</i>	5	 Non-Extended Day Supply
<i>nevirapine 200 mg tab</i>	2	
NEVIRAPINE 50 MG/5ML SUSPENSION	4	
<i>nevirapine er (nevirapine er 100 mg tab er 24h, nevirapine er 400 mg tab er 24h)</i>	4	
NORVIR 100 MG PACKET	4	
ODEFSEY	5	 Non-Extended Day Supply
PIFELTRO	5	 Non-Extended Day Supply
PREZCOBIX	5	 Non-Extended Day Supply
PREZISTA (PREZISTA 75 MG TAB, PREZISTA 150 MG TAB)	4	
PREZISTA 100 MG/ML SUSPENSION	5	 Non-Extended Day Supply
REYATAZ 50 MG PACKET	5	 Non-Extended Day Supply
<i>ritonavir</i>	3	
RUKOBIA	5	 Non-Extended Day Supply
SELZENTRY (SELZENTRY 20 MG/ML SOLUTION, SELZENTRY 75 MG TAB)	5	 Non-Extended Day Supply
SELZENTRY 25 MG TAB	3	
STRIBILD	5	 Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
SUNLENCA (SUNLENCA 4 X 300 MG TAB THPK, SUNLENCA 5 X 300 MG TAB THPK)	5	 Non-Extended Day Supply
SYMTUZA	4	
TEMIXYS	5	 Non-Extended Day Supply
<i>tenofovir disoproxil fumarate</i>	3	
TIVICAY (TIVICAY 25 MG TAB, TIVICAY 50 MG TAB)	5	 Non-Extended Day Supply
TIVICAY 10 MG TAB	4	
TIVICAY PD	5	 Non-Extended Day Supply
TRIUMEQ	5	 Non-Extended Day Supply
TRIUMEQ PD	5	 Non-Extended Day Supply
TRIZIVIR	5	 Non-Extended Day Supply
TROGARZO	5	 Non-Extended Day Supply 
VIRACEPT	5	 Non-Extended Day Supply
VIREAD (VIREAD 40 MG/GM POWDER, VIREAD 150 MG TAB, VIREAD 200 MG TAB, VIREAD 250 MG TAB)	5	 Non-Extended Day Supply
<i>zidovudine (zidovudine 100 mg cap, zidovudine 300 mg tab)</i>	3	
<i>zidovudine 50 mg/5ml syrup</i>	4	
<b>ANTIVIRAL COMBINATIONS</b>		
PAXLOVID (150/100)	3	 20 EA / 5 OVER TIME  \$0 Copay

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
PAXLOVID (300/100)	3	<span>QL</span> 30 EA / 5 OVER TIME <span>Green</span> \$0 Copay
<b>CMV AGENTS</b>		
PREVMIS (PREVMIS 240 MG TAB, PREVMIS 480 MG TAB)	5	<span>QL</span> 30 EA / 30 DAYS <span>NDS</span> Non-Extended Day Supply
<i>valganciclovir hcl 450 mg tab</i>	3	
<i>valganciclovir hcl 50 mg/ml recon soln</i>	5	<span>NDS</span> Non-Extended Day Supply
<b>HEPATITIS AGENTS</b>		
<i>adefovir dipivoxil</i>	4	
BARACLUDE 0.05 MG/ML SOLUTION	5	<span>NDS</span> Non-Extended Day Supply
<i>entecavir</i>	4	<span>QL</span> 30 EA / 30 DAYS
<i>lamivudine 100 mg tab</i>	4	
LEDIPASVIR-SOFOSBUVIR	5	<span>QL</span> 28 EA / 28 DAYS <span>PA</span> <span>NDS</span> Non-Extended Day Supply
MAVYRET 100-40 MG TAB	5	<span>QL</span> 84 EA / 28 DAYS <span>PA</span> <span>NDS</span> Non-Extended Day Supply
MAVYRET 50-20 MG PACKET	5	<span>QL</span> 168 EA / 28 DAYS <span>PA</span> <span>NDS</span> Non-Extended Day Supply
PEGASYS	5	<span>PA</span> <span>NDS</span> Non-Extended Day Supply
RIBAVIRIN 200 MG CAP	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
RIBAVIRIN 200 MG TAB	3	
SOFOSBUVIR-VELPATASVIR	5	<ul style="list-style-type: none"> <li>QL 28 EA / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
VEMLIDY	5	<ul style="list-style-type: none"> <li>NDS Non-Extended Day Supply</li> </ul>
VOSEVI	5	<ul style="list-style-type: none"> <li>QL 28 EA / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
<b>HERPES AGENTS</b>		
<i>acyclovir (acyclovir 200 mg cap, acyclovir 400 mg tab, acyclovir 800 mg tab)</i>	2	
<i>acyclovir 200 mg/5ml suspension</i>	4	
<i>acyclovir sodium</i>	4	PA <sup>3</sup>
<i>famciclovir</i>	3	
<i>valacyclovir hcl (valacyclovir hcl 1 gm tab, valacyclovir hcl 500 mg tab)</i>	3	
<b>INFLUENZA AGENTS</b>		
<i>oseltamivir phosphate (oseltamivir phosphate 45 mg cap, oseltamivir phosphate 75 mg cap)</i>	3	QL 42 EA / 180 OVER TIME
<i>oseltamivir phosphate 30 mg cap</i>	3	QL 84 EA / 180 OVER TIME
<i>oseltamivir phosphate 6 mg/ml recon susp</i>	3	QL 540 ML / 180 OVER TIME
RIMANTADINE HCL	4	
XOFLUZA (40 MG DOSE) 1 X 40 MG TAB THPK	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
XOFLUZA (80 MG DOSE) 1 X 80 MG TAB THPK	3	
<b>MISC. ANTIVIRALS</b>		
LAGEVRIO	3	QL 40 EA / 5 OVER TIME
<b>BETA BLOCKERS</b>		
<b>ALPHA-BETA BLOCKERS</b>		
<i>carvedilol</i>	1	
<i>labetalol hcl (labetalol hcl 100 mg tab, labetalol hcl 200 mg tab, labetalol hcl 300 mg tab)</i>	2	
<b>BETA BLOCKERS CARDIO-SELECTIVE</b>		
<i>acebutolol hcl</i>	2	
<i>atenolol</i>	1	
<i>betaxolol hcl (betaxolol hcl 10 mg tab, betaxolol hcl 20 mg tab)</i>	3	
<i>bisoprolol fumarate</i>	2	
<i>metoprolol succinate er</i>	2	
<i>metoprolol tartrate (metoprolol tartrate 25 mg tab, metoprolol tartrate 50 mg tab, metoprolol tartrate 75 mg tab, metoprolol tartrate 100 mg tab)</i>	1	
<i>metoprolol tartrate 37.5 mg tab</i>	2	
<i>nebivolol hcl</i>	3	
<b>BETA BLOCKERS NON-SELECTIVE</b>		
<i>nadolol</i>	3	
<i>pindolol</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>propranolol hcl (propranolol hcl 10 mg tab, propranolol hcl 20 mg tab, propranolol hcl 20 mg/5ml solution, propranolol hcl 40 mg tab, propranolol hcl 40 mg/5ml solution, propranolol hcl 60 mg tab, propranolol hcl 80 mg tab)</i>	2	
<i>propranolol hcl er</i>	2	
<i>sorine</i>	2	
<i>sotalol hcl (af)</i>	2	
<i>sotalol hcl (sotalol hcl 80 mg tab, sotalol hcl 120 mg tab, sotalol hcl 160 mg tab, sotalol hcl 240 mg tab)</i>	2	
<i>timolol maleate (timolol maleate 5 mg tab, timolol maleate 10 mg tab, timolol maleate 20 mg tab)</i>	4	
<b>CALCIUM CHANNEL BLOCKERS</b>		
<b>CALCIUM CHANNEL BLOCKERS</b>		
<i>amlodipine besylate (amlodipine besylate 2.5 mg tab, amlodipine besylate 5 mg tab, amlodipine besylate 10 mg tab)</i>	1	
<i>cartia xt</i>	2	
<i>dilt-xr</i>	2	
<i>diltiazem hcl (diltiazem hcl 30 mg tab, diltiazem hcl 60 mg tab, diltiazem hcl 90 mg tab, diltiazem hcl 120 mg tab)</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>diltiazem hcl er (diltiazem hcl er 60 mg cap er 12h, diltiazem hcl er 90 mg cap er 12h, diltiazem hcl er 120 mg cap er 12h, diltiazem hcl er 120 mg cap er 24h, diltiazem hcl er 120 mg tab er 24h, diltiazem hcl er 180 mg cap er 24h, diltiazem hcl er 180 mg tab er 24h, diltiazem hcl er 240 mg cap er 24h, diltiazem hcl er 240 mg tab er 24h, diltiazem hcl er 300 mg tab er 24h, diltiazem hcl er 360 mg tab er 24h, diltiazem hcl er 420 mg tab er 24h)</i>	2	
<i>diltiazem hcl er beads</i>	2	
<i>diltiazem hcl er coated beads (diltiazem hcl er coated beads 120 mg cap er 24h, diltiazem hcl er coated beads 180 mg cap er 24h, diltiazem hcl er coated beads 240 mg cap er 24h, diltiazem hcl er coated beads 300 mg cap er 24h, diltiazem hcl er coated beads 360 mg cap er 24h)</i>	2	
<i>felodipine er</i>	2	
<i>isradipine</i>	2	
<i>matzim la</i>	2	
<i>nicardipine hcl (nicardipine hcl 20 mg cap, nicardipine hcl 30 mg cap)</i>	4	
<i>nifedipine er</i>	2	
<i>nifedipine er osmotic release</i>	2	
<i>nimodipine</i>	4	
<i>taztia xt</i>	2	
<i>tiadytl er</i>	2	
<i>verapamil hcl (verapamil hcl 40 mg tab, verapamil hcl 80 mg tab, verapamil hcl 120 mg tab)</i>	1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
VERAPAMIL HCL ER (VERAPAMIL HCL ER 100 MG CAP ER 24H, VERAPAMIL HCL ER 200 MG CAP ER 24H, VERAPAMIL HCL ER 300 MG CAP ER 24H)	4	
<i>verapamil hcl er (verapamil hcl er 120 mg cap er 24h, verapamil hcl er 120 mg tab er, verapamil hcl er 180 mg cap er 24h, verapamil hcl er 180 mg tab er, verapamil hcl er 240 mg cap er 24h, verapamil hcl er 240 mg tab er, verapamil hcl er 360 mg cap er 24h)</i>	2	
<b>CARDIOTONICS</b>		
<b>CARDIAC GLYCOSIDES</b>		
<i>digoxin (digoxin 125 mcg tab, digoxin 250 mcg tab)</i>	2	
DIGOXIN 0.05 MG/ML SOLUTION	4	
<b>CARDIOVASCULAR AGENTS - MISC.</b>		
<b>CARDIOVASCULAR AGENTS MISC. - COMBINATIONS</b>		
<i>amlodipine-atorvastatin (amlodipine-atorvastatin 2.5-10 mg tab, amlodipine-atorvastatin 2.5-20 mg tab, amlodipine-atorvastatin 2.5-40 mg tab, amlodipine-atorvastatin 5-10 mg tab, amlodipine-atorvastatin 5-20 mg tab, amlodipine-atorvastatin 5-40 mg tab, amlodipine-atorvastatin 5-80 mg tab, amlodipine-atorvastatin 10-10 mg tab, amlodipine-atorvastatin 10-20 mg tab, amlodipine-atorvastatin 10-40 mg tab, amlodipine-atorvastatin 10-80 mg tab)</i>	2	
ENTRESTO	3	<span style="background-color: #4a4a8a; color: white; padding: 2px 5px; border-radius: 3px;">QL</span> 60 EA / 30 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>PULMONARY HYPERTENSION - ENDOTHELIN RECEPTOR ANTAGONISTS</b>		
<i>ambrisentan</i>	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<i>bosentan</i>	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
OPSUMIT	5	<ul style="list-style-type: none"> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<b>PULMONARY HYPERTENSION - PHOSPHODIESTERASE INHIBITORS</b>		
<i>alyq</i>	5	<ul style="list-style-type: none"> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
<i>sildenafil citrate 20 mg tab</i>	3	<ul style="list-style-type: none"> <li>PA</li> </ul>
<i>tadalafil (pah)</i>	5	<ul style="list-style-type: none"> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
<b>PULMONARY HYPERTENSION - PROSTACYCLIN RECEPTOR AGONIST</b>		
UPTRAVI (UPTRAVI 200 & 800 MCG TAB THPK, UPTRAVI 200 MCG TAB, UPTRAVI 400 MCG TAB, UPTRAVI 600 MCG TAB, UPTRAVI 800 MCG TAB, UPTRAVI 1000 MCG TAB, UPTRAVI 1200 MCG TAB, UPTRAVI 1400 MCG TAB, UPTRAVI 1600 MCG TAB)	5	<ul style="list-style-type: none"> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>


You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>PULMONARY HYPERTENSION - SOL GUANYLATE CYCLASE STIMULATOR</b>		
ADEMPAS	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <div style="background-color: #c9583d; color: white; border-radius: 5px; padding: 2px 5px;">PA</div> <div style="background-color: #c9583d; color: white; border-radius: 5px; padding: 2px 5px;">NDS</div> <div style="background-color: #0070c0; color: white; border-radius: 5px; padding: 2px 5px;">LA</div> </div> <div>           Non-Extended Day Supply         </div> </div>
<b>SINUS NODE INHIBITORS</b>		
CORLANOR (CORLANOR 5 MG TAB, CORLANOR 7.5 MG TAB)	3	<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <div style="background-color: #6a3d9a; color: white; border-radius: 5px; padding: 2px 5px;">QL</div> </div> <div>60 EA / 30 DAYS</div> </div>
CORLANOR 5 MG/5ML SOLUTION	3	<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <div style="background-color: #6a3d9a; color: white; border-radius: 5px; padding: 2px 5px;">QL</div> </div> <div>450 ML / 30 DAYS</div> </div>
<b>VASOACTIVE SOLUBLE GUANYLATE CYCLASE STIMULATOR (SGC)</b>		
VERQUVO	4	<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <div style="background-color: #6a3d9a; color: white; border-radius: 5px; padding: 2px 5px;">QL</div> </div> <div>30 EA / 30 DAYS</div> </div> <div style="margin-left: 10px;"> <div style="background-color: #c9583d; color: white; border-radius: 5px; padding: 2px 5px;">PA</div> </div>
<b>CEPHALOSPORINS</b>		
<b>CEPHALOSPORINS - 1ST GENERATION</b>		
CEFADROXIL (CEFADROXIL 1 GM TAB, CEFADROXIL 250 MG/5ML RECON SUSP, CEFADROXIL 500 MG CAP, CEFADROXIL 500 MG/5ML RECON SUSP)	3	
<i>cefazolin sodium (cefazolin sodium 1 gm recon soln, cefazolin sodium 10 gm recon soln, cefazolin sodium 500 mg recon soln)</i>	4	
CEFAZOLIN SODIUM 100 GM RECON SOLN	4	
CEFAZOLIN SODIUM 2 GM RECON SOLN	2	
CEFAZOLIN SODIUM 300 GM RECON SOLN	4	
CEFAZOLIN SODIUM-DEXTROSE (CEFAZOLIN SODIUM-DEXTROSE 1-4 GM-%(50ML) RECON SOLN, CEFZOLIN SODIUM-DEXTROSE 1-4 GM/50ML-% SOLUTION)	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
CEFAZOLIN SODIUM-DEXTROSE 2-3 GM-%(50ML) RECON SOLN	2	
<i>cephalexin (cephalexin 125 mg/5ml recon susp, cephalexin 250 mg/5ml recon susp)</i>	2	
<i>cephalexin (cephalexin 250 mg cap, cephalexin 500 mg cap)</i>	1	
<b>CEPHALOSPORINS - 2ND GENERATION</b>		
CEFACLOR (CEFACLOR 250 MG CAP, CEFACLOR 500 MG CAP)	3	
<i>cefotetan disodium</i>	4	
CEFOTETAN DISODIUM-DEXTROSE	4	
<i>cefoxitin sodium</i>	4	
CEFOXITIN SODIUM-DEXTROSE	4	
<i>cefprozil (cefprozil 125 mg/5ml recon susp, cefprozil 250 mg tab, cefprozil 250 mg/5ml recon susp, cefprozil 500 mg tab)</i>	3	
<i>cefuroxime axetil</i>	3	
<i>cefuroxime sodium</i>	4	
<b>CEPHALOSPORINS - 3RD GENERATION</b>		
<i>cefdinir (cefdinir 125 mg/5ml recon susp, cefdinir 250 mg/5ml recon susp)</i>	3	
<i>cefdinir 300 mg cap</i>	2	
<i>cefixime (cefixime 100 mg/5ml recon susp, cefixime 200 mg/5ml recon susp, cefixime 400 mg cap)</i>	4	
<i>cefpodoxime proxetil (cefpodoxime proxetil 50 mg/5ml recon susp, cefpodoxime proxetil 100 mg tab, cefpodoxime proxetil 100 mg/5ml recon susp, cefpodoxime proxetil 200 mg tab)</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>ceftazidime</i>	4	
CEFTAZIDIME AND DEXTROSE	4	
<i>ceftriaxone sodium (ceftriaxone sodium 1 gm recon soln, ceftriaxone sodium 2 gm recon soln, ceftriaxone sodium 10 gm recon soln, ceftriaxone sodium 100 gm recon soln, ceftriaxone sodium 250 mg recon soln, ceftriaxone sodium 500 mg recon soln)</i>	4	
CEFTRIAZONE SODIUM IN DEXTROSE	4	
CEFTRIAZONE SODIUM-DEXTROSE	4	
<i>tazicef 1 gm recon soln</i>	4	
<i>tazicef 2 gm recon soln</i>	4	
TAZICEF 6 GM RECON SOLN	4	
<b>CEPHALOSPORINS - 4TH GENERATION</b>		
<i>cefepime hcl (cefepime hcl 1 gm recon soln, cefepime hcl 1 gm/50ml solution, cefepime hcl 2 gm recon soln, cefepime hcl 2 gm/100ml solution)</i>	4	
CEFEPIME-DEXTROSE	4	
<b>CEPHALOSPORINS - 5TH GENERATION</b>		
TEFLARO	5	 Non-Extended Day Supply
<b>CONTRACEPTIVES</b>		
<b>COMBINATION CONTRACEPTIVES - ORAL</b>		
<i>altavera</i>	2	
<i>alyacen 1/35</i>	2	
<i>apri</i>	2	
<i>aranelle</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>aubra</i>	2	
<i>aubra eq</i>	2	
<i>aviane</i>	2	
<i>blisovi 24 fe</i>	4	
<i>blisovi fe 1.5/30</i>	4	
<i>camrese</i>	2	
<i>camrese lo</i>	4	
<i>cryselle-28</i>	2	
<i>cyred</i>	2	
<i>cyred eq</i>	2	
<i>desogestrel-ethinyl estradiol 0.15-0.02/0.01 mg (21/5) tab</i>	4	
<i>desogestrel-ethinyl estradiol 0.15-30 mg-mcg tab</i>	2	
<i>drospirenone-ethinyl estradiol</i>	4	
<i>enpresse-28</i>	2	
<i>enskyce</i>	2	
<i>estarylla</i>	2	
<i>ethynodiol diac-eth estradiol</i>	2	
<i>falmina</i>	2	
<i>femynor</i>	2	
<i>hailey 24 fe</i>	4	
<i>introvale</i>	4	
<i>isibloom</i>	2	
<i>jasmiel</i>	4	
<i>joyeaux</i>	2	
<i>juleber</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>junel 1.5/30</i>	4	
<i>junel 1/20</i>	4	
<i>junel fe 1.5/30</i>	4	
<i>junel fe 1/20</i>	4	
<i>junel fe 24</i>	4	
<i>kaitlib fe</i>	4	
<i>kariva</i>	4	
<i>kelnor 1/35</i>	2	
<i>kelnor 1/50</i>	2	
<i>kurvelo</i>	2	
<i>larin 1.5/30</i>	2	
<i>larin 1/20</i>	2	
<i>larin fe 1.5/30</i>	2	
<i>larin fe 1/20</i>	2	
<i>larissia</i>	2	
<i>lessina</i>	2	
<i>levonest</i>	2	
<i>levonorg-eth estrad triphasic</i>	2	
<i>levonorgest-eth est &amp; eth est</i>	4	
<i>levonorgest-eth estrad 91-day (levonorgest-eth estrad 91-day 0.1-0.02 &amp; 0.01 mg tab, levonorgest-eth estrad 91-day 0.15-0.03 &amp; 0.01 mg tab)</i>	4	
<i>levonorgest-eth estrad 91-day 0.15-0.03 mg tab</i>	2	
<i>levonorgest-eth estradiol-iron</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>levonorgestrel-ethinyl estrad (levonorgestrel-ethinyl estrad 0.1-20 mg-mcg tab, levonorgestrel-ethinyl estrad 0.15-30 mg-mcg tab, levonorgestrel-ethinyl estrad 90-20 mcg tab)</i>	2	
<i>levora 0.15/30 (28)</i>	2	
<i>loryna</i>	2	
<i>low-ogestrel</i>	2	
<i>lutera</i>	2	
<i>marlissa</i>	2	
<i>melodetta 24 fe</i>	2	
<i>mibelas 24 fe</i>	2	
<i>microgestin 1.5/30</i>	2	
<i>microgestin 1/20</i>	2	
<i>microgestin fe 1.5/30</i>	2	
<i>microgestin fe 1/20</i>	2	
<i>mili</i>	2	
<i>nikki</i>	4	
<i>norethin ace-eth estrad-fe 1-20 mg-mcg tab</i>	2	
<i>norethindrone acet-ethinyl est 1-20 mg-mcg tab</i>	2	
<i>norgestim-eth estrad triphasic</i>	2	
<i>norgestimate-eth estradiol</i>	2	
<i>nortrel 0.5/35 (28)</i>	2	
<i>nortrel 1/35 (21)</i>	2	
<i>nortrel 1/35 (28)</i>	2	
<i>nortrel 7/7/7</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>nylia 1/35</i>	2	
<i>pimtreea</i>	4	
<i>pirmella 1/35</i>	2	
<i>portia-28</i>	2	
<i>reclipsen</i>	2	
<i>setlakin</i>	2	
<i>sprintec 28</i>	2	
<i>sronyx</i>	2	
<i>syeda</i>	4	
<i>tarina 24 fe</i>	4	
<i>tarina fe 1/20</i>	4	
<i>tarina fe 1/20 eq</i>	4	
<i>tilia fe</i>	4	
<i>tri femynor</i>	2	
<i>tri-estarylla</i>	2	
<i>tri-legest fe</i>	2	
<i>tri-lo-estarylla</i>	2	
<i>tri-lo-sprintec</i>	2	
<i>tri-mili</i>	4	
<i>tri-sprintec</i>	2	
<i>tri-vylibra</i>	4	
<i>trivora (28)</i>	2	
<i>turqoz</i>	2	
TYBLUME	4	
<i>tydemy</i>	4	
VELIVET	2	
<i>vestura</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>vienva</i>	2	
<i>vyfemla</i>	4	
<i>vylibra</i>	4	
<i>wymzya fe</i>	4	
<i>zovia 1/35 (28)</i>	2	
<i>zovia 1/35e (28)</i>	2	
<b>COMBINATION CONTRACEPTIVES - TRANSDERMAL</b>		
<i>norelgestromin-eth estradiol</i>	4	
<i>xulane</i>	4	
<i>zafemy</i>	4	
<b>COMBINATION CONTRACEPTIVES - VAGINAL</b>		
ANNOVERA	4	QL 1 EA / 365 OVER TIME
<i>eluryng</i>	4	
<i>enilloring</i>	4	
<i>etonogestrel-ethinyl estradiol</i>	4	
<i>haloette</i>	4	
<b>PROGESTIN CONTRACEPTIVES - INJECTABLE</b>		
DEPO-SUBQ PROVERA 104	3	
<i>medroxyprogesterone acetate (medroxyprogesterone acetate 150 mg/ml susp prsyr, medroxyprogesterone acetate 150 mg/ml suspension)</i>	4	
<b>PROGESTIN CONTRACEPTIVES - ORAL</b>		
<i>camila</i>	2	
<i>deblitane</i>	2	
<i>emzahh</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>errin</i>	2	
<i>heather</i>	2	
<i>incassia</i>	2	
<i>jencycla</i>	2	
<i>lyleq</i>	2	
<i>lyza</i>	2	
<i>nora-be</i>	2	
<i>norethindrone</i>	2	
<i>norlyda</i>	2	
<i>norlyroc</i>	2	
<i>sharobel</i>	2	
SLYND	4	
<i>tulana</i>	2	
<b>CORTICOSTEROIDS</b>		
<b>GLUCOCORTICOSTEROIDS</b>		
<i>budesonide 3 mg cp dr part</i>	4	
<i>budesonide er</i>	5	<div style="display: flex; align-items: center; gap: 5px;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <span>30 EA / 30 DAYS</span> </div> <div style="display: flex; align-items: center; gap: 5px; margin-top: 5px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div> <div style="display: flex; align-items: center; gap: 5px; margin-top: 5px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <span>Non-Extended Day Supply</span> </div>
<i>decadron 0.5 mg tab</i>	2	
<i>decadron 0.75 mg tab</i>	1	
<i>dexamethasone (dexamethasone 0.5 mg tab, dexamethasone 1.5 mg tab, dexamethasone 2 mg tab, dexamethasone 4 mg tab, dexamethasone 6 mg tab)</i>	2	
<i>dexamethasone (dexamethasone 0.75 mg tab, dexamethasone 1 mg tab)</i>	1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
DEXAMETHASONE INTENSOL	2	
<i>dexamethasone sodium phosphate (dexamethasone sodium phosphate 4 mg/ml soln prsyr, dexamethasone sodium phosphate 4 mg/ml solution)</i>	2	
<i>hydrocortisone (hydrocortisone 5 mg tab, hydrocortisone 10 mg tab, hydrocortisone 20 mg tab)</i>	3	
<i>methylprednisolone (methylprednisolone 4 mg tab, methylprednisolone 8 mg tab, methylprednisolone 16 mg tab, methylprednisolone 32 mg tab)</i>	2	PA <sup>3</sup>
<i>methylprednisolone 4 mg tab thpk</i>	2	
<i>prednisolone 15 mg/5ml solution</i>	3	PA <sup>3</sup>
<i>prednisolone sodium phosphate 15 mg/5ml solution</i>	3	PA <sup>3</sup>
<i>prednisolone sodium phosphate 20 mg/5ml solution</i>	4	PA <sup>3</sup>
<i>prednisolone sodium phosphate 25 mg/5ml solution</i>	2	PA <sup>3</sup>
<i>prednisolone sodium phosphate 6.7 (5 base) mg/5ml solution</i>	2	PA <sup>3</sup>
<i>prednisone (prednisone 1 mg tab, prednisone 2.5 mg tab, prednisone 5 mg tab, prednisone 10 mg tab, prednisone 20 mg tab, prednisone 50 mg tab)</i>	1	PA <sup>3</sup>
<i>prednisone (prednisone 5 mg (21) tab thpk, prednisone 5 mg (48) tab thpk, prednisone 10 mg (21) tab thpk, prednisone 10 mg (48) tab thpk)</i>	1	
PREDNISONE 5 MG/5ML SOLUTION	2	PA <sup>3</sup>
PREDNISONE INTENSOL	4	PA <sup>3</sup>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
SOLU-CORTEF	4	
SOLU-MEDROL (PF)	4	
SOLU-MEDROL 1000 MG RECON SOLN	4	
SOLU-MEDROL 2 GM RECON SOLN	4	
SOLU-MEDROL 500 MG RECON SOLN	4	
<b>MINERALOCORTICIDS</b>		
<i>fludrocortisone acetate</i>	2	
<b>COUGH/COLD/ALLERGY</b>		
<b>MUCOLYTICS</b>		
<i>acetylcysteine (acetylcysteine 10 % solution, acetylcysteine 20 % solution)</i>	3	PA <sup>3</sup>
<b>DERMATOLOGICALS</b>		
<b>ACNE PRODUCTS</b>		
<i>acutane</i>	4	
<i>amnesteem</i>	4	
<i>avita 0.025 % cream</i>	4	QL 45 GM / 30 DAYS PA
<i>claravis</i>	4	
<i>clindamycin phosphate (clindamycin phosphate 1 % lotion, clindamycin phosphate 1 % solution)</i>	3	QL 60 ML / 30 DAYS
<i>clindamycin phosphate 1 % gel</i>	3	QL 75 GM / 30 DAYS
ERY	3	QL 60 EA / 30 DAYS
<i>erythromycin 2 % solution</i>	2	QL 60 ML / 30 DAYS
<i>isotretinoin</i>	4	
<i>sulfacetamide sodium (acne)</i>	4	QL 118 ML / 30 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>tretinoin (tretinoin 0.01 % gel, tretinoin 0.025 % gel, tretinoin 0.05 % gel)</i>	3	<div style="display: flex; align-items: center;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <span style="margin-left: 5px;">45 GM / 30 DAYS</span> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #996633; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
<i>tretinoin (tretinoin 0.025 % cream, tretinoin 0.05 % cream, tretinoin 0.1 % cream)</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <span style="margin-left: 5px;">45 GM / 30 DAYS</span> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #996633; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> </div>
<i>zenatane</i>	4	
<b>ANTI-INFLAMMATORY AGENTS - TOPICAL</b>		
<i>diclofenac 1% gel</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <span style="margin-left: 5px;">1000 GM / 30 DAYS</span> </div>
<b>ANTIBIOTICS - TOPICAL</b>		
<i>gentamicin sulfate 0.1 % cream</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <span style="margin-left: 5px;">30 GM / 30 DAYS</span> </div>
<i>gentamicin sulfate 0.1 % ointment</i>	3	<div style="display: flex; align-items: center;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <span style="margin-left: 5px;">120 GM / 30 DAYS</span> </div>
<i>mupirocin 2% ointment</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <span style="margin-left: 5px;">220 GM / 30 DAYS</span> </div>
<b>ANTIFUNGALS - TOPICAL</b>		
<i>ciclopirox 0.77 % gel</i>	3	<div style="display: flex; align-items: center;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <span style="margin-left: 5px;">100 GM / 30 DAYS</span> </div>
<i>ciclopirox 1 % shampoo</i>	3	<div style="display: flex; align-items: center;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <span style="margin-left: 5px;">120 ML / 30 DAYS</span> </div>
<i>ciclopirox 8 % solution</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <span style="margin-left: 5px;">13.2 ML / 30 DAYS</span> </div>
<i>ciclopirox olamine 0.77 % cream</i>	3	<div style="display: flex; align-items: center;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <span style="margin-left: 5px;">90 GM / 30 DAYS</span> </div>
<i>ciclopirox olamine 0.77 % suspension</i>	3	<div style="display: flex; align-items: center;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <span style="margin-left: 5px;">60 ML / 30 DAYS</span> </div>
<i>clotrimazole (lotrimin)</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <span style="margin-left: 5px;">30 ML / 28 OVER TIME</span> </div>
<i>clotrimazole-betamethasone 1-0.05 % cream</i>	3	<div style="display: flex; align-items: center;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <span style="margin-left: 5px;">90 GM / 30 DAYS</span> </div>
<i>econazole nitrate</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <span style="margin-left: 5px;">85 GM / 30 DAYS</span> </div>
<i>ketconazole 2 % cream</i>	3	<div style="display: flex; align-items: center;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <span style="margin-left: 5px;">120 GM / 30 DAYS</span> </div>
<i>ketconazole 2 % shampoo</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <span style="margin-left: 5px;">240 ML / 30 DAYS</span> </div>
<i>klayesta</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #666699; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <span style="margin-left: 5px;">60 GM / 30 DAYS</span> </div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>nyamyc</i>	2	QL 60 GM / 30 DAYS
<i>nystatin (nystatin 100000 unit/gm cream, nystatin 100000 unit/gm ointment)</i>	2	QL 30 GM / 30 DAYS
<i>nystatin 100000 unit/gm powder</i>	2	QL 60 GM / 30 DAYS
<i>nystatin-triamcinolone</i>	3	QL 60 GM / 30 DAYS
<i>nystop</i>	2	QL 60 GM / 30 DAYS
<b>ANTINEOPLASTIC OR PREMALIGNANT LESION AGENTS - TOPICAL</b>		
<i>bexarotene 1 % gel</i>	5	QL 60 GM / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply
<i>diclofenac sodium 3 % gel</i>	4	QL 100 GM / 30 DAYS PA
FLUOROURACIL (FLUOROURACIL 2 % SOLUTION, FLUOROURACIL 5 % SOLUTION)	3	QL 10 ML / 30 DAYS
<i>fluorouracil 5 % cream</i>	4	QL 40 GM / 30 DAYS
PANRETIN	5	PA <sup>2</sup> NDS Non-Extended Day Supply
VALCHLOR	5	QL 240 GM / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
<b>ANTIPSORIATICS</b>		
<i>acitretin</i>	4	
<i>calcipotriene (calcipotriene 0.005 % cream, calcipotriene 0.005 % ointment)</i>	4	QL 120 GM / 30 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>calcipotriene 0.005 % solution</i>	3	QL 120 ML / 30 DAYS
CALCITRIOL 3 MCG/GM OINTMENT	4	
METHOXSALLEN RAPID	5	NDS Non-Extended Day Supply
SKYRIZI 150 MG/ML SOLN PRSYR	5	QL 2 ML / 28 DAYS
		PA
		NDS Non-Extended Day Supply
SKYRIZI PEN	5	QL 2 ML / 28 DAYS
		PA
		NDS Non-Extended Day Supply
STELARA (STELARA 45 MG/0.5ML SOLN PRSYR, STELARA 45 MG/0.5ML SOLUTION)	5	QL 0.5 ML / 28 DAYS
		PA
		NDS Non-Extended Day Supply
STELARA 90 MG/ML SOLN PRSYR	5	QL 1 ML / 28 DAYS
		PA
		NDS Non-Extended Day Supply
TALTZ	5	QL 1 ML / 28 DAYS
		PA
		NDS Non-Extended Day Supply
		LA
<i>tazarotene (tazarotene 0.05 % gel, tazarotene 0.1 % cream, tazarotene 0.1 % gel)</i>	4	QL 60 GM / 30 DAYS PA
<b>ANTISEBORRHEIC PRODUCTS</b>		
<i>selenium sulfide 2.5 % lotion</i>	2	
<b>ANTIVIRALS - TOPICAL</b>		
<i>acyclovir 5 % ointment</i>	4	QL 30 GM / 30 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>penciclovir</i>	4	QL 5 GM / 7 OVER TIME
<b>BURN PRODUCTS</b>		
<i>silver sulfadiazine</i>	2	
<i>ssd</i>	2	
SULFAMYLON 85 MG/GM CREAM	4	QL 453.6 GM / 30 DAYS
<b>CORTICOSTEROIDS - TOPICAL</b>		
<i>betamethasone dipropionate (betamethasone dipropionate 0.05 % cream, betamethasone dipropionate 0.05 % ointment)</i>	3	QL 90 GM / 30 DAYS
<i>betamethasone dipropionate 0.05 % lotion</i>	3	QL 120 ML / 30 DAYS
<i>betamethasone dipropionate aug (betamethasone dipropionate aug 0.05 % gel, betamethasone dipropionate aug 0.05 % ointment)</i>	4	QL 100 GM / 30 DAYS
<i>betamethasone dipropionate aug 0.05 % cream</i>	2	QL 100 GM / 30 DAYS
<i>betamethasone dipropionate aug 0.05 % lotion</i>	4	QL 120 ML / 30 DAYS
<i>betamethasone valerate (betamethasone valerate 0.1 % cream, betamethasone valerate 0.1 % ointment)</i>	3	QL 180 GM / 30 DAYS
<i>betamethasone valerate 0.1 % lotion</i>	3	QL 120 ML / 30 DAYS
<i>clobetasol prop emollient base</i>	4	QL 120 GM / 30 DAYS
<i>clobetasol propionate (clobetasol propionate 0.05 % cream, clobetasol propionate 0.05 % gel, clobetasol propionate 0.05 % ointment)</i>	4	QL 120 GM / 30 DAYS
<i>clobetasol propionate 0.05 % foam</i>	4	QL 100 GM / 30 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>clobetasol propionate 0.05 % lotion</i>	4	QL 118 ML / 30 DAYS
<i>clobetasol propionate 0.05 % shampoo</i>	4	QL 236 ML / 30 DAYS
<i>clobetasol propionate 0.05 % solution</i>	4	QL 100 ML / 30 DAYS
<i>clobetasol propionate e</i>	4	QL 120 GM / 30 DAYS
<i>clodan 0.05 % shampoo</i>	4	QL 236 ML / 30 DAYS
<i>desonide (desonide 0.05 % cream, desonide 0.05 % ointment)</i>	4	QL 120 GM / 30 DAYS
<i>fluocinolone acetonide 0.01 % solution</i>	4	QL 90 ML / 30 DAYS
<i>fluocinolone acetonide 0.025 % ointment</i>	4	QL 120 GM / 30 DAYS
<i>fluocinolone acetonide body</i>	4	QL 120 ML / 30 DAYS
<i>fluocinolone acetonide scalp</i>	4	QL 120 ML / 30 DAYS
<i>fluocinonide (fluocinonide 0.05 % cream, fluocinonide 0.05 % gel, fluocinonide 0.05 % ointment)</i>	4	QL 60 GM / 30 DAYS
<i>fluocinonide 0.05 % solution</i>	4	QL 60 ML / 30 DAYS
<i>halobetasol propionate 0.05 % cream</i>	4	
<i>halobetasol propionate 0.05 % ointment</i>	4	QL 50 GM / 30 DAYS
<i>hydrocortisone</i>	2	QL 240 GM / 30 DAYS
<i>mometasone furoate (mometasone furoate 0.1 % cream, mometasone furoate 0.1 % ointment)</i>	2	QL 180 GM / 30 DAYS
<i>mometasone furoate 0.1 % solution</i>	2	QL 180 ML / 30 DAYS
<i>triamcinolone acetonide (triamcinolone acetonide 0.025 % cream, triamcinolone acetonide 0.025 % ointment, triamcinolone acetonide 0.1 % cream, triamcinolone acetonide 0.1 % ointment, triamcinolone acetonide 0.5 % cream)</i>	2	QL 454 GM / 30 DAYS





You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>triamcinolone acetonide</i> ( <i>triamcinolone acetonide 0.025 % lotion, triamcinolone acetonide 0.1 % lotion</i> )	2	QL 120 ML / 30 DAYS
<i>triamcinolone acetonide 0.5 % ointment</i>	2	QL 120 GM / 30 DAYS
<i>triderm</i>	2	QL 454 GM / 30 DAYS
<b>ECZEMA AGENTS</b>		
ADBRY	5	QL 6 ML / 28 DAYS PA NDS Non-Extended Day Supply LA
DUPIXENT (DUPIXENT 200 MG/1.14ML SOLN PEN, DUPIXENT 200 MG/1.14ML SOLN PRSYR)	5	QL 4.56 ML / 28 DAYS PA NDS Non-Extended Day Supply
DUPIXENT (DUPIXENT 300 MG/2ML SOLN PEN, DUPIXENT 300 MG/2ML SOLN PRSYR)	5	QL 8 ML / 28 DAYS PA NDS Non-Extended Day Supply
DUPIXENT 100 MG/0.67ML SOLN PRSYR	5	QL 1.34 ML / 28 DAYS PA NDS Non-Extended Day Supply
<b>EMOLLIENTS</b>		
<i>ammonium lactate (amlactin)</i>	2	
<b>ENZYMES - TOPICAL</b>		
SANTYL	4	QL 180 GM / 30 OVER TIME

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>IMMUNOMODULATING AGENTS - TOPICAL</b>		
<i>imiquimod 5 % cream</i>	3	QL 24 EA / 30 DAYS
<b>IMMUNOSUPPRESSIVE AGENTS - TOPICAL</b>		
<i>pimecrolimus</i>	4	QL 100 GM / 30 DAYS
<i>tacrolimus (tacrolimus 0.03 % ointment, tacrolimus 0.1 % ointment)</i>	4	QL 100 GM / 30 DAYS
<b>KERATOLYTIC/ANTIMITOTIC AGENTS</b>		
PODOFILOX 0.5 % SOLUTION	3	QL 7 ML / 30 DAYS
<b>LOCAL ANESTHETICS - TOPICAL</b>		
<i>lidocaine hcl 4 % solution</i>	3	QL 50 ML / 30 DAYS
LIDOCAINE HCL URETHRAL/MUCOSAL (LIDOCAINE HCL URETHRAL/MUCOSAL 2 % GEL, LIDOCAINE HCL URETHRAL/MUCOSAL 2 % PRSYR)	2	QL 60 ML / 7 OVER TIME
<i>lidocaine patches</i>	4	QL 90 EA / 30 DAYS PA
<i>lidocaine-prilocaine 2.5-2.5 % cream</i>	2	QL 30 GM / 30 DAYS
<b>ROSACEA AGENTS</b>		
<i>azelaic acid</i>	4	QL 50 GM / 30 DAYS
<i>ivermectin 1 % cream</i>	2	QL 60 GM / 30 OVER TIME
<i>metronidazole (metronidazole 0.75 % cream, metronidazole 0.75 % gel)</i>	4	QL 45 GM / 30 DAYS
<i>metronidazole 0.75 % lotion</i>	4	QL 59 ML / 30 DAYS
<i>metronidazole 1 % gel</i>	4	QL 60 GM / 30 DAYS
<b>SCABICIDES PEDICULICIDES</b>		
LINDANE	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>malathion</i>	4	
<i>permethrin (nix)</i>	3	
<b>WOUND CARE PRODUCTS</b>		
REGRANEX	5	 Non-Extended Day Supply
<b>DIAGNOSTIC PRODUCTS</b>		
<b>DIAGNOSTIC TESTS</b>		
ONETOUCH ULTRA	Part B Covered	
ONETOUCH ULTRA TEST	Part B Covered	
ONETOUCH VERIO STRIP	Part B Covered	
<b>DIGESTIVE AIDS</b>		
<b>DIGESTIVE ENZYMES</b>		
CREON	3	
SUCRAID	5	  Non-Extended Day Supply 
<b>DIURETICS</b>		
<b>CARBONIC ANHYDRASE INHIBITORS</b>		
<i>acetazolamide</i>	3	
<i>acetazolamide er</i>	3	
<i>methazolamide</i>	4	
<b>DIURETIC COMBINATIONS</b>		
AMILORIDE-HYDROCHLOROTHIAZIDE 5-50 MG TAB	2	
<i>spironolactone-hctz</i>	2	
<i>triamterene-hctz</i>	1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>LOOP DIURETICS</b>		
<i>bumetanide (bumetanide 0.5 mg tab, bumetanide 1 mg tab, bumetanide 2 mg tab)</i>	2	
<i>bumetanide 0.25 mg/ml solution</i>	4	
<i>ethacrynic acid</i>	4	
<i>furosemide (furosemide 20 mg tab, furosemide 40 mg tab, furosemide 80 mg tab)</i>	1	
<i>furosemide 10 mg/ml solution</i>	4	
FUROSEMIDE 8 MG/ML SOLUTION	2	
<i>torseamide</i>	2	
<b>POTASSIUM SPARING DIURETICS</b>		
<i>amiloride hcl</i>	2	
<i>spironolactone (spironolactone 25 mg tab, spironolactone 50 mg tab, spironolactone 100 mg tab)</i>	1	
<b>THIAZIDES AND THIAZIDE-LIKE DIURETICS</b>		
<i>chlorthalidone</i>	2	
<i>hydrochlorothiazide (hydrochlorothiazide 12.5 mg cap, hydrochlorothiazide 12.5 mg tab, hydrochlorothiazide 25 mg tab, hydrochlorothiazide 50 mg tab)</i>	1	
<i>indapamide</i>	1	
<i>metolazone (metolazone 2.5 mg tab, metolazone 5 mg tab, metolazone 10 mg tab)</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>ENDOCRINE AND METABOLIC AGENTS - MISC.</b>		
<b>BONE DENSITY REGULATORS</b>		
<i>alendronate sodium (alendronate sodium 10 mg tab, alendronate sodium 35 mg tab, alendronate sodium 70 mg tab)</i>	1	
<i>alendronate sodium 70 mg/75ml solution</i>	4	
<i>calcitonin (salmon) 200 unit/act solution</i>	3	
<i>ibandronate sodium 150 mg tab</i>	2	QL 1 EA / 30 DAYS
<i>risedronate sodium</i>	4	
<i>teriparatide</i>	5	QL 2.48 ML / 28 DAYS PA NDS Non-Extended Day Supply
TERIPARATIDE (RECOMBINANT) (TERIPARATIDE (RECOMBINANT) 600 MCG/2.4ML SOLN PEN, TERIPARATIDE (RECOMBINANT) 620 MCG/2.48ML SOLN PEN)	5	QL 2.48 ML / 28 DAYS PA NDS Non-Extended Day Supply
XGEVA	5	QL 1.7 ML / 28 DAYS PA NDS Non-Extended Day Supply
<b>GROWTH HORMONE RECEPTOR ANTAGONISTS</b>		
SOMAVERT	5	PA NDS Non-Extended Day Supply LA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>GROWTH HORMONES</b>		
OMNITROPE (OMNITROPE 5 MG/1.5ML SOLN CART, OMNITROPE 5.8 MG RECON SOLN, OMNITROPE 10 MG/1.5ML SOLN CART)	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> </div> <div>Non-Extended Day Supply</div> </div>
SKYTROFA	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">LA</div> </div> <div>Non-Extended Day Supply</div> </div>
<b>HORMONE RECEPTOR MODULATORS</b>		
OSPHENA	4	
<i>raloxifene hcl</i>	3	
<b>INSULIN-LIKE GROWTH FACTORS (SOMATOMEDINS)</b>		
INCRELEX	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">LA</div> </div> <div>Non-Extended Day Supply</div> </div>
<b>METABOLIC MODIFIERS</b>		
<i>betaine</i>	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">LA</div> </div> <div>Non-Extended Day Supply</div> </div>
<i>calcitriol (calcitriol 0.25 mcg cap, calcitriol 0.5 mcg cap)</i>	2	
<i>calcitriol 1 mcg/ml solution</i>	4	
<i>carglumic acid</i>	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div style="background-color: #0070C0; color: white; padding: 2px 5px; border-radius: 3px;">LA</div> </div> <div>Non-Extended Day Supply</div> </div>
<i>cinacalcet hcl</i>	4	<div style="background-color: #8B4513; color: white; padding: 2px 5px; border-radius: 3px;">PA</div>
<i>doxercalciferol (doxercalciferol 0.5 mcg cap, doxercalciferol 1 mcg cap, doxercalciferol 2.5 mcg cap)</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>levocarnitine (levocarnitine 1 gm/10ml solution, levocarnitine 330 mg tab)</i>	4	
<i>levocarnitine sf</i>	4	
NEXVIAZYME	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">PA</div> <div style="margin-right: 5px;">NDS</div> <div>Non-Extended Day Supply</div> </div> <div style="margin-top: 5px;">LA</div>
<i>nitisinone</i>	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">PA</div> <div style="margin-right: 5px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
OPFOLDA	4	QL 8 EA / 28 DAYS
<i>paricalcitol (paricalcitol 1 mcg cap, paricalcitol 2 mcg cap, paricalcitol 4 mcg cap)</i>	4	
<i>sapropterin dihydrochloride (sapropterin dihydrochloride 100 mg packet, sapropterin dihydrochloride 500 mg packet)</i>	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">PA</div> <div style="margin-right: 5px;">NDS</div> <div>Non-Extended Day Supply</div> </div> <div style="margin-top: 5px;">LA</div>
<i>sodium phenylbutyrate 500 mg tab</i>	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">PA</div> <div style="margin-right: 5px;">NDS</div> <div>Non-Extended Day Supply</div> </div>
<b>MINERALOCORTICOID RECEPTOR ANTAGONISTS</b>		
KERENDIA	4	<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">QL</div> <div>30 EA / 30 DAYS</div> </div> <div style="margin-top: 5px;">PA</div>
<b>POSTERIOR PITUITARY HORMONES</b>		
<i>desmopressin ace spray refrig</i>	4	
<i>desmopressin acetate (desmopressin acetate 0.1 mg tab, desmopressin acetate 0.2 mg tab)</i>	3	
<i>desmopressin acetate spray</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>PROLACTIN INHIBITORS</b>		
<i>cabergoline</i>	3	
<b>SOMATOSTATIC AGENTS</b>		
<i>octreotide acetate (octreotide acetate 50 mcg/ml solution, octreotide acetate 100 mcg/ml solution, octreotide acetate 200 mcg/ml solution, octreotide acetate 500 mcg/ml solution, octreotide acetate 1000 mcg/ml solution)</i>	4	PA
SIGNIFOR	5	QL 60 ML / 30 DAYS PA NDS Non-Extended Day Supply LA
<b>ESTROGENS</b>		
<b>ESTROGEN COMBINATIONS</b>		
<i>estradiol-norethindrone acet</i>	4	
<i>fyavolv</i>	4	
<i>jinteli</i>	4	
<i>norethindrone-eth estradiol</i>	4	
<b>ESTROGENS</b>		
<i>dotti</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>estradiol (estradiol 0.025 mg/24hr patch tw, estradiol 0.025 mg/24hr patch wk, estradiol 0.0375 mg/24hr patch tw, estradiol 0.0375 mg/24hr patch wk, estradiol 0.05 mg/24hr patch tw, estradiol 0.05 mg/24hr patch wk, estradiol 0.06 mg/24hr patch wk, estradiol 0.075 mg/24hr patch tw, estradiol 0.075 mg/24hr patch wk, estradiol 0.1 mg/24hr patch tw, estradiol 0.1 mg/24hr patch wk)</i>	4	
<i>estradiol (estradiol 0.5 mg tab, estradiol 1 mg tab, estradiol 2 mg tab)</i>	3	
<i>estradiol valerate</i>	4	
<i>lyllana</i>	4	
MENEST	4	
<b>FLUOROQUINOLONES</b>		
<b>FLUOROQUINOLONES</b>		
<i>ciprofloxacin hcl (ciprofloxacin hcl 250 mg tab, ciprofloxacin hcl 500 mg tab, ciprofloxacin hcl 750 mg tab)</i>	1	
CIPROFLOXACIN HCL 100 MG TAB	4	
<i>ciprofloxacin in d5w 200 mg/100ml solution</i>	4	
<i>ciprofloxacin in d5w 400 mg/200ml solution</i>	2	
<i>levofloxacin (levofloxacin 250 mg tab, levofloxacin 500 mg tab, levofloxacin 750 mg tab)</i>	2	
<i>levofloxacin 25 mg/ml solution</i>	4	
<i>levofloxacin in d5w (levofloxacin in d5w 500 mg/100ml solution, levofloxacin in d5w 750 mg/150ml solution)</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>levofloxacin in d5w 250 mg/50ml solution</i>	2	
MOXIFLOXACIN HCL (MOXIFLOXACIN HCL 400 MG TAB, MOXIFLOXACIN HCL 400 MG/250ML SOLUTION)	4	
MOXIFLOXACIN HCL IN NACL	4	
OFLOXACIN (OFLOXACIN 300 MG TAB, OFLOXACIN 400 MG TAB)	4	
<b>GASTROINTESTINAL AGENTS - MISC.</b>		
<b>GALLSTONE SOLUBILIZING AGENTS</b>		
RELTONE	4	PA
<i>ursodiol (ursodiol 250 mg tab, ursodiol 300 mg cap, ursodiol 500 mg tab)</i>	3	
<b>GASTROINTESTINAL ANTIALLERGY AGENTS</b>		
<i>cromolyn sodium 100 mg/5ml conc</i>	4	
<b>GASTROINTESTINAL CHLORIDE CHANNEL ACTIVATORS</b>		
<i>lubiprostone</i>	4	
<b>GASTROINTESTINAL STIMULANTS</b>		
<i>metoclopramide hcl (metoclopramide hcl 5 mg tab, metoclopramide hcl 10 mg tab)</i>	2	
<i>metoclopramide hcl (metoclopramide hcl 5 mg/5ml solution, metoclopramide hcl 10 mg/10ml solution)</i>	4	
<b>INFLAMMATORY BOWEL AGENTS</b>		
<i>balsalazide disodium</i>	4	
<i>mesalamine (mesalamine 1.2 gm tab dr, mesalamine 4 gm enema, mesalamine 400 mg cap dr, mesalamine 1000 mg suppos)</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
MESALAMINE 800 MG TAB DR	4	
<i>mesalamine er</i>	4	
<i>mesalamine-cleanser</i>	4	
SKYRIZI 180 MG/1.2ML SOLN CART	5	<ul style="list-style-type: none"> <li>QL 1.2 ML / 56 OVER TIME</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
SKYRIZI 360 MG/2.4ML SOLN CART	5	<ul style="list-style-type: none"> <li>QL 2.4 ML / 56 OVER TIME</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
<i>sulfasalazine</i>	3	
<b>INTESTINAL ACIDIFIERS</b>		
<i>enulose</i>	2	
<i>generlac</i>	2	
<i>lactulose encephalopathy</i>	2	
<b>IRRITABLE BOWEL SYNDROME (IBS) AGENTS</b>		
<i>alosetron hcl</i>	5	NDS Non-Extended Day Supply
LINZESS	3	QL 30 EA / 30 DAYS
<b>PERIPHERAL OPIOID RECEPTOR ANTAGONISTS</b>		
MOVANTIK	3	QL 30 EA / 30 DAYS
RELISTOR 12 MG/0.6ML SOLUTION	5	<ul style="list-style-type: none"> <li>QL 18 ML / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
RELISTOR 8 MG/0.4ML SOLUTION	5	<ul style="list-style-type: none"> <li>QL 12 ML / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>PHOSPHATE BINDER AGENTS</b>		
<i>calcium acetate (phos binder)</i>	3	
<i>calcium acetate 667 mg tab</i>	3	
<i>lanthanum carbonate</i>	5	NDS Non-Extended Day Supply
<i>sevelamer carbonate</i>	4	
<b>TRYPTOPHAN HYDROXYLASE INHIBITORS</b>		
XERMELO	5	QL 90 EA / 30 DAYS PA NDS Non-Extended Day Supply LA
<b>GENITOURINARY AGENTS - MISCELLANEOUS</b>		
<b>ACIDIFIERS</b>		
K-PHOS NO 2	3	
<b>ALKALINIZERS</b>		
<i>potassium citrate er</i>	3	
<b>CYSTINOSIS AGENTS</b>		
CYSTAGON	4	PA LA
<b>GENITOURINARY IRRIGANTS</b>		
<i>acetic acid 0.25 % solution</i>	2	
RENACIDIN	3	
<i>sodium chloride 0.9 % solution</i>	4	
<b>INTERSTITIAL CYSTITIS AGENTS</b>		
ELMIRON	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>PROSTATIC HYPERTROPHY AGENTS</b>		
<i>alfuzosin hcl er</i>	2	
<i>dutasteride</i>	2	
<i>dutasteride-tamsulosin hcl</i>	4	
<i>finasteride 5 mg tab</i>	2	
<i>silodosin</i>	3	
<i>tamsulosin hcl</i>	1	
<b>GOUT AGENTS</b>		
<b>GOUT AGENT COMBINATIONS</b>		
<i>colchicine-probenecid</i>	3	
<b>GOUT AGENTS</b>		
<i>allopurinol (allopurinol 100 mg tab, allopurinol 300 mg tab)</i>	1	
<i>colchicine 0.6 mg tab</i>	3	
<i>febuxostat</i>	3	
<b>URICOSURICS</b>		
<i>probenecid</i>	3	
<b>HEMATOLOGICAL AGENTS - MISC.</b>		
<b>BRADYKININ B2 RECEPTOR ANTAGONISTS</b>		
<i>icatibant acetate</i>	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">PA</div> <div style="margin-right: 5px;">NDS</div> <div style="margin-right: 5px;">LA</div> <div>Non-Extended Day Supply</div> </div>
<i>sajazir</i>	5	<div style="display: flex; align-items: center;"> <div style="margin-right: 5px;">PA</div> <div style="margin-right: 5px;">NDS</div> <div style="margin-right: 5px;">LA</div> <div>Non-Extended Day Supply</div> </div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>COMPLEMENT INHIBITORS</b>		
CINRYZE	5	<div style="display: flex; flex-direction: column; align-items: flex-end;"> <div style="margin-bottom: 5px;">PA</div> <div style="margin-bottom: 5px;">NDS Non-Extended Day Supply</div> <div>LA</div> </div>
HAEGARDA	5	<div style="display: flex; flex-direction: column; align-items: flex-end;"> <div style="margin-bottom: 5px;">PA</div> <div style="margin-bottom: 5px;">NDS Non-Extended Day Supply</div> <div>LA</div> </div>
RUCONEST	5	<div style="display: flex; flex-direction: column; align-items: flex-end;"> <div style="margin-bottom: 5px;">PA</div> <div style="margin-bottom: 5px;">NDS Non-Extended Day Supply</div> <div>LA</div> </div>
<b>HEMATORHEOLOGIC AGENTS</b>		
<i>pentoxifylline er</i>	2	
<b>PLATELET AGGREGATION INHIBITORS</b>		
<i>anagrelide hcl</i>	3	
<i>aspirin-dipyridamole er</i>	4	
BRILINTA	3	
<i>cilostazol</i>	2	
<i>clopidogrel bisulfate 75 mg tab</i>	1	
<i>dipyridamole (dipyridamole 25 mg tab, dipyridamole 50 mg tab, dipyridamole 75 mg tab)</i>	4	
<i>prasugrel hcl</i>	3	
<b>HEMATOPOIETIC AGENTS</b>		
<b>AGENTS FOR SICKLE CELL DISEASE</b>		
DROXIA	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>HEMATOPOIETIC GROWTH FACTORS</b>		
PROMACTA (PROMACTA 12.5 MG PACKET, PROMACTA 25 MG PACKET)	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span>PA</span></div> <div style="margin-bottom: 5px;"><span>NDS</span> Non-Extended Day Supply</div> </div>
PROMACTA (PROMACTA 12.5 MG TAB, PROMACTA 25 MG TAB)	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span>QL</span> 30 EA / 30 DAYS</div> <div style="margin-bottom: 5px;"><span>PA</span></div> <div style="margin-bottom: 5px;"><span>NDS</span> Non-Extended Day Supply</div> </div>
PROMACTA (PROMACTA 50 MG TAB, PROMACTA 75 MG TAB)	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 5px;"><span>QL</span> 60 EA / 30 DAYS</div> <div style="margin-bottom: 5px;"><span>PA</span></div> <div style="margin-bottom: 5px;"><span>NDS</span> Non-Extended Day Supply</div> </div>
RETACRIT	4	<span>PA</span>
UDENYCA	5	<span>NDS</span> Non-Extended Day Supply
ZARXIO	5	<span>NDS</span> Non-Extended Day Supply
ZIEXTENZO	5	<span>NDS</span> Non-Extended Day Supply
<b>HEMOSTATICS</b>		
<b>HEMOSTATICS - SYSTEMIC</b>		
<i>tranexamic acid 650 mg tab</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>HYPNOTICS/SEDATIVES/SLEEP DISORDER AGENTS</b>		
<b>BARBITURATE HYPNOTICS</b>		
<i>phenobarbital (phenobarbital 15 mg tab, phenobarbital 16.2 mg tab, phenobarbital 20 mg/5ml elixir, phenobarbital 20 mg/5ml solution, phenobarbital 30 mg tab, phenobarbital 32.4 mg tab, phenobarbital 60 mg tab, phenobarbital 64.8 mg tab, phenobarbital 97.2 mg tab, phenobarbital 100 mg tab)</i>	4	
<b>HYPNOTICS - TRICYCLIC AGENTS</b>		
<i>doxepin hcl (doxepin hcl 3 mg tab, doxepin hcl 6 mg tab)</i>	3	QL 30 EA / 30 DAYS
<b>NON-BARBITURATE HYPNOTICS</b>		
<i>eszopiclone</i>	4	QL 30 EA / 30 DAYS
<i>temazepam (temazepam 15 mg cap, temazepam 30 mg cap)</i>	2	QL 30 EA / 30 DAYS PA <sup>2</sup>
<i>zaleplon 10 mg cap</i>	4	QL 60 EA / 30 DAYS
<i>zaleplon 5 mg cap</i>	4	QL 30 EA / 30 DAYS
<i>zolpidem tartrate 10 mg tab</i>	2	QL 30 EA / 30 DAYS
<i>zolpidem tartrate 5 mg tab</i>	2	QL 60 EA / 30 DAYS
<i>zolpidem tartrate er</i>	4	QL 30 EA / 30 DAYS
<b>OREXIN RECEPTOR ANTAGONISTS</b>		
BELSOMRA	4	QL 30 EA / 30 DAYS
DAYVIGO	4	QL 30 EA / 30 DAYS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>SELECTIVE MELATONIN RECEPTOR AGONISTS</b>		
HETLIOZ	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<i>ramelteon</i>	3	QL 30 EA / 30 DAYS
<i>tasimelteon</i>	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
<b>LAXATIVES</b>		
<b>LAXATIVE COMBINATIONS</b>		
GAVILYTE-C	2	
<i>gavilyte-g</i>	2	
<i>gavilyte-n with flavor pack</i>	2	
GOLYTELY	2	
<i>na sulfate-k sulfate-mg sulf</i>	2	
<i>peg 3350-kcl-na bicarb-nacl</i>	2	
<i>peg-3350/electrolytes</i>	2	
<i>peg-3350/electrolytes/ascorbat</i>	2	
<i>peg-kcl-nacl-nasulf-na asc-c</i>	2	
SUFLAVE	4	
<b>LAXATIVES - MISCELLANEOUS</b>		
<i>constulose</i>	2	
<i>lactulose (lactulose 10 gm/15ml solution, lactulose 20 gm/30ml solution)</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>MACROLIDES</b>		
<b>AZITHROMYCIN</b>		
<i>azithromycin (azithromycin 1 gm packet, azithromycin 100 mg/5ml recon susp, azithromycin 200 mg/5ml recon susp, azithromycin 250 mg tab, azithromycin 500 mg tab, azithromycin 600 mg tab)</i>	2	
<i>azithromycin 500 mg recon soln</i>	4	
<b>CLARITHROMYCIN</b>		
CLARITHROMYCIN (CLARITHROMYCIN 125 MG/5ML RECON SUSP, CLARITHROMYCIN 250 MG/5ML RECON SUSP)	4	
<i>clarithromycin (clarithromycin 250 mg tab, clarithromycin 500 mg tab)</i>	3	
<i>clarithromycin er</i>	4	
<b>ERYTHROMYCINS</b>		
<i>ery-tab</i>	4	
ERYTHROCIN STEARATE	4	
<i>erythromycin (erythromycin 250 mg tab dr, erythromycin 333 mg tab dr, erythromycin 500 mg tab dr)</i>	4	
<i>erythromycin base</i>	4	
<i>erythromycin ethylsuccinate (erythromycin ethylsuccinate 200 mg/5ml recon susp, erythromycin ethylsuccinate 400 mg tab)</i>	4	
<b>FIDAXOMICIN</b>		
DIFICID 200 MG TAB	3	QL 20 EA / 10 OVER TIME

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
DIFICID 40 MG/ML RECON SUSP	3	QL 136 ML / 10 OVER TIME
<b>MEDICAL DEVICES AND SUPPLIES</b>		
<b>BANDAGES-DRESSINGS-TAPE</b>		
GAUZE PADS	3	
<i>gauze pads and dressings</i>	3	
<b>DIABETIC SUPPLIES</b>		
<i>blood glucose monitoring supplies</i>	Part B Covered	
DEXCOM G5 MOB/G4 PLAT SENSOR	Part B Covered	PA
DEXCOM G5 MOBILE RECEIVER	Part B Covered	PA
DEXCOM G5 MOBILE TRANSMITTER	Part B Covered	PA
DEXCOM G5 RECEIVER KIT	Part B Covered	PA
DEXCOM G6 RECEIVER	Part B Covered	QL 1 EA / 274 OVER TIME PA
DEXCOM G6 SENSOR	Part B Covered	QL 3 EA / 30 DAYS PA
DEXCOM G6 TRANSMITTER	Part B Covered	QL 1 EA / 68 OVER TIME PA
DEXCOM G7 RECEIVER	Part B Covered	QL 1 EA / 275 OVER TIME PA
DEXCOM G7 SENSOR	Part B Covered	QL 3 EA / 30 DAYS PA
FREESTYLE LIBRE 14 DAY READER	Part B Covered	QL 1 EA / 274 OVER TIME PA
FREESTYLE LIBRE 14 DAY SENSOR	Part B Covered	QL 2 EA / 28 DAYS PA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
FREESTYLE LIBRE 2 READER	Part B Covered	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>1 EA / 274 OVER TIME</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div>
FREESTYLE LIBRE 2 SENSOR	Part B Covered	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>2 EA / 28 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div>
FREESTYLE LIBRE 3 READER	Part B Covered	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>1 EA / 274 OVER TIME</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div>
FREESTYLE LIBRE 3 SENSOR	Part B Covered	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>2 EA / 28 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div>
FREESTYLE LIBRE READER	Part B Covered	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>1 EA / 274 OVER TIME</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div>
FREESTYLE LIBRE SENSOR SYSTEM	Part B Covered	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>2 EA / 20 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div>
OMNIPOD 5 G6 INTRO (GEN 5)	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>1 EA / 275 OVER TIME</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div>
OMNIPOD 5 G6 PODS (GEN 5)	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>15 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div>
OMNIPOD 5 G7 INTRO (GEN 5)	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>1 EA / 275 OVER TIME</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div>
OMNIPOD 5 G7 PODS (GEN 5)	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>15 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div>
OMNIPOD 5 PACK	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>15 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div>
OMNIPOD CLASSIC PDM (GEN 3)	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>1 EA / 275 OVER TIME</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div>
OMNIPOD DASH INTRO (GEN 4)	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>1 EA / 275 OVER TIME</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
OMNIPOD DASH PDM (GEN 4)	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>1 EA / 275 OVER TIME</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div>
OMNIPOD DASH PODS (GEN 4)	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>15 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div>
<b>MISC. DEVICES</b>		
<i>alcohol swabs</i>	3	
ALCOHOL SWABS 1X1	3	
<b>PARENTERAL THERAPY SUPPLIES</b>		
INSULIN PEN NEEDLE	3	
INSULIN SYRINGE (DISP) U-100 0.3 ML	3	
INSULIN SYRINGE (DISP) U-100 1 ML	3	
INSULIN SYRINGE (DISP) U-100 1/2 ML	3	
<i>needles and syringes</i>	3	
<b>MIGRAINE PRODUCTS</b>		
<b>CALCITONIN GENE-RELATED PEPTIDE (CGRP) RECEPTOR ANTAG</b>		
EMGALITY	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>2 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div>
EMGALITY (300 MG DOSE)	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>3 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div>
NURTEC	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>16 EA / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 2px;"> <div style="background-color: #c48e4a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div>
<b>MIGRAINE COMBINATIONS</b>		
ERGOTAMINE-CAFFEINE	3	
MIGERGOT	4	
<i>sumatriptan-naproxen sodium</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>18 EA / 30 OVER TIME</div> </div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>MIGRAINE PRODUCTS</b>		
<i>dihydroergotamine mesylate 4 mg/ml solution</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>16 ML / 30 DAYS</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">PA</div> </div>
<b>SEROTONIN AGONISTS</b>		
<i>eletriptan hydrobromide</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>18 EA / 30 OVER TIME</div> </div>
<i>naratriptan hcl</i>	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>18 EA / 30 OVER TIME</div> </div>
<i>rizatriptan benzoate (rizatriptan benzoate 5 mg tab disp, rizatriptan benzoate 10 mg tab disp)</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>36 EA / 28 OVER TIME</div> </div>
<i>rizatriptan benzoate (rizatriptan benzoate 5 mg tab, rizatriptan benzoate 10 mg tab)</i>	3	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>36 EA / 28 OVER TIME</div> </div>
<i>sumatriptan</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>12 EA / 30 OVER TIME</div> </div>
<i>sumatriptan succinate (sumatriptan succinate 25 mg tab, sumatriptan succinate 50 mg tab, sumatriptan succinate 100 mg tab)</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>18 EA / 30 OVER TIME</div> </div>
<i>sumatriptan succinate (sumatriptan succinate 4 mg/0.5ml soln a-inj, sumatriptan succinate 6 mg/0.5ml soln a-inj, sumatriptan succinate 6 mg/0.5ml solution)</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>8 ML / 28 DAYS</div> </div>
<i>sumatriptan succinate refill</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>8 ML / 28 DAYS</div> </div>
<i>zolmitriptan (zolmitriptan 2.5 mg tab, zolmitriptan 2.5 mg tab disp, zolmitriptan 5 mg tab, zolmitriptan 5 mg tab disp)</i>	4	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px; margin-right: 5px;">QL</div> <div>18 EA / 30 OVER TIME</div> </div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>MINERALS ELECTROLYTES</b>		
<b>CALCIUM</b>		
<i>calcium gluconate 10 % solution</i>	2	
<b>ELECTROLYTE MIXTURES</b>		
DEXTROSE-SODIUM CHLORIDE (DEXTROSE-SODIUM CHLORIDE 10-0.2 % SOLUTION, DEXTROSE-SODIUM CHLORIDE 10-0.45 % SOLUTION)	4	PA <sup>3</sup>
<i>dextrose-sodium chloride (dextrose-sodium chloride 5-0.2 % solution, dextrose-sodium chloride 5-0.45 % solution, dextrose-sodium chloride 5-0.9 % solution)</i>	4	
DEXTROSE-SODIUM CHLORIDE 2.5-0.45 % SOLUTION	4	
KCL (0.149%) IN NAACL	4	
KCL (0.298%) IN NAACL	4	
<i>kcl in dextrose-nacl (kcl in dextrose-nacl, kcl in dextrose-nacl 20-5-0.225 meq/l-% solution, kcl in dextrose-nacl 40-5-0.9 meq/l-% solution)</i>	4	
KCL-LACTATED RINGERS-D5W	4	
<i>lactated ringers</i>	2	
<i>multiple electro type 1 ph 5.5</i>	2	
<i>multiple electro type 1 ph 7.4</i>	2	
<i>potassium chloride in dextrose 20-5 meq/l-% solution</i>	4	
<i>potassium chloride in nacl 20-0.45 meq/l-% solution</i>	4	
<i>potassium chloride in nacl 20-0.9 meq/l-% solution</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>potassium chloride in nacl 40-0.9 meq/l-% solution</i>	4	
<b>FLUORIDE</b>		
<i>sodium fluoride</i>	2	
<i>sodium fluoride 2.2 mg</i>	2	
<b>MAGNESIUM</b>		
<i>magnesium sulfate 50 % solution</i>	4	
<b>PHOSPHATE</b>		
K-PHOS	3	
<b>POTASSIUM</b>		
<i>klor-con 10</i>	2	
<i>klor-con 20 meq packet</i>	4	
<i>klor-con 8 meq tab er</i>	2	
<i>klor-con m10</i>	2	
<i>klor-con m15</i>	2	
<i>klor-con m20</i>	2	
<i>potassium chloride (potassium chloride 10 % solution, potassium chloride 10 meq/50ml solution, potassium chloride 20 meq/15ml (10%) solution, potassium chloride 20 meq/50ml solution, potassium chloride 40 meq/15ml (20%) solution)</i>	2	
POTASSIUM CHLORIDE (POTASSIUM CHLORIDE 10 MEQ/100ML SOLUTION, POTASSIUM CHLORIDE 20 MEQ/100ML SOLUTION, POTASSIUM CHLORIDE 40 MEQ/100ML SOLUTION)	4	
<i>potassium chloride 2 meq/ml solution</i>	4	
<i>potassium chloride 20 meq packet</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>potassium chloride crys er (potassium chloride crys er 10 meq tab er, potassium chloride crys er 20 meq tab er)</i>	2	
<i>potassium chloride er (potassium chloride er 8 meq cap er, potassium chloride er 8 meq tab er, potassium chloride er 10 meq cap er, potassium chloride er 10 meq tab er, potassium chloride er 20 meq tab er)</i>	2	
<b>SODIUM</b>		
<i>sodium chloride</i>	4	
<b>MISCELLANEOUS THERAPEUTIC CLASSES</b>		
<b>CHELATING AGENTS</b>		
<i>penicillamine 250 mg tab</i>	5	PA NDS Non-Extended Day Supply
<i>trientine hcl 250 mg cap</i>	5	PA NDS Non-Extended Day Supply
<b>IMMUNOMODULATORS</b>		
<i>lenalidomide</i>	5	QL 28 EA / 28 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
REVLIMID	5	QL 30 EA / 30 DAYS PA <sup>2</sup> NDS Non-Extended Day Supply LA
REZUROCK	5	QL 30 EA / 30 DAYS PA NDS Non-Extended Day Supply LA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
THALOMID (THALOMID 150 MG CAP, THALOMID 200 MG CAP)	5	<span>QL</span> 60 EA / 30 DAYS <span>NDS</span> Non-Extended Day Supply <span>LA</span>
THALOMID (THALOMID 50 MG CAP, THALOMID 100 MG CAP)	5	<span>QL</span> 30 EA / 30 DAYS <span>NDS</span> Non-Extended Day Supply <span>LA</span>
<b>IMMUNOSUPPRESSIVE AGENTS</b>		
<i>azathioprine 50 mg tab</i>	2	<span>PA<sup>3</sup></span>
<i>cyclosporine (cyclosporine 25 mg cap, cyclosporine 100 mg cap)</i>	4	<span>PA<sup>3</sup></span>
<i>cyclosporine modified (cyclosporine modified 25 mg cap, cyclosporine modified 50 mg cap, cyclosporine modified 100 mg cap, cyclosporine modified 100 mg/ml solution)</i>	4	<span>PA<sup>3</sup></span>
ENVARUSUS XR (ENVARUSUS XR 0.75 MG TAB ER 24H, ENVARUSUS XR 1 MG TAB ER 24H)	4	<span>PA<sup>3</sup></span>
ENVARUSUS XR 4 MG TAB ER 24H	5	<span>PA<sup>3</sup></span> <span>NDS</span> Non-Extended Day Supply
<i>everolimus (everolimus 0.25 mg tab, everolimus 0.5 mg tab, everolimus 0.75 mg tab, everolimus 1 mg tab)</i>	5	<span>PA<sup>3</sup></span> <span>NDS</span> Non-Extended Day Supply
<i>gengraf (gengraf 25 mg cap, gengraf 100 mg cap, gengraf 100 mg/ml solution)</i>	4	<span>PA<sup>3</sup></span>
<i>mycophenolate mofetil (mycophenolate mofetil 250 mg cap, mycophenolate mofetil 500 mg tab)</i>	2	<span>PA<sup>3</sup></span>
<i>mycophenolate mofetil 200 mg/ml recon susp</i>	5	<span>PA<sup>3</sup></span> <span>NDS</span> Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>mycophenolate sodium</i>	4	PA <sup>3</sup>
<i>mycophenolic acid</i>	4	PA <sup>3</sup>
PROGRAF (PROGRAF 0.2 MG PACKET, PROGRAF 1 MG PACKET)	4	PA <sup>3</sup>
<i>sirolimus (sirolimus 0.5 mg tab, sirolimus 1 mg tab, sirolimus 2 mg tab)</i>	4	PA <sup>3</sup>
<i>sirolimus 1 mg/ml solution</i>	5	PA <sup>3</sup> NDS Non-Extended Day Supply
<i>tacrolimus (tacrolimus 0.5 mg cap, tacrolimus 1 mg cap, tacrolimus 5 mg cap)</i>	3	PA <sup>3</sup>
<b>PIK3CA-RELATED OVERGROWTH SPECTRUM (PROS) AGENTS</b>		
VIJOICE (VIJOICE 50 MG TAB THPK, VIJOICE 125 MG TAB THPK)	5	QL 30 EA / 30 DAYS PA NDS Non-Extended Day Supply
VIJOICE 200 & 50 MG TAB THPK	5	QL 60 EA / 30 DAYS PA NDS Non-Extended Day Supply
<b>POTASSIUM REMOVING AGENTS</b>		
LOKELMA	4	
<i>sodium polystyrene sulfonate powder</i>	3	
SPS	3	
VELTASSA	4	
<b>SYSTEMIC LUPUS ERYTHEMATOSUS AGENTS</b>		
BENLYSTA (BENLYSTA 200 MG/ML SOLN A-INJ, BENLYSTA 200 MG/ML SOLN PRSYR)	5	QL 4 ML / 28 DAYS PA NDS Non-Extended Day Supply LA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>MOUTH/THROAT/DENTAL AGENTS</b>		
<b>ANESTHETICS TOPICAL ORAL</b>		
LIDOCAINE HCL 4 % SOLUTION	3	QL 50 ML / 30 DAYS
<i>lidocaine viscous hcl</i>	2	
<b>ANTI-INFECTIVES - THROAT</b>		
<i>clotrimazole 10 mg troche</i>	2	
<i>nystatin 100000 unit/ml suspension</i>	2	
<b>ANTISEPTICS - MOUTH/THROAT</b>		
<i>chlorhexidine gluconate 0.12 % solution</i>	2	
<i>periogard</i>	2	
<b>DENTAL PRODUCTS</b>		
<i>cavarest</i>	2	
<i>denta 5000 plus</i>	2	
<i>dentagel</i>	2	
<i>just right 5000 1.1 % gel</i>	2	
<i>sf</i>	2	
<i>sf 5000 plus</i>	2	
<i>sodium fluoride (sodium fluoride 1.1 % cream, sodium fluoride 1.1 % gel)</i>	2	
<i>sodium fluoride 5000 plus</i>	2	
<i>sodium fluoride 5000 ppm (sodium fluoride 5000 ppm 1.1 % cream, sodium fluoride 5000 ppm 1.1 % gel)</i>	2	
<b>STEROIDS - MOUTH/THROAT/DENTAL</b>		
<i>kourzeq</i>	3	
<i>triamcinolone acetonide 0.1 % paste</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>THROAT PRODUCTS - MISC.</b>		
<i>cevimeline hcl</i>	4	
<i>pilocarpine hcl (pilocarpine hcl 5 mg tab, pilocarpine hcl 7.5 mg tab)</i>	2	
<b>MULTIVITAMINS</b>		
<b>PRENATAL VITAMINS</b>		
<i>prenatal vitamin</i>	4	
PRENATAL VITAMIN WITH MINERALS AND FOLIC ACID GREATER THAN 0.8 MG ORAL TABLET	4	
<b>MUSCULOSKELETAL THERAPY AGENTS</b>		
<b>CENTRAL MUSCLE RELAXANTS</b>		
<i>baclofen (baclofen 5 mg tab, baclofen 10 mg tab, baclofen 20 mg tab)</i>	2	
<i>chlorzoxazone 500 mg tab</i>	4	
<i>cyclobenzaprine hcl (cyclobenzaprine hcl 5 mg tab, cyclobenzaprine hcl 10 mg tab)</i>	4	
<i>methocarbamol (methocarbamol 500 mg tab, methocarbamol 750 mg tab)</i>	4	
<i>tizanidine hcl (tizanidine hcl 2 mg tab, tizanidine hcl 4 mg tab)</i>	2	
<b>DIRECT MUSCLE RELAXANTS</b>		
<i>dantrolene sodium (dantrolene sodium 25 mg cap, dantrolene sodium 50 mg cap, dantrolene sodium 100 mg cap)</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>NASAL AGENTS - SYSTEMIC AND TOPICAL</b>		
<b>NASAL ANTIALLERGY</b>		
<i>azelastine hcl (azelastine hcl 0.1 % solution, azelastine hcl 137 mcg/spray solution)</i>	3	
<i>olopatadine hcl 0.6 % solution</i>	4	
<b>NASAL ANTICHOLINERGICS</b>		
<i>ipratropium bromide (ipratropium bromide 0.03 % solution, ipratropium bromide 0.06 % solution)</i>	2	
<b>NASAL STEROIDS</b>		
<i>flunisolide</i>	4	QL 50 ML / 30 DAYS
<i>fluticasone propionate 50 mcg/act suspension</i>	2	QL 32 GM / 30 DAYS
<i>mometasone furoate 50 mcg/act suspension</i>	4	QL 34 GM / 30 DAYS
<b>NEUROMUSCULAR AGENTS</b>		
<b>ALS AGENTS</b>		
RADICAVA ORS	5	QL 70 ML / 28 DAYS PA NDS Non-Extended Day Supply LA
RADICAVA ORS STARTER KIT	5	QL 70 ML / 28 DAYS PA NDS Non-Extended Day Supply LA
<i>riluzole</i>	4	PA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>NUTRIENTS</b>		
<b>CARBOHYDRATES</b>		
<i>dextrose 10 % solution</i>	4	PA <sup>3</sup>
<i>dextrose 5 % solution</i>	4	
<b>PROTEINS</b>		
CLINIMIX/DEXTROSE (4.25/10)	4	PA <sup>3</sup>
CLINIMIX/DEXTROSE (4.25/5)	4	PA <sup>3</sup>
CLINIMIX/DEXTROSE (5/15)	4	PA <sup>3</sup>
CLINIMIX/DEXTROSE (5/20)	4	PA <sup>3</sup>
<i>plenamine</i>	4	PA <sup>3</sup>
<b>OPHTHALMIC AGENTS</b>		
<b>BETA-BLOCKERS - OPTHALMIC</b>		
BETAXOLOL HCL 0.5 % SOLUTION	3	
<i>brimonidine tartrate-timolol</i>	3	
CARTEOLOL HCL	2	
<i>dorzolamide hcl-timolol mal</i>	3	
<i>dorzolamide hcl-timolol mal pf</i>	3	
LEVOBUNOLOL HCL	2	
<i>timolol maleate (timolol maleate 0.25 % solution, timolol maleate 0.5 % solution)</i>	1	
<b>CYCLOPLEGIC MYDRIATICS</b>		
<i>atropine sulfate 1 % solution</i>	3	
<b>MIOTICS</b>		
PHOSPHOLINE IODIDE	5	NDS Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>pilocarpine hcl (pilocarpine hcl 1 % solution, pilocarpine hcl 2 % solution, pilocarpine hcl 4 % solution)</i>	3	
<b>OPHTHALMIC ADRENERGIC AGENTS</b>		
APRACLONIDINE HCL	3	
<i>brimonidine tartrate (brimonidine tartrate 0.1 % solution, brimonidine tartrate 0.15 % solution)</i>	3	
<i>brimonidine tartrate 0.2 % solution</i>	2	
<b>OPHTHALMIC ANTI-INFECTIVES</b>		
<i>ak-poly-bac</i>	2	QL 7 GM / 7 OVER TIME
BACITRACIN 500 UNIT/GM OINTMENT	3	
<i>bacitracin-polymyxin b</i>	2	QL 7 GM / 7 OVER TIME
<i>ciprofloxacin hcl 0.3 % solution</i>	2	QL 60 ML / 30 OVER TIME
<i>erythromycin 5 mg/gm ointment</i>	2	QL 7 GM / 7 OVER TIME
<i>gatifloxacin</i>	4	QL 5 ML / 7 OVER TIME
<i>gentamicin sulfate 0.3 % solution</i>	2	QL 10 ML / 7 OVER TIME
LEVOFLOXACIN 0.5 % SOLUTION	3	QL 60 ML / 30 OVER TIME
LEVOFLOXACIN 1.5 % SOLUTION	2	
MOXIFLOXACIN HCL (2X DAY)	3	
<i>moxifloxacin hcl 0.5 % solution</i>	3	QL 6 ML / 7 OVER TIME
NATACYN	4	QL 15 ML / 7 OVER TIME
<i>neomycin-bacitracin zn-polymyx</i>	3	QL 7 GM / 7 OVER TIME
NEOMYCIN-POLYMYXIN-GRAMICIDIN	3	QL 10 ML / 7 OVER TIME
<i>ofloxacin 0.3 % solution</i>	2	QL 60 ML / 30 OVER TIME

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>polymyxin b-trimethoprim</i>	2	QL 10 ML / 7 OVER TIME
SULFACETAMIDE SODIUM 10 % OINTMENT	3	
<i>sulfacetamide sodium 10 % solution</i>	2	QL 15 ML / 7 OVER TIME
<i>tobramycin 0.3 % solution</i>	2	QL 60 ML / 30 OVER TIME
TRIFLURIDINE	3	QL 15 ML / 7 OVER TIME
XDEMVIY	5	QL 10 ML / 42 DAYS PA
ZIRGAN	4	
<b>OPHTHALMIC IMMUNOMODULATORS</b>		
<i>cyclosporine 0.05 % emulsion</i>	2	QL 60 EA / 30 DAYS
VERKAZIA	5	QL 120 EA / 30 DAYS PA NDS Non-Extended Day Supply
<b>OPHTHALMIC INTEGRIN ANTAGONISTS</b>		
XIIDRA	3	QL 60 EA / 30 DAYS
<b>OPHTHALMIC KINASE INHIBITORS</b>		
RHOPRESSA	3	
ROCKLATAN	4	
<b>OPHTHALMIC NERVE GROWTH FACTORS</b>		
OXERVATE	5	QL 112 ML / 365 OVER TIME PA NDS Non-Extended Day Supply LA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>OPHTHALMIC STEROIDS</b>		
<i>bacitra-neomycin-polymyxin-hc</i>	3	
DEXAMETHASONE SODIUM PHOSPHATE 0.1 % SOLUTION	2	
<i>fluorometholone</i>	2	
<i>loteprednol etabonate 0.5 % gel</i>	3	
<i>loteprednol etabonate 0.5 % suspension</i>	4	
<i>neomycin-polymyxin-dexameth (neomycin-polymyxin-dexameth 3.5-10000-0.1 ointment, neomycin-polymyxin-dexameth 3.5-10000-0.1 suspension)</i>	2	
NEOMYCIN-POLYMYXIN-HC 3.5-10000-1 SUSPENSION	4	
PREDNISOLONE ACETATE	2	
PREDNISOLONE SODIUM PHOSPHATE 1 % SOLUTION	2	
SULFACETAMIDE-PREDNISOLONE	2	
<i>tobramycin-dexamethasone</i>	3	
<b>OPHTHALMICS - MISC.</b>		
<i>azelastine hcl 0.05 % solution</i>	3	
CROMOLYN SODIUM 4 % SOLUTION	2	
CYSTARAN	5	<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="display: flex; align-items: center; margin-bottom: 2px;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">60 ML / 28 DAYS</div> </div> <div style="display: flex; align-items: center; margin-bottom: 2px;"> <div style="background-color: #8b572a; color: white; padding: 2px 5px; border-radius: 3px;">PA</div> <div style="margin-left: 5px;"></div> </div> <div style="display: flex; align-items: center; margin-bottom: 2px;"> <div style="background-color: #c85134; color: white; padding: 2px 5px; border-radius: 3px;">NDS</div> <div style="margin-left: 5px;">Non-Extended Day Supply</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: #0070c0; color: white; padding: 2px 5px; border-radius: 3px;">LA</div> <div style="margin-left: 5px;"></div> </div> </div>
<i>diclofenac sodium 0.1 % solution</i>	2	<div style="display: flex; align-items: center;"> <div style="background-color: #6a3d9a; color: white; padding: 2px 5px; border-radius: 3px;">QL</div> <div style="margin-left: 5px;">20 ML / 365 OVER TIME</div> </div>
<i>dorzolamide hcl</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>epinastine hcl</i>	4	
FLURBIPROFEN SODIUM	2	
<i>ketorolac tromethamine 0.4 % solution</i>	2	QL 20 ML / 365 OVER TIME
<i>ketorolac tromethamine 0.5 % solution</i>	2	
<i>olopatadine</i>	3	
<b>PROSTAGLANDINS - OPHTHALMIC</b>		
<i>latanoprost</i>	2	QL 5 ML / 30 DAYS
LUMIGAN	4	
<i>travoprost (bak free)</i>	3	QL 5 ML / 30 DAYS
<b>OTIC AGENTS</b>		
<b>OTIC AGENTS - MISCELLANEOUS</b>		
<i>acetic acid 2 % solution</i>	2	
<b>OTIC ANTI-INFECTIVES</b>		
CIPROFLOXACIN HCL 0.2 % SOLUTION	4	
<b>OTIC COMBINATIONS</b>		
<i>ciprofloxacin-dexamethasone</i>	3	
<i>neomycin-polymyxin-hc</i>	3	
<b>OTIC STEROIDS</b>		
<i>flac</i>	4	
<i>fluocinolone acetonide 0.01 % oil</i>	4	
HYDROCORTISONE-ACETIC ACID	4	
<i>hydrocortisone-acetic acid</i>	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.


DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>PASSIVE IMMUNIZING AND TREATMENT AGENTS</b>		
<b>IMMUNE SERUMS</b>		
GAMMAKED 1 GM/10ML SOLUTION	5	PA NDS Non-Extended Day Supply
GAMUNEX-C 1 GM/10ML SOLUTION	5	PA NDS Non-Extended Day Supply
PRIVIGEN 20 GM/200ML SOLUTION	5	PA NDS Non-Extended Day Supply
VARIZIG	1	VAC \$0 Part D Adult Vaccine
<b>MONOCLONAL ANTIBODIES</b>		
BEYFORTUS	1	
<b>PASSIVE IMMUNIZING AGENTS - COMBINATIONS</b>		
HYQVIA	5	PA NDS Non-Extended Day Supply LA
<b>PENICILLINS</b>		
<b>AMINOPENICILLINS</b>		
AMOXICILLIN (AMOXICILLIN 125 MG CHEW TAB, AMOXICILLIN 125 MG/5ML RECON SUSP, AMOXICILLIN 200 MG/5ML RECON SUSP, AMOXICILLIN 250 MG CAP, AMOXICILLIN 250 MG CHEW TAB, AMOXICILLIN 250 MG/5ML RECON SUSP, AMOXICILLIN 400 MG/5ML RECON SUSP, AMOXICILLIN 500 MG CAP, AMOXICILLIN 500 MG TAB, AMOXICILLIN 875 MG TAB)	1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>ampicillin</i>	1	
<i>ampicillin sodium 1 gm recon soln</i>	4	
<i>ampicillin sodium 10 gm recon soln</i>	4	
AMPICILLIN SODIUM 125 MG RECON SOLN	4	
AMPICILLIN SODIUM 2 GM RECON SOLN	2	
<b>NATURAL PENICILLINS</b>		
BICILLIN L-A	4	
<i>penicillin g potassium</i>	4	
PENICILLIN G PROCAINE	4	
PENICILLIN G SODIUM	4	
<i>penicillin v potassium (penicillin v potassium 125 mg/5ml recon soln, penicillin v potassium 250 mg tab, penicillin v potassium 250 mg/5ml recon soln, penicillin v potassium 500 mg tab)</i>	1	
PFIZERPEN	2	
<b>PENICILLIN COMBINATIONS</b>		
AMOXICILLIN-POT CLAVULANATE (AMOXICILLIN-POT CLAVULANATE 200-28.5 MG CHEW TAB, AMOXICILLIN-POT CLAVULANATE 200-28.5 MG/5ML RECON SUSP, AMOXICILLIN-POT CLAVULANATE 250-125 MG TAB, AMOXICILLIN-POT CLAVULANATE 500-125 MG TAB, AMOXICILLIN-POT CLAVULANATE 875-125 MG TAB)	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>amoxicillin-pot clavulanate (amoxicillin-pot clavulanate 250-62.5 mg/5ml recon susp, amoxicillin-pot clavulanate 400-57 mg chew tab, amoxicillin-pot clavulanate 400-57 mg/5ml recon susp, amoxicillin-pot clavulanate 600-42.9 mg/5ml recon susp)</i>	4	
AMOXICILLIN-POT CLAVULANATE ER	4	
<i>ampicillin-sulbactam sodium 1.5 (1-0.5) gm recon soln</i>	4	
<i>ampicillin-sulbactam sodium 15 (10-5) gm recon soln</i>	4	
<i>ampicillin-sulbactam sodium 3 (2-1) gm recon soln</i>	4	
<i>piperacillin sod-tazobactam so</i>	4	
<b>PENICILLINASE-RESISTANT PENICILLINS</b>		
<i>dicloxacillin sodium</i>	2	
<i>nafcillin sodium (nafcillin sodium 1 gm recon soln, nafcillin sodium 2 gm recon soln)</i>	4	
<i>nafcillin sodium 10 gm recon soln</i>	5	 Non-Extended Day Supply
NAFCILLIN SODIUM IN DEXTROSE	4	
<i>oxacillin sodium</i>	4	
OXACILLIN SODIUM IN DEXTROSE	4	
<b>PROGESTINS</b>		
<b>PROGESTINS</b>		
<i>medroxyprogesterone acetate (medroxyprogesterone acetate 2.5 mg tab, medroxyprogesterone acetate 5 mg tab, medroxyprogesterone acetate 10 mg tab)</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>megestrol acetate 625 mg/5ml suspension</i>	4	PA
<i>norethindrone acetate</i>	2	
<i>progesterone (progesterone 100 mg cap, progesterone 200 mg cap)</i>	3	
<b>PSYCHOTHERAPEUTIC AND NEUROLOGICAL AGENTS - MISC.</b>		
<b>AGENTS FOR CHEMICAL DEPENDENCY</b>		
<i>acamprosate calcium</i>	4	
DISULFIRAM (DISULFIRAM, DISULFIRAM 500 MG TAB)	4	
<b>ANTI-CATAPLECTIC AGENTS</b>		
SODIUM OXYBATE	5	QL 540 ML / 30 DAYS PA NDS Non-Extended Day Supply LA
XYWAV	5	QL 540 ML / 30 DAYS PA NDS Non-Extended Day Supply LA
<b>ANTIDEMENTIA AGENTS</b>		
<i>donepezil hcl (donepezil hcl 5 mg tab disp, donepezil hcl 10 mg tab disp)</i>	2	QL 30 EA / 30 DAYS
<i>donepezil hcl (donepezil hcl 5 mg tab, donepezil hcl 10 mg tab)</i>	2	
<i>donepezil hcl 23 mg tab</i>	4	QL 30 EA / 30 DAYS
<i>galantamine hydrobromide (galantamine hydrobromide 4 mg tab, galantamine hydrobromide 8 mg tab, galantamine hydrobromide 12 mg tab)</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
GALANTAMINE HYDROBROMIDE 4 MG/ML SOLUTION	4	
<i>galantamine hydrobromide er</i>	3	
<i>memantine hcl (memantine hcl 2 mg/ml solution, memantine hcl 10 mg/5ml solution)</i>	4	
<i>memantine hcl (memantine hcl 5 mg tab, memantine hcl 10 mg tab)</i>	2	
<i>memantine hcl er</i>	4	
<i>rivastigmine</i>	4	
<i>rivastigmine tartrate</i>	4	

### MOVEMENT DISORDER DRUG THERAPY

AUSTEDO (AUSTEDO 9 MG TAB, AUSTEDO 12 MG TAB)	5	QL 120 EA / 30 DAYS PA NDS Non-Extended Day Supply
AUSTEDO 6 MG TAB	5	QL 60 EA / 30 DAYS PA NDS Non-Extended Day Supply
AUSTEDO XR (AUSTEDO XR 12 MG TAB ER 24H, AUSTEDO XR 24 MG TAB ER 24H)	5	QL 60 EA / 30 DAYS PA NDS Non-Extended Day Supply
AUSTEDO XR 6 MG TAB ER 24H	5	QL 90 EA / 30 DAYS PA NDS Non-Extended Day Supply
AUSTEDO XR PATIENT TITRATION	5	QL 42 EA / 28 DAYS PA NDS Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>tetrabenazine</i>	5	<div style="display: flex; align-items: center;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; margin-right: 5px;">NDS</div> <span>Non-Extended Day Supply</span> </div>
<b>MULTIPLE SCLEROSIS AGENTS</b>		
AVONEX PEN	5	<div style="display: flex; align-items: center;"> <div style="background-color: #483D8B; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <span>1 EA / 28 DAYS</span> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; margin-right: 5px;">NDS</div> <span>Non-Extended Day Supply</span> </div>
AVONEX PREFILLED	5	<div style="display: flex; align-items: center;"> <div style="background-color: #483D8B; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <span>1 EA / 28 DAYS</span> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; margin-right: 5px;">NDS</div> <span>Non-Extended Day Supply</span> </div>
<i>dalfampridine er</i>	3	<div style="display: flex; align-items: center;"> <div style="background-color: #483D8B; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <span>60 EA / 30 DAYS</span> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div>
<i>dimethyl fumarate 120 mg cap dr</i>	5	<div style="display: flex; align-items: center;"> <div style="background-color: #483D8B; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <span>14 EA / 30 DAYS</span> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; margin-right: 5px;">NDS</div> <span>Non-Extended Day Supply</span> </div>
<i>dimethyl fumarate 240 mg cap dr</i>	5	<div style="display: flex; align-items: center;"> <div style="background-color: #483D8B; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <span>60 EA / 30 DAYS</span> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; margin-right: 5px;">NDS</div> <span>Non-Extended Day Supply</span> </div>
<i>dimethyl fumarate starter pack</i>	5	<div style="display: flex; align-items: center;"> <div style="background-color: #483D8B; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <span>120 EA / 180 DAYS</span> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; margin-right: 5px;">NDS</div> <span>Non-Extended Day Supply</span> </div>
<i>fingolimod hcl</i>	5	<div style="display: flex; align-items: center;"> <div style="background-color: #483D8B; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <span>30 EA / 30 DAYS</span> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; margin-right: 5px;">NDS</div> <span>Non-Extended Day Supply</span> </div>
<i>glatiramer acetate 20 mg/ml soln prsyr</i>	5	<div style="display: flex; align-items: center;"> <div style="background-color: #483D8B; color: white; padding: 2px 5px; margin-right: 5px;">QL</div> <span>30 ML / 30 DAYS</span> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; margin-right: 5px;">PA</div> </div> <div style="display: flex; align-items: center; margin-top: 5px;"> <div style="background-color: #8B4513; color: white; padding: 2px 5px; margin-right: 5px;">NDS</div> <span>Non-Extended Day Supply</span> </div>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>glatiramer acetate 40 mg/ml soln prsy</i>	5	<ul style="list-style-type: none"> <li>QL 12 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
<i>glatopa 20 mg/ml soln prsy</i>	5	<ul style="list-style-type: none"> <li>QL 30 ML / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
<i>glatopa 40 mg/ml soln prsy</i>	5	<ul style="list-style-type: none"> <li>QL 12 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
KESIMPTA	5	<ul style="list-style-type: none"> <li>QL 1.6 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
PLEGRIDY	5	<ul style="list-style-type: none"> <li>QL 1 ML / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<i>teriflunomide</i>	5	<ul style="list-style-type: none"> <li>QL 30 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
<b>PSEUDOBULBAR AFFECT (PBA) AGENTS</b>		
NUEDEXTA	5	<ul style="list-style-type: none"> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
<b>PSYCHOTHERAPEUTIC AND NEUROLOGICAL AGENTS - MISC.</b>		
ERGOLOID MESYLATES	4	
PIMOZIDE	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>SMOKING DETERRENTS</b>		
NICOTROL INHALER	4	
NICOTROL NASAL SPRAY	3	
<i>varenicline tartrate</i>	3	
<i>varenicline tartrate (starter)</i>	3	
<i>varenicline tartrate(continue)</i>	3	
<b>RESPIRATORY AGENTS - MISC.</b>		
<b>CYSTIC FIBROSIS AGENTS</b>		
BRONCHITOL	5	QL 560 EA / 28 DAYS PA NDS Non-Extended Day Supply LA
BRONCHITOL TOLERANCE TEST	5	QL 560 EA / 28 DAYS PA NDS Non-Extended Day Supply LA
KALYDECO (KALYDECO 25 MG PACKET, KALYDECO 50 MG PACKET, KALYDECO 75 MG PACKET)	5	QL 60 EA / 30 DAYS PA NDS Non-Extended Day Supply LA
KALYDECO 13.4 MG PACKET	5	QL 56 EA / 28 DAYS PA NDS Non-Extended Day Supply LA
KALYDECO 5.8 MG PACKET	5	QL 56 EA / 28 DAYS PA NDS Non-Extended Day Supply

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
ORKAMBI (ORKAMBI 100-125 MG PACKET, ORKAMBI 150-188 MG PACKET)	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
ORKAMBI (ORKAMBI 100-125 MG TAB, ORKAMBI 200-125 MG TAB)	5	<ul style="list-style-type: none"> <li>QL 120 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
ORKAMBI 75-94 MG PACKET	5	<ul style="list-style-type: none"> <li>QL 56 EA / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
PULMOZYME	5	<ul style="list-style-type: none"> <li>QL 150 ML / 30 DAYS</li> <li>PA<sup>3</sup></li> <li>NDS Non-Extended Day Supply</li> </ul>
TRIKAFTA (TRIKAFTA 80-40-60 & 59.5 MG THER PACK, TRIKAFTA 100-50-75 & 75 MG THER PACK)	5	<ul style="list-style-type: none"> <li>QL 56 EA / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
TRIKAFTA 100-50-75 & 150 MG TAB THPK	5	<ul style="list-style-type: none"> <li>QL 90 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
TRIKAFTA 50-25-37.5 & 75 MG TAB THPK	5	<ul style="list-style-type: none"> <li>QL 84 EA / 28 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>PULMONARY FIBROSIS AGENTS</b>		
OFEV	5	<ul style="list-style-type: none"> <li>QL 60 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> <li>LA</li> </ul>
<i>pirfenidone (pirfenidone 267 mg cap, pirfenidone 267 mg tab)</i>	5	<ul style="list-style-type: none"> <li>QL 270 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
<i>pirfenidone 801 mg tab</i>	5	<ul style="list-style-type: none"> <li>QL 90 EA / 30 DAYS</li> <li>PA</li> <li>NDS Non-Extended Day Supply</li> </ul>
<b>SULFONAMIDES</b>		
<b>SULFONAMIDES</b>		
SULFADIAZINE	4	
<b>TETRACYCLINES</b>		
<b>GLYCYLCYCLINES</b>		
TIGECYCLINE	5	<ul style="list-style-type: none"> <li>NDS Non-Extended Day Supply</li> </ul>
<i>tigecycline 50 mg recon soln</i>	5	<ul style="list-style-type: none"> <li>NDS Non-Extended Day Supply</li> </ul>
<b>TETRACYCLINES</b>		
<i>demeclocycline hcl</i>	4	
<i>doxy 100</i>	4	
<i>doxycycline hyclate (doxycycline hyclate 20 mg tab, doxycycline hyclate 50 mg cap, doxycycline hyclate 100 mg cap, doxycycline hyclate 100 mg tab)</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>doxycycline hyclate 100 mg recon soln</i>	4	
<i>doxycycline monohydrate (doxycycline monohydrate 50 mg cap, doxycycline monohydrate 50 mg tab, doxycycline monohydrate 75 mg tab, doxycycline monohydrate 100 mg cap, doxycycline monohydrate 100 mg tab)</i>	2	
<i>doxycycline monohydrate 25 mg/5ml recon susp</i>	4	
<i>minocycline hcl (minocycline hcl 50 mg cap, minocycline hcl 75 mg cap, minocycline hcl 100 mg cap)</i>	2	
<i>minocycline hcl (minocycline hcl 50 mg tab, minocycline hcl 75 mg tab, minocycline hcl 100 mg tab)</i>	4	
<i>tetracycline hcl (tetracycline hcl 250 mg cap, tetracycline hcl 500 mg cap)</i>	4	
<b>THYROID AGENTS</b>		
<b>ANTITHYROID AGENTS</b>		
<i>methimazole</i>	1	
<i>propylthiouracil</i>	2	
<b>THYROID HORMONES</b>		
<i>euthyrox</i>	1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>levothyroxine sodium (levothyroxine sodium 25 mcg tab, levothyroxine sodium 50 mcg tab, levothyroxine sodium 75 mcg tab, levothyroxine sodium 88 mcg tab, levothyroxine sodium 100 mcg tab, levothyroxine sodium 112 mcg tab, levothyroxine sodium 125 mcg tab, levothyroxine sodium 137 mcg tab, levothyroxine sodium 150 mcg tab, levothyroxine sodium 175 mcg tab, levothyroxine sodium 200 mcg tab, levothyroxine sodium 300 mcg tab)</i>	1	
<i>levoxyl</i>	1	
<i>liothyronine sodium (liothyronine sodium 5 mcg tab, liothyronine sodium 25 mcg tab, liothyronine sodium 50 mcg tab)</i>	2	
SYNTHROID	3	
<i>unithroid</i>	1	
<b>TOXOIDS</b>		
<b>TOXOID COMBINATIONS</b>		
ADACEL	1	VAC \$0 Part D Adult Vaccine
BOOSTRIX	1	VAC \$0 Part D Adult Vaccine
DAPTACEL	1	
DIPHtheria-TETANUS TOXOIDS DT	1	PA <sup>3</sup>
INFANRIX	1	
KINRIX	1	
PEDIARIX	1	
PENTACEL	1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
QUADRACEL	1	
TDVAX	1	PA <sup>3</sup> VAC \$0 Part D Adult Vaccine
TENIVAC	1	PA <sup>3</sup> VAC \$0 Part D Adult Vaccine
TETANUS-DIPHTHERIA TOXOIDS TD	1	PA <sup>3</sup> VAC \$0 Part D Adult Vaccine
<b>ULCER DRUGS/ANTISPASMODICS/ANTICHOLINERGICS</b>		
<b>ANTISPASMODICS</b>		
<i>dicyclomine hcl (dicyclomine hcl 10 mg cap, dicyclomine hcl 20 mg tab)</i>	2	
<i>dicyclomine hcl 10 mg/5ml solution</i>	4	
<i>glycopyrrolate (glycopyrrolate 1 mg tab, glycopyrrolate 2 mg tab)</i>	4	
<b>H-2 ANTAGONISTS</b>		
<i>cimetidine</i>	2	
<i>famotidine (pepcid)</i>	1	
<b>MISC. ANTI-ULCER</b>		
<i>sucralfate 1 gm tab</i>	2	
<i>sucralfate 1 gm/10ml suspension</i>	4	
<b>PROTON PUMP INHIBITORS</b>		
<i>esomeprazole magnesium (esomeprazole magnesium 20 mg cap dr, esomeprazole magnesium 40 mg cap dr)</i>	3	
<i>lansoprazole (prevacid)</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<i>omeprazole (prilosec)</i>	2	
<i>pantoprazole sodium (pantoprazole sodium 20 mg tab dr, pantoprazole sodium 40 mg tab dr)</i>	2	
<i>rabeprazole sodium 20 mg tab dr</i>	2	
<b>ULCER DRUGS - PROSTAGLANDINS</b>		
<i>misoprostol (misoprostol 100 mcg tab, misoprostol 200 mcg tab)</i>	3	
<b>ULCER THERAPY COMBINATIONS</b>		
<i>bis subcit-metronid-tetracyc</i>	4	
<i>bismuth/metronidaz/tetracyclin</i>	4	
<b>URINARY ANTISPASMODICS</b>		
<b>URINARY ANTISPASMODIC - ANTIMUSCARINICS (ANTICHOLINERGIC)</b>		
<i>oxybutynin chloride (oxybutynin chloride 5 mg tab, oxybutynin chloride 5 mg/5ml solution)</i>	2	
<i>oxybutynin chloride er</i>	2	
<i>solifenacin succinate</i>	2	
<i>tolterodine tartrate</i>	3	
<i>tolterodine tartrate er</i>	3	
<i>trospium chloride</i>	2	
<i>trospium chloride er</i>	3	
<b>URINARY ANTISPASMODICS - BETA-3 ADRENERGIC AGONISTS</b>		
GEMTESA	4	PA
MYRBETRIQ (MYRBETRIQ 8 MG/ML SRER, MYRBETRIQ 25 MG TAB ER 24H, MYRBETRIQ 50 MG TAB ER 24H)	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>URINARY ANTISPASMODICS - CHOLINERGIC AGONISTS</b>		
<i>bethanechol chloride</i>	3	
<b>URINARY ANTISPASMODICS - DIRECT MUSCLE RELAXANTS</b>		
<i>flavoxate hcl</i>	4	
<b>VACCINES</b>		
<b>BACTERIAL VACCINES</b>		
ACTHIB	1	
BCG VACCINE	1	VAC \$0 Part D Adult Vaccine
BEXSERO	1	VAC \$0 Part D Adult Vaccine
HIBERIX	1	
MENACTRA	1	VAC \$0 Part D Adult Vaccine
MENQUADFI	1	VAC \$0 Part D Adult Vaccine
MENVEO (MENVEO RECON SOLN, MENVEO SOLUTION)	1	VAC \$0 Part D Adult Vaccine
PEDVAX HIB	1	
PENBRAYA	1	VAC \$0 Part D Adult Vaccine
PNEUMOVAX 23	Part B Covered	
PREVNAR 20	Part B Covered	
TRUMENBA	1	VAC \$0 Part D Adult Vaccine
TYPHIM VI	1	VAC \$0 Part D Adult Vaccine
VAXNEUVANCE	Part B Covered	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
<b>VIRAL VACCINES</b>		
ABRYSVO	1	VAC \$0 Part D Adult Vaccine
AREXVY	1	VAC \$0 Part D Adult Vaccine
COVID-19 VACCINES	Part B Covered	
ENGERIX-B	1	PA <sup>3</sup> VAC \$0 Part D Adult Vaccine
GARDASIL 9	1	VAC-AGE \$0 Part D Adult Vaccine (ages 19 – 45)
HAVRIX 1440 EL U/ML SUSPENSION	1	VAC \$0 Part D Adult Vaccine
HAVRIX 720 EL U/0.5ML SUSPENSION	1	
HEPLISAV-B	1	PA <sup>3</sup> VAC \$0 Part D Adult Vaccine
IMOVAX RABIES	1	PA <sup>3</sup> VAC \$0 Part D Adult Vaccine
IPOL	1	VAC \$0 Part D Adult Vaccine
IXCHIQ	1	VAC \$0 Part D Adult Vaccine
IXIARO	1	VAC \$0 Part D Adult Vaccine
JYNNEOS	1	VAC \$0 Part D Adult Vaccine
M-M-R II	1	VAC \$0 Part D Adult Vaccine
PREHEVBRIO	1	PA <sup>3</sup> VAC \$0 Part D Adult Vaccine

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
PRIORIX	1	VAC \$0 Part D Adult Vaccine
PROQUAD	1	
QUADRIVALENT INFLUENZA VACCINES	Part B Covered	
RABAVERT	1	PA <sup>3</sup> VAC \$0 Part D Adult Vaccine
RECOMBIVAX HB (RECOMBIVAX HB 10 MCG/ML SUSP PRSYR, RECOMBIVAX HB 10 MCG/ML SUSPENSION, RECOMBIVAX HB 40 MCG/ML SUSPENSION)	1	PA <sup>3</sup> VAC \$0 Part D Adult Vaccine
RECOMBIVAX HB 5 MCG/0.5ML SUSP PRSYR	1	PA <sup>3</sup> VAC \$0 Part D Adult Vaccine
RECOMBIVAX HB 5 MCG/0.5ML SUSPENSION	1	PA <sup>3</sup> VAC \$0 Part D Adult Vaccine
ROTARIX	1	
ROTATEQ	1	
SHINGRIX	1	QL 2 EA / 365 OVER TIME VAC \$0 Part D Adult Vaccine
STAMARIL	1	VAC \$0 Part D Adult Vaccine
TICOVAC 1.2 MCG/0.25ML SUSP PRSYR	1	
TICOVAC 2.4 MCG/0.5ML SUSP PRSYR	1	VAC \$0 Part D Adult Vaccine
TWINRIX	1	VAC \$0 Part D Adult Vaccine
VAQTA 25 UNIT/0.5ML SUSPENSION	1	
VAQTA 50 UNIT/ML SUSPENSION	1	VAC \$0 Part D Adult Vaccine

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

DRUG NAME	DRUG TIER	REQUIREMENTS / LIMITS
VARIVAX	1	VAC \$0 Part D Adult Vaccine
YF-VAX	1	VAC \$0 Part D Adult Vaccine
<b>VAGINAL AND RELATED PRODUCTS</b>		
<b>VAGINAL ANTI-INFECTIVES</b>		
<i>clindamycin phosphate 2 % cream</i>	3	
<i>metronidazole vaginal gel 0.75 %</i>	4	
<i>terconazole (terconazole 0.4 % cream, terconazole 0.8 % cream, terconazole 80 mg suppos)</i>	3	
VANDAZOLE	2	
<b>VAGINAL ESTROGENS</b>		
<i>estradiol (estradiol 0.1 mg/gm cream, estradiol 10 mcg tab)</i>	4	
ESTRING	4	
PREMARIN 0.625 MG/GM CREAM	4	
<i>yuvafem</i>	4	
<b>VASOPRESSORS</b>		
<b>ANAPHYLAXIS THERAPY AGENTS</b>		
<i>epinephrine 0.15/3ml, 0.30/3ml auto-injector (teva and mylan only)</i>	3	QL 2 EA / 30 OVER TIME MFG Drug coverage is limited to certain manufacturers
<b>NEUROGENIC ORTHOSTATIC HYPOTENSION (NOH) - AGENTS</b>		
<i>droxidopa</i>	5	PA NDS Non-Extended Day Supply
<i>midodrine hcl</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.



# Index

<b>A</b>	alcohol swabs . . . . .	144	AMPICILLIN SODIUM . . . . .	160
abacavir sulfate . . . . .	ALCOHOL SWABS 1x1 . . . . .	144	ampicillin sodium 1 gm recon	
abacavir sulfate-lamivudine . . . . .	ALECENSA . . . . .	72	soln . . . . .	160
abacavir-lamivudine-zidovudine	alendronate sodium . . . . .	128	ampicillin sodium 10 gm recon	
97	alfuzosin hcl er . . . . .	136	soln . . . . .	160
ABELCET . . . . .	aliskiren fumarate . . . . .	60	ampicillin-sulbactam sodium 1.5 (1-	
ABILIFY ASIMTUFI . . . . .	allopurinol . . . . .	136	0.5) gm recon soln . . . . .	161
ABILIFY MAINTENA . . . . .	alosetron hcl . . . . .	134	ampicillin-sulbactam sodium 15 (10-	
abiraterone acetate . . . . .	alprazolam . . . . .	31	5) gm recon soln . . . . .	161
ABRYSVO . . . . .	altavera . . . . .	110	ampicillin-sulbactam sodium 3 (2-1)	
acamprosate calcium . . . . .	ALUNBRIG . . . . .	73	gm recon soln . . . . .	161
acarbose . . . . .	alyacen 1/35 . . . . .	110	anagrelide hcl . . . . .	137
accutane . . . . .	alyq . . . . .	107	anastrozole . . . . .	67
acebutolol hcl . . . . .	amantadine hcl . . . . .	89	ANNOVERA . . . . .	115
acetaminophen-codeine . . . . .	ambrisentan . . . . .	107	ANORO ELLIPTA . . . . .	35
ACETAMINOPHEN-CODEINE 120-	amikacin sulfate . . . . .	14	APRACLONIDINE HCL . . . . .	155
12 MG/5ML SOLUTION . . . . .	amiloride hcl . . . . .	127	aprepitant . . . . .	54
acetazolamide . . . . .	AMILORIDE-		APRETUDE . . . . .	97
acetazolamide er . . . . .	HYDROCHLOROTHIAZIDE 5-50 MG		apri . . . . .	110
acetic acid . . . . .	TAB . . . . .	126	APTIOM . . . . .	39
135,158	amiodarone hcl . . . . .	32	APTIVUS . . . . .	97
acetylcysteine . . . . .	amitriptyline hcl . . . . .	47	aranelle . . . . .	110
118	amlodipine besy-benazepril hcl . . . . .	59	ARCALYST . . . . .	18
acitretin . . . . .	amlodipine besylate . . . . .	104	AREXVY . . . . .	174
120	amlodipine besylate-valsartan . . . . .	59	arformoterol tartrate . . . . .	35
ACTEMRA . . . . .	amlodipine-atorvastatin . . . . .	106	aripiprazole . . . . .	95,96
19	amlodipine-olmesartan . . . . .	59	ARISTADA . . . . .	96
ACTEMRA ACTPEN . . . . .	ammonium lactate (amlactin) . . . . .	124	ARISTADA INITIO . . . . .	96
19	amnestem . . . . .	118	armodafinil . . . . .	13
ACTHIB . . . . .	amoxapine . . . . .	47	asenapine maleate . . . . .	93
173	AMOXICILLIN . . . . .	159	ASMANEX (120 METERED DOSES) . . . . .	34
ACTIMMUNE . . . . .	AMOXICILLIN-POT		ASMANEX (30 METERED DOSES) . . . . .	34
87	CLAVULANATE . . . . .	160	ASMANEX (60 METERED DOSES) . . . . .	34
acyclovir . . . . .	amoxicillin-pot clavulanate . . . . .	161	ASMANEX HFA . . . . .	34
102,121	AMOXICILLIN-POT CLAVULANATE		aspirin-dipyridamole er . . . . .	137
acyclovir sodium . . . . .	ER . . . . .	161	atazanavir sulfate . . . . .	97
102	amphetamine-dextroamphet er . . . . .	13	atenolol . . . . .	103
ADACEL . . . . .	amphetamine-		atenolol-chlorthalidone . . . . .	60
170	dextroamphetamine . . . . .	13	atomoxetine hcl . . . . .	13
ADBRY . . . . .	AMPHOTERICIN B . . . . .	54	atorvastatin calcium . . . . .	57
124	ampicillin . . . . .	160	atovaquone . . . . .	27
adefovir dipivoxil . . . . .				
101				
ADEMPAS . . . . .				
108				
ak-poly-bac . . . . .				
155				
AKEEGA . . . . .				
67				
albendazole . . . . .				
26				
ALBUTEROL SULFATE . . . . .				
35				
albuterol sulfate . . . . .				
35				
albuterol sulfate hfa (proair				
equivalent) . . . . .				
35				
albuterol sulfate hfa (Proventil				
equivalent) . . . . .				
35				

atovaquone-proguanil hcl . . . . .	61	betamethasone dipropionate . . .122	buprenorphine hcl . . . . .	24	
atropine sulfate . . . . .	154	betamethasone dipropionate	buprenorphine hcl-naloxone hcl . .	24	
ATROVENT HFA . . . . .	33	aug . . . . .	bupropion hcl . . . . .	44	
aubra . . . . .	111	betamethasone valerate . . . . .	bupropion hcl er (smoking det) . .	45	
aubra eq . . . . .	111	betaxolol hcl . . . . .	bupropion hcl er (sr) . . . . .	45	
AUGTYRO . . . . .	73	BETAXOLOL HCL . . . . .	bupropion hcl er (xl) . . . . .	45	
AUSTEDO . . . . .	163	bethanechol chloride . . . . .	buspironone hcl . . . . .	30	
AUSTEDO XR . . . . .	163	bexarotene . . . . .	87,120	butorphanol tartrate . . . . .	24
AUSTEDO XR PATIENT		BEXSERO . . . . .	173	BYDUREON BCISE . . . . .	50
TITRATION . . . . .	163	BEYFORTUS . . . . .	159		
AUVELITY . . . . .	44	bicalutamide . . . . .	67	<b>C</b>	
aviane . . . . .	111	BICILLIN L-A . . . . .	160	CABENUVA . . . . .	97
avita . . . . .	118	BIKTARVY . . . . .	97	cabergoline . . . . .	131
AVONEX PEN . . . . .	164	bis subcit-metronid-tetracyc . . .	172	CABOMETYX . . . . .	74
AVONEX PREFILLED . . . . .	164	bismuth/metronidaz/tetracyclin	172	calcipotriene . . . . .	120,121
AYVAKIT . . . . .	71	bisoprolol fumarate . . . . .	103	calcitonin (salmon) . . . . .	128
azathioprine . . . . .	149	bisoprolol-hydrochlorothiazide . .	60	CALCITRIOL . . . . .	121
azelaic acid . . . . .	125	blisovi 24 fe . . . . .	111	calcitriol . . . . .	129
azelastine hcl . . . . .	153,157	blisovi fe 1.5/30 . . . . .	111	calcium acetate . . . . .	135
azithromycin . . . . .	141	blood glucose monitoring		calcium acetate (phos binder) . .	135
aztreonam . . . . .	29	supplies . . . . .	142	calcium gluconate . . . . .	146
		BOOSTRIX . . . . .	170	CALQUENCE . . . . .	74
<b>B</b>		bosentan . . . . .	107	camila . . . . .	115
baciim . . . . .	26	BOSULIF . . . . .	73,74	camrese . . . . .	111
bacitra-neomycin-polymyxin-		BRAFTOVI . . . . .	74	camrese lo . . . . .	111
hc . . . . .	157	BREO ELLIPTA . . . . .	35	candesartan cilexetil . . . . .	59
BACITRACIN . . . . .	26,155	breyna . . . . .	35	candesartan cilexetil-hctz . . . . .	60
bacitracin-polymyxin b . . . . .	155	BREZTRI AEROSPHERE . . . . .	35	capecitabine . . . . .	63
baclofen . . . . .	152	BRILINTA . . . . .	137	CAPLYTA . . . . .	90
balsalazide disodium . . . . .	133	brimonidine tartrate . . . . .	155	CAPRELSA . . . . .	74
BALVERSA . . . . .	73	brimonidine tartrate-timolol . .	154	captopril . . . . .	58
BARACLUDE . . . . .	101	BRIVIACT . . . . .	39,40	carbamazepine . . . . .	40
BCG VACCINE . . . . .	173	bromocriptine mesylate . . . . .	89	carbamazepine er . . . . .	40
BELBUCA . . . . .	24	BRONCHITOL . . . . .	166	carbidopa . . . . .	88
BELSOMRA . . . . .	139	BRONCHITOL TOLERANCE TEST .	166	CARBIDOPA-LEVODOPA . . . . .	89
benazepril hcl . . . . .	58	BRUKINSA . . . . .	74	carbidopa-levodopa . . . . .	89
benazepril-hydrochlorothiazide .	60	budesonide . . . . .	25,34,116	carbidopa-levodopa er . . . . .	89
BENLYSTA . . . . .	150	budesonide er . . . . .	116	carbidopa-levodopa-entacapone	
benztropine mesylate . . . . .	88	budesonide-formoterol fumarate	35	12.5-50-200 mg tab . . . . .	89
BESREMI . . . . .	87	bumetanide . . . . .	127	carbidopa-levodopa-entacapone	
betaine . . . . .	129	buprenorphine . . . . .	24	18.75-75-200 mg tab . . . . .	89

carbidopa-levodopa-entacapone 25-100-200 mg tab . . . . .	89	CEFTRIAXONE SODIUM- DEXTROSE . . . . .	110	CLINIMIX/DEXTROSE (4.25/5) . . . . .	154
carbidopa-levodopa-entacapone 31.25-125-200 mg tab . . . . .	89	cefuroxime axetil . . . . .	109	CLINIMIX/DEXTROSE (5/15) . . . . .	154
carbidopa-levodopa-entacapone 37.5-150-200 mg tab . . . . .	89	cefuroxime sodium . . . . .	109	CLINIMIX/DEXTROSE (5/20) . . . . .	154
carbidopa-levodopa-entacapone 50-200-200 mg tab . . . . .	89	celecoxib . . . . .	19	clobazam . . . . .	38
carglumic acid . . . . .	129	cephalexin . . . . .	109	clobetasol prop emollient base . . . . .	122
CARTEOLOL HCL . . . . .	154	cetirizine (zyrtec) . . . . .	55	clobetasol propionate . . . . .	122,123
cartia xt . . . . .	104	cevimeline hcl . . . . .	152	clobetasol propionate e . . . . .	123
carvedilol . . . . .	103	CHEMET . . . . .	52	clodan . . . . .	123
caspofungin acetate . . . . .	54	CHLORAMPHENICOL SOD SUCCINATE . . . . .	27	clomipramine hcl . . . . .	47
cavarest . . . . .	151	chlorhexidine gluconate . . . . .	151	clonazepam . . . . .	38
CAYSTON . . . . .	29	chloroquine phosphate . . . . .	61	clonidine hcl er . . . . .	13
CEFACTOR . . . . .	109	chlorpromazine hcl . . . . .	95	clonidine tablet . . . . .	59
CEFADROXIL . . . . .	108	chlorthalidone . . . . .	127	clonidine weekly patch . . . . .	59
cefazolin sodium . . . . .	108	chlorzoxazone . . . . .	152	clopidogrel bisulfate . . . . .	137
CEFAZOLIN SODIUM . . . . .	108	cholestyramine . . . . .	56	clorazepate dipotassium . . . . .	31
CEFAZOLIN SODIUM 100 GM RECON SOLN . . . . .	108	cholestyramine light . . . . .	56	clotrimazole . . . . .	151
CEFAZOLIN SODIUM 300 GM RECON SOLN . . . . .	108	ciclopirox . . . . .	119	clotrimazole (lotrimin) . . . . .	119
CEFAZOLIN SODIUM- DEXTROSE . . . . .	108,109	ciclopirox olamine . . . . .	119	clotrimazole-betamethasone . . . . .	119
cefdinir . . . . .	109	cilostazol . . . . .	137	clozapine . . . . .	93
cefepime hcl . . . . .	110	CIMDUO . . . . .	97	CLOZAPINE 12.5 MG TAB DISP . . . . .	94
CEFEPIME-DEXTROSE . . . . .	110	cimetidine . . . . .	171	COARTEM . . . . .	61
cefixime . . . . .	109	cinacalcet hcl . . . . .	129	colchicine . . . . .	136
cefotetan disodium . . . . .	109	CINRYZE . . . . .	137	colchicine-probenecid . . . . .	136
CEFOTETAN DISODIUM- DEXTROSE . . . . .	109	ciprofloxacin hcl . . . . .	132,155	colesevelam hcl . . . . .	56
cefoxitin sodium . . . . .	109	CIPROFLOXACIN HCL . . . . .	132,158	colestipol hcl . . . . .	56
CEFOXITIN SODIUM-DEXTROSE	109	ciprofloxacin in d5w . . . . .	132	colistimethate sodium (cba) . . . . .	29
cefpodoxime proxetil . . . . .	109	ciprofloxacin-dexamethasone . . . . .	158	COMBIVENT RESPIMAT . . . . .	35
cefprozil . . . . .	109	citalopram hydrobromide . . . . .	45	COMETRIQ (100 MG DAILY DOSE) . . . . .	75
ceftazidime . . . . .	110	claravis . . . . .	118	COMETRIQ (140 MG DAILY DOSE) . . . . .	75
CEFTAZIDIME AND DEXTROSE . . . . .	110	CLARITHROMYCIN . . . . .	141	COMETRIQ (60 MG DAILY DOSE) . . . . .	75
ceftriaxone sodium . . . . .	110	clarithromycin . . . . .	141	COMPLERA . . . . .	97
CEFTRIAXONE SODIUM IN DEXTROSE . . . . .	110	clarithromycin er . . . . .	141	compro . . . . .	95
		clindamycin hcl . . . . .	28	constulose . . . . .	140
		clindamycin palmitate hcl . . . . .	28	COPIKTRA . . . . .	75
		clindamycin phosphate . . . . .	28,118,176	CORLANOR . . . . .	108
		clindamycin phosphate in d5w . . . . .	28	COTELLIC . . . . .	75
		CLINDAMYCIN PHOSPHATE IN NACL . . . . .	29	COVID-19 Vaccines . . . . .	174
		CLINIMIX/DEXTROSE (4.25/10) . . . . .	154	CREON . . . . .	126
				CRESEMBA . . . . .	54
				cromolyn sodium . . . . .	32,133
				CROMOLYN SODIUM . . . . .	157

cryselle-28	111	DEXAMETHASONE INTENSOL	117	diltiazem hcl er beads	105
cyclobenzaprine hcl	152	dexamethasone sodium phosphate	117	diltiazem hcl er coated beads	105
CYCLOPHOSPHAMIDE	62	DEXAMETHASONE SODIUM PHOSPHATE	157	dimethyl fumarate	164
cyclophosphamide 25 mg cap	62	DEXCOM G5 MOB/G4 PLAT SENSOR	142	dimethyl fumarate starter pack	164
cyclophosphamide 50 mg cap	63	DEXCOM G5 MOBILE TRANSMITTER	142	diphenoxylate-atropine	52
CYCLOSET	50	DEXCOM G5 RECEIVER KIT	142	DIPHThERIA-TETANUS TOXOIDS DT	170
cyclosporine	149,156	DEXCOM G6 RECEIVER	142	dipyridamole	137
cyclosporine modified	149	DEXCOM G6 SENSOR	142	disopyramide phosphate	31
cyred	111	DEXCOM G6 TRANSMITTER	142	DISULFIRAM	162
cyred eq	111	DEXCOM G7 RECEIVER	142	divalproex sodium	44
CYSTAGON	135	DEXCOM G7 SENSOR	142	divalproex sodium er	44
CYSTARAN	157	dextrose	154	dofetilide	32
<b>D</b>		DEXTROSE-SODIUM CHLORIDE	146	donepezil hcl	162
dalfampridine er	164	DEXTROSE-SODIUM CHLORIDE 2.5-0.45 % SOLUTION	146	dorzolamide hcl	157
DALVANCE	28	DIACOMIT	40	dorzolamide hcl-timolol mal	154
danazol	24	diazepam	31	dorzolamide hcl-timolol mal pf	154
dantrolene sodium	152	DIAZEPAM	39	dotti	131
dapsone	28	diazepam intensol	31	DOVATO	97
DAPTACEL	170	diazoxide	49	doxazosin mesylate	59
daptomycin	27	diclofenac 1% gel	119	doxepin hcl	47,139
darunavir	97	diclofenac potassium	19	doxercalciferol	129
DAURISMO	67	diclofenac sodium	19,120,157	doxy 100	168
DAYVIGO	139	diclofenac sodium er	19	doxycycline hyclate	168,169
deblitane	115	dicloxacillin sodium	161	doxycycline monohydrate	169
decadron	116	dicyclomine hcl	171	doxylamine-pyridoxine	53
deferasirox	52,53	DIFICID	141,142	dronabinol	54
DELSTRIGO	97	diflunisal	21	drosiprenone-ethinyl estradiol	111
demeclocycline hcl	168	digoxin	106	DROXIA	137
denta 5000 plus	151	DIGOXIN	106	droxidopa	176
dentagel	151	dihydroergotamine mesylate	145	DULERA	35
DEPO-SUBQ PROVERA 104	115	DILANTIN	43	duloxetine hcl	47
DESCOVY	97	dilt-xr	104	DUPIXENT	124
desipramine hcl	47	diltiazem hcl	104	dutasteride	136
desmopressin ace spray refrig	130	diltiazem hcl er	105	dutasteride-tamsulosin hcl	136
desmopressin acetate	130			<b>E</b>	
desmopressin acetate spray	130			ec-naproxen	19
desogestrel-ethinyl estradiol	111			econazole nitrate	119
desonide	123			EDURANT	97
desvenlafaxine succinate er	47			EFAVIRENZ	97
dexamethasone	116				

efavirenz-emtricitab-tenofo df .	97	ERGOLOID MESYLATES .	165	famotidine (pepcid) .	171
efavirenz-lamivudine-tenofovir .	97	ERGOTAMINE-CAFFEINE .	144	FANAPT .	91
eletriptan hydrobromide .	145	ERIVEDGE .	67	FANAPT TITRATION PACK .	91
ELIGARD .	68	ERLEADA .	68	FASENRA .	32
ELIQUIS .	37	erlotinib hcl .	66	FASENRA PEN .	32
ELIQUIS DVT/PE STARTER PACK .	37	errin .	116	febuxostat .	136
ELMIRON .	135	ertapenem sodium .	27	felbamate .	42
eluryng .	115	ERY .	118	felodipine er .	105
EMCYT .	68	ery-tab .	141	femynor .	111
EMGALITY .	144	ERYTHROCIN STEARATE .	141	fenofibrate .	57
EMGALITY (300 MG DOSE) .	144	erythromycin .	118,141,155	fenofibrate micronized .	57
EMSAM .	45	erythromycin base .	141	fenofibric acid .	57
emtricitabine .	97	ERYTHROMYCIN BASE 250 MG CP		fentanyl .	21
emtricitabine-tenofovir df .	98	DR PART .	24	fentanyl citrate .	21
EMTRIVA .	98	erythromycin ethylsuccinate .	141	FETZIMA .	47
emzahn .	115	escitalopram oxalate .	46	FETZIMA TITRATION .	47
enalapril maleate .	58	esomeprazole magnesium .	171	finasteride .	136
enalapril-hydrochlorothiazide .	60	estarylla .	111	fingolimod hcl .	164
ENBREL .	20	estradiol .	132,176	FINTEPLA .	40
ENBREL MINI .	20	estradiol valerate .	132	FIRDAPSE .	61
ENBREL SURECLICK .	21	estradiol-norethindrone acet .	131	FIRMAGON .	68
ENDARI .	138	ESTRING .	176	FIRMAGON (240 MG DOSE) .	68
endocet .	23	eszopiclone .	139	flac .	158
ENGERIX-B .	174	ethacrynic acid .	127	flavoxate hcl .	173
enillorig .	115	ethambutol hcl .	62	flecainide acetate .	32
enoxaparin sodium .	37	ethosuximide .	44	fluconazole .	55
enpresse-28 .	111	ethynodiol diac-eth estradiol .	111	fluconazole in sodium chloride .	55
enskyce .	111	etodolac .	19	flucytosine .	54
entacapone .	89	etonogestrel-ethinyl estradiol .	115	fludrocortisone acetate .	118
entecavir .	101	etravirine .	98	flunisolide .	153
ENTRESTO .	106	euthyrox .	169	fluocinolone acetonide .	123,158
enulose .	134	everolimus .	75,76,149	fluocinolone acetonide body .	123
ENVARSUS XR .	149	EVOTAZ .	98	fluocinolone acetonide scalp .	123
EPIDIOLEX .	40	exemestane .	68	fluocinonide .	123
epinastine hcl .	158	EXKIVITY .	66	fluorometholone .	157
epinephrine 0.15/3ml, 0.30/3ml		ezetimibe .	57	FLUOROURACIL .	120
auto-injector (teva and mylan		ezetimibe-simvastatin .	56	fluorouracil .	120
only) .	176			fluoxetine hcl .	46
epitol .	40	<b>F</b>		FLUOXETINE HCL .	46
eplerenone .	60	falmina .	111	fluphenazine decanoate .	95
EPRONTIA .	40	famciclovir .	102	fluphenazine hcl .	95

flurbiprofen	19	GARDASIL 9	174	HAEGARDA	137
FLURBIPROFEN SODIUM	158	gatifloxacin	155	hailey 24 fe	111
fluticasone propionate	153	GAUZE PADS	142	halobetasol propionate	123
FLUTICASONE PROPIONATE HFA34		gauze pads and dressings	142	haloette	115
fluticasone-salmeterol	35	GAVILYTE-C	140	haloperidol	93
fluvastatin sodium	57	gavilyte-g	140	haloperidol decanoate	93
flvoxamine maleate	46	gavilyte-n with flavor pack	140	haloperidol lactate	93
flvoxamine maleate er	46	GAVRETO	76	HAVRIX	174
fondaparinux sodium	37	gefitinib	66	heather	116
formoterol fumarate	36	gemfibrozil	57	heparin sodium (porcine)	37
fosamprenavir calcium	98	GEMTESA	172	heparin sodium (porcine) pf	37
fosfomycin tromethamine	29	generlac	134	HEPLISAV-B	174
fosinopril sodium	58	gengraf	149	HETLIOZ	140
fosinopril sodium-hctz	60	GENTAMICIN IN SALINE	14	HIBERIX	173
FOTIVDA	76	gentamicin sulfate	14,119,155	HUMIRA (2 PEN)	15
FREESTYLE LIBRE 14 DAY		GENVOYA	98	HUMIRA (2 SYRINGE)	15
READER	142	GILOTRIF	66	HUMIRA 10 MG/0.1ML PEF SY KT	
FREESTYLE LIBRE 14 DAY		glatiramer acetate	164,165	(ABBVIE)	16
SENSOR	142	glatopa	165	HUMIRA 20 MG/0.2ML PEF SY KT	
FREESTYLE LIBRE 2 READER	143	GLEOSTINE	63	(ABBVIE)	16
FREESTYLE LIBRE 2 SENSOR	143	glimepiride	52	HUMIRA 40 MG/0.4ML PEF SY KT	
FREESTYLE LIBRE 3 READER	143	glipizide	52	(ABBVIE)	16
FREESTYLE LIBRE 3 SENSOR	143	glipizide er	52	HUMIRA PEDIATRIC CROHNS	
FREESTYLE LIBRE READER	143	glipizide xl	52	START	16
FREESTYLE LIBRE SENSOR		glipizide-metformin hcl	48	HUMIRA PEN 40 MG/0.4ML PEN KIT	
SYSTEM	143	GLUCAGON EMERGENCY	49	(ABBVIE)	16
FRUZAQLA	63	glycopyrrolate	171	HUMIRA PEN 80 MG/0.8ML PEN KIT	
furosemide	127	GLYXAMBI	48	(ABBVIE)	17
FUROSEMIDE	127	GOLYTELY	140	HUMIRA PEN-CD/UC/HS STARTER 80	
FUZEON	98	granisetron hcl	53	MG/0.8ML PEN KIT (ABBVIE)	17
fyavolv	131	griseofulvin microsize	54	HUMIRA PEN-PEDIATRIC UC START	
FYCOMPA	38	griseofulvin ultramicronsize	54	80 MG/0.8ML PEN KIT (ABBVIE)	17
		guanfacine hcl	59	HUMIRA PEN-PSOR/UVEIT	
<b>G</b>		GVOKE HYPOPEN 1-PACK	49	STARTER	17
gabapentin	40	GVOKE HYPOPEN 2-PACK	49	HUMIRA-CD/UC/HS STARTER	17
galantamine hydrobromide	162	GVOKE KIT	49	HUMIRA-PS/UV/ADOL HS	
GALANTAMINE		GVOKE PFS	49	STARTER	17
HYDROBROMIDE	163			HUMULIN R U-500	
galantamine hydrobromide er	163	<b>H</b>		(CONCENTRATED)	50
GAMMAKED	159	HADLIMA	15	HUMULIN R U-500 KWIKPEN	50
GAMUNEX-C	159	HADLIMA PUSHTOUCH	15	hydralazine hcl	61

hydrochlorothiazide	127	INSULIN ASPART	50
hydrocodone-acetaminophen	23	INSULIN ASPART FLEXPEN	50
hydrocortisone	25,117,123	INSULIN ASPART PENFILL	50
hydrocortisone (perianal)	25	INSULIN ASPART PROT & ASPART 50	50
HYDROCORTISONE-ACETIC ACID	158	INSULIN PEN NEEDLE	144
hydrocortisone-acetic acid	158	INSULIN SYRINGE (DISP) U-100 0.3 ML	144
hydromorphone hcl	21	INSULIN SYRINGE (DISP) U-100 1 ML	144
hydromorphone hcl pf	21	INSULIN SYRINGE (DISP) U-100 1/2 ML	144
hydroxychloroquine sulfate	61	INTELENCE	98
hydroxyurea	87	introvale	111
hydroxyzine hcl	30	INVEGA HAFYERA	91
hydroxyzine pamoate	30	INVEGA SUSTENNA	91
HYQVIA	159	INVEGA TRINZA	92
<b>I</b>		INVIRASE	98
ibandronate sodium	128	INVOKAMET	48
IBRANCE	76	INVOKAMET XR	48
ibuprofen (motrin)	19	INVOKANA	52
icatibant acetate	136	IPOL	174
ICLUSIG	76	ipratropium bromide	33,153
icosapent ethyl	56	ipratropium-albuterol	36
IDHIFA	76	irbesartan	59
imatinib mesylate	76,77	irbesartan-hydrochlorothiazide	60
IMBRUVICA	77	ISENTRESS	98
imipenem-cilastatin	27	ISENTRESS HD	98
imipramine hcl	47	isibloom	111
imipramine pamoate	47	ISONIAZID	62
imiquimod	125	isoniazid	62
IMOVAX RABIES	174	isoniazid 300mg tab	62
incassia	116	isosorbide dinitrate	30
INCRELEX	129	ISOSORBIDE MONONITRATE	30
INCRUSE ELLIPTA	33	isosorbide mononitrate er	30
indapamide	127	isotretinoin	118
indomethacin	19	isradipine	105
INFANRIX	170	itraconazole	55
INLYTA	64	ivermectin	26,125
INQOVI	72	IWILFIN	88
INREBIC	77	IXCHIQ	174
INSULIN ASP PROT & ASP FLEXPEN	50	IXIARO	174
		<b>J</b>	
		JAKAFI	77
		jantoven	36
		JANUMET	48
		JANUMET XR	48
		JANUVIA	50
		JARDIANCE	52
		jasmiel	111
		JAYPIRCA	77,78
		jencycla	116
		JENTADUETO	48
		JENTADUETO XR	48
		jinteli	131
		joyeaux	111
		juleber	111
		JULUCA	98
		junel 1.5/30	112
		junel 1/20	112
		junel fe 1.5/30	112
		junel fe 1/20	112
		junel fe 24	112
		just right 5000	151
		JYNNEOS	174
		<b>K</b>	
		K-PHOS	147
		K-PHOS NO 2	135
		kaitlib fe	112
		KALYDECO	166
		kariva	112
		KCL (0.149%) IN NAACL	146
		KCL (0.298%) IN NAACL	146
		kcl in dextrose-nacl	146
		KCL-LACTATED RINGERS-D5W	146
		kelnor 1/35	112
		kelnor 1/50	112
		KERENDIA	130
		KESIMPTA	165
		ketoconazole	55,119
		ketorolac tromethamine	19,158

KEVZARA.....	19	larin 1/20.....	112	levothyroxine sodium.....	170
KINRIX.....	170	larin fe 1.5/30.....	112	levoxyl.....	170
KISQALI (200 MG DOSE).....	78	larin fe 1/20.....	112	LEXIVA.....	98
KISQALI (400 MG DOSE).....	78	larissia.....	112	lidocaine hcl.....	125
KISQALI (600 MG DOSE).....	78	latanoprost.....	158	LIDOCAINE HCL.....	151
KISQALI FEMARA (400 MG DOSE).....	72	LEDIPASVIR-SOFOSBUVIR.....	101	LIDOCAINE HCL URETHRAL/MUCOSAL.....	125
KISQALI FEMARA (600 MG DOSE).....	72	leflunomide.....	20	lidocaine patches.....	125
KISQALI FEMARA(200 MG DOSE).....	72	lenalidomide.....	148	lidocaine viscous hcl.....	151
klayesta.....	119	LENVIMA (10 MG DAILY DOSE).....	64	lidocaine-prilocaine.....	125
klor-con.....	147	LENVIMA (12 MG DAILY DOSE).....	64	lincomycin hcl.....	29
klor-con 10.....	147	LENVIMA (14 MG DAILY DOSE).....	64	LINDANE.....	125
klor-con m10.....	147	LENVIMA (18 MG DAILY DOSE).....	64	linezolid.....	29
klor-con m15.....	147	LENVIMA (20 MG DAILY DOSE).....	64	LINEZOLID IN SODIUM CHLORIDE.....	29
klor-con m20.....	147	LENVIMA (24 MG DAILY DOSE).....	65	LINZESS.....	134
KLOXXADO.....	53	LENVIMA (4 MG DAILY DOSE).....	65	liothyronine sodium.....	170
KORLYM.....	50	LENVIMA (8 MG DAILY DOSE).....	65	lisdexamfetamine dimesylate.....	13
KOSELUGO.....	78	lessina.....	112	lisinopril.....	58
kourzeq.....	151	letrozole.....	68	lisinopril-hydrochlorothiazide.....	60
KRAZATI.....	78	leucovorin calcium.....	88	lithium.....	90
kurvelo.....	112	LEUKERAN.....	63	lithium carbonate.....	90
<b>L</b>		leuprolide acetate.....	68	LITHIUM CARBONATE 600 MG CAP.....	90
labetalol hcl.....	103	levabuterol hcl.....	36	lithium carbonate er.....	90
lacosamide.....	41	LEVALBUTEROL TARTRATE.....	36	LOKELMA.....	150
lactated ringers.....	146	levetiracetam.....	41	LONSURF.....	72
lactulose.....	140	levetiracetam er.....	41	loperamide (immodium).....	52
lactulose encephalopathy.....	134	LEVOBUNOLOL HCL.....	154	lopinavir-ritonavir.....	99
LAGEVRIO.....	103	levocarnitine.....	130	lorazepam.....	31
lamivudine.....	98,101	levocarnitine sf.....	130	lorazepam intensol.....	31
lamivudine-zidovudine.....	98	levocetirizine (xyzal).....	55	LORBRENA.....	79
lamotrigine.....	41	levofloxacin.....	132	loryna.....	113
lamotrigine er.....	41	LEVOFLOXACIN.....	155	losartan potassium.....	59
lansoprazole (prevacid).....	171	LEVOFLOXACIN 0.5 % SOLUTION.....	155	losartan potassium-hctz.....	60
lanthanum carbonate.....	135	levofloxacin in d5w.....	132,133	loteprednol etabonate.....	157
LANTUS.....	50	levonest.....	112	lovastatin.....	57
LANTUS SOLOSTAR.....	50	levonorg-eth estrad triphasic.....	112	low-ogestrel.....	113
lapatinib ditosylate.....	79	levonorgest-eth est & eth est.....	112	loxapine succinate.....	94
larin 1.5/30.....	112	levonorgest-eth estrad 91-day.....	112	lubiprostone.....	133
		levonorgest-eth estradiol-iron.....	112	LUMAKRAS.....	79
		levonorgestrel-ethinyl estrad.....	113	LUMIGAN.....	158
		levora 0.15/30 (28).....	113		



LUPRON DEPOT (1-MONTH) . . . . .	68	MEROPENEM-SODIUM	microgestin 1/20 . . . . .	113
LUPRON DEPOT (3-MONTH) . . . . .	68	CHLORIDE . . . . .	microgestin fe 1.5/30 . . . . .	113
lurasidone hcl . . . . .	90	mesalamine . . . . .	microgestin fe 1/20 . . . . .	113
lutera . . . . .	113	MESALAMINE 800 MG TAB DR . . . . .	midodrine hcl . . . . .	176
lyleq . . . . .	116	mesalamine er . . . . .	mifepristone . . . . .	50
lyllana . . . . .	132	mesalamine-cleanser . . . . .	MIGERGOT . . . . .	144
LYNPARZA . . . . .	79	MESNEX . . . . .	MIGLITOL . . . . .	48
LYSODREN . . . . .	68	metformin hcl . . . . .	mili . . . . .	113
LYTGOBI (12 MG DAILY DOSE) . . . . .	79	metformin hcl er . . . . .	minocycline hcl . . . . .	169
LYTGOBI (16 MG DAILY DOSE) . . . . .	79	methadone hcl . . . . .	minoxidil . . . . .	61
LYTGOBI (20 MG DAILY DOSE) . . . . .	80	METHADONE HCL 10 MG/5ML	mirtazapine . . . . .	44
lyza . . . . .	116	SOLUTION . . . . .	misoprostol . . . . .	172
		METHADONE HCL 5 MG/5ML	modafinil . . . . .	14
		SOLUTION . . . . .	moexipril hcl . . . . .	58
<b>M</b>		methamphetamine hcl . . . . .	MOLINDONE HCL . . . . .	94
M-M-R II . . . . .	174	methazolamide . . . . .	mometasone furoate . . . . .	123,153
magnesium sulfate . . . . .	147	methenamine hippurate . . . . .	montelukast sodium . . . . .	34
malathion . . . . .	126	methenamine mandelate . . . . .	morphine sulfate . . . . .	22
maraviroc . . . . .	99	methimazole . . . . .	MORPHINE SULFATE . . . . .	22
marlissa . . . . .	113	methocarbamol . . . . .	morphine sulfate (concentrate) . . . . .	22
MARPLAN . . . . .	45	methotrexate sodium . . . . .	MORPHINE SULFATE 20 MG/5ML	
MATULANE . . . . .	87	methotrexate sodium (pf) . . . . .	SOLUTION . . . . .	22
matzim la . . . . .	105	METHOXSALEN RAPID . . . . .	morphine sulfate er . . . . .	22
MAVYRET . . . . .	101	methsuximide . . . . .	MOVANTIK . . . . .	134
meclizine . . . . .	53	methyphenidate hcl . . . . .	MOXIFLOXACIN HCL . . . . .	133
medroxyprogesterone		methyphenidate hcl er . . . . .	moxifloxacin hcl . . . . .	155
acetate . . . . .	115,161	methyphenidate hcl er (la) . . . . .	MOXIFLOXACIN HCL (2X DAY) . . . . .	155
mefloquine hcl . . . . .	61	methylprednisolone . . . . .	MOXIFLOXACIN HCL IN NAACL . . . . .	133
megestrol acetate . . . . .	69,162	metoclopramide hcl . . . . .	multiple electro type 1 ph 5.5 . . . . .	146
MEKINIST . . . . .	80	metolazone . . . . .	multiple electro type 1 ph 7.4 . . . . .	146
MEKTOVI . . . . .	80	metoprolol succinate er . . . . .	mupirocin 2% ointment . . . . .	119
melodetta 24 fe . . . . .	113	metoprolol tartrate . . . . .	mycophenolate mofetil . . . . .	149
meloxicam . . . . .	19	metoprolol-hydrochlorothiazide . . . . .	mycophenolate sodium . . . . .	150
memantine hcl . . . . .	163	metronidazole . . . . .	mycophenolic acid . . . . .	150
memantine hcl er . . . . .	163	metronidazole vaginal gel 0.75	MYRBETRIQ . . . . .	172
MENACTRA . . . . .	173	% . . . . .		
MENEST . . . . .	132	metyrosine . . . . .	<b>N</b>	
MENQUADFI . . . . .	173	mexiletine hcl . . . . .	na sulfate-k sulfate-mg sulf . . . . .	140
MENVEO . . . . .	173	mibelas 24 fe . . . . .	nabumetone . . . . .	19
mercaptopurine . . . . .	63	micafungin sodium . . . . .	nadolol . . . . .	103
meropenem . . . . .	27	microgestin 1.5/30 . . . . .	nafcillin sodium . . . . .	161

NAFCILLIN SODIUM IN	nitrofurantoin macrocrystal . . . . .	29	NOVOLOG PENFILL . . . . .	51
DEXTROSE . . . . .	nitrofurantoin monohyd macro . . .	30	NOVOLOG RELION . . . . .	51
NALOXONE HCL . . . . .	nitroglycerin . . . . .	26,30	NUBEQA . . . . .	69
naloxone hcl . . . . .	nora-be . . . . .	116	NUEDEXTA . . . . .	165
naltrexone hcl . . . . .	norelgestromin-eth estradiol . . .	115	NUPLAZID . . . . .	90
naproxen . . . . .	norethin ace-eth estrad-fe . . . . .	113	NURTEC . . . . .	144
naproxen dr . . . . .	norethindrone . . . . .	116	nyamyc . . . . .	120
naratriptan hcl . . . . .	norethindrone acet-ethinyl est. .	113	nylia 1/35 . . . . .	114
NATACYN . . . . .	norethindrone acetate . . . . .	162	nystatin . . . . .	54,120,151
nateglinide . . . . .	norethindrone-eth estradiol . . .	131	nystatin-triamcinolone . . . . .	120
NAYZILAM . . . . .	norgestim-eth estrad triphasic . .	113	nystop . . . . .	120
nebivolol hcl . . . . .	norgestimate-eth estradiol . . . .	113		
needles and syringes . . . . .	norlyda . . . . .	116	<b>O</b>	
NEFAZODONE HCL . . . . .	norlyroc . . . . .	116	octreotide acetate . . . . .	131
neomycin sulfate . . . . .	nortrel 0.5/35 (28) . . . . .	113	ODEFSEY . . . . .	99
neomycin-bacitracin zn-	nortrel 1/35 (21) . . . . .	113	ODOMZO . . . . .	67
polymyx . . . . .	nortrel 1/35 (28) . . . . .	113	OFEV . . . . .	168
neomycin-polymyxin-	nortrel 7/7/7 . . . . .	113	OFLOXACIN . . . . .	133
dexameth . . . . .	nortriptyline hcl . . . . .	48	ofloxacin . . . . .	155
NEOMYCIN-POLYMYXIN-	NORVIR . . . . .	99	OGSIVEO . . . . .	80
GRAMICIDIN . . . . .	NOURIANZ . . . . .	88	OJJAARA . . . . .	81
NEOMYCIN-POLYMYXIN-HC . . .	NOVOLIN 70/30 . . . . .	51	olanzapine . . . . .	94
neomycin-polymyxin-hc . . . . .	NOVOLIN 70/30 FLEXPEN . . . . .	51	olmesartan medoxomil . . . . .	59
NERLYNX . . . . .	NOVOLIN 70/30 FLEXPEN RELION	51	olmesartan medoxomil-hctz . . . . .	60
nevirapine . . . . .	NOVOLIN 70/30 RELION . . . . .	51	olmesartan-amlodipine-hctz . . . . .	60
NEVIRAPINE . . . . .	NOVOLIN N . . . . .	51	olopatadine . . . . .	158
nevirapine er . . . . .	NOVOLIN N FLEXPEN . . . . .	51	olopatadine hcl . . . . .	153
NEXVIAZYME . . . . .	NOVOLIN N FLEXPEN RELION . . .	51	omega-3-acid ethyl esters . . . . .	56
niacin er (antihyperlipidemic) . .	NOVOLIN N RELION . . . . .	51	omeprazole (prilosec) . . . . .	172
nicardipine hcl . . . . .	NOVOLIN R . . . . .	51	OMNIPOD 5 G6 INTRO (GEN 5) . .	143
NICOTROL INHALER . . . . .	NOVOLIN R FLEXPEN . . . . .	51	OMNIPOD 5 G6 PODS (GEN 5) . .	143
NICOTROL NASAL SPRAY . . . . .	NOVOLIN R FLEXPEN RELION . . .	51	OMNIPOD 5 G7 INTRO (GEN 5) . .	143
nifedipine er . . . . .	NOVOLIN R RELION . . . . .	51	OMNIPOD 5 G7 PODS (GEN 5) . .	143
nifedipine er osmotic release . .	NOVOLOG . . . . .	51	OMNIPOD 5 PACK . . . . .	143
nikki . . . . .	NOVOLOG 70/30 FLEXPEN		OMNIPOD CLASSIC PDM (GEN 3) .	143
nilutamide . . . . .	RELION . . . . .	51	OMNIPOD DASH INTRO (GEN 4) .	143
nimodipine . . . . .	NOVOLOG FLEXPEN . . . . .	51	OMNIPOD DASH PDM (GEN 4) . .	144
NINLARO . . . . .	NOVOLOG FLEXPEN RELION . . . .	51	OMNIPOD DASH PODS (GEN 4) . .	144
nitazoxanide . . . . .	NOVOLOG MIX 70/30 . . . . .	51	OMNITROPE . . . . .	129
nitisinone . . . . .	NOVOLOG MIX 70/30 FLEXPEN . .	51	ondansetron . . . . .	53
NITRO-BID . . . . .	NOVOLOG MIX 70/30 RELION . . .	51	ondansetron hcl . . . . .	53

ONETOUCH ULTRA.....	126	peg-3350/electrolytes.....	140	pioglitazone hcl-glimepiride.....	48
ONETOUCH ULTRA TEST.....	126	peg-3350/electrolytes/ascorbic acid.....	140	pioglitazone hcl-metformin hcl.....	49
ONETOUCH VERIO.....	126	peg-kcl-nacl-nasulf-na asc-c.....	140	piperacillin sod-tazobactam so.....	161
ONUREG.....	63	PEGASYS.....	101	PIQRAY (200 MG DAILY DOSE).....	81
OPFOLDA.....	130	PEMAZYRE.....	81	PIQRAY (250 MG DAILY DOSE).....	81
OPSUMIT.....	107	PENBRAYA.....	173	PIQRAY (300 MG DAILY DOSE).....	81
OPVEE.....	53	peniclovir.....	122	pirfenidone.....	168
ORGOVYX.....	69	penicillamine.....	148	pirmella 1/35.....	114
ORKAMBI.....	167	penicillin g potassium.....	160	piroxicam.....	20
ORSERDU.....	69	PENICILLIN G PROCAINE.....	160	PLEGRIDY.....	165
oseltamivir phosphate.....	102	PENICILLIN G SODIUM.....	160	plenamine.....	154
OSPHENA.....	129	penicillin v potassium.....	160	PNEUMOVAX 23.....	173
OTEZLA.....	20	PENTACEL.....	170	PODOFILOX 0.5 % SOLUTION.....	125
oxacillin sodium.....	161	pentamidine isethionate for injection solution.....	26	polymyxin b sulfate.....	29
OXACILLIN SODIUM IN DEXTROSE.....	161	pentamidine isethionate for nebulization solution.....	26	polymyxin b-trimethoprim.....	156
oxaprozin.....	20	pentoxifylline er.....	137	POMALYST.....	70
oxazepam.....	31	PERINDOPRIL ERBUMINE.....	58	portia-28.....	114
oxcarbazepine.....	41	perindopril erbumine 4 mg tab.....	58	posaconazole.....	55
OXERVATE.....	156	periogard.....	151	potassium chloride.....	147
oxybutynin chloride.....	172	permethrin (nix).....	126	POTASSIUM CHLORIDE.....	147
oxybutynin chloride er.....	172	perphenazine.....	95	potassium chloride 2 meq/ml solution.....	147
oxycodone hcl.....	22,23	PERSERIS.....	92	potassium chloride 20 meq packet.....	147
oxycodone-acetaminophen.....	23	PFIZERPEN.....	160	potassium chloride crys er.....	148
		PHENELZINE SULFATE 15 MG TAB.....	45	potassium chloride er.....	148
<b>P</b>		phenobarbital.....	139	potassium chloride in dextrose.....	146
pacerone.....	32	phenoxymethamine hcl.....	59	potassium chloride in nacl 20-0.45 meq/l-% solution.....	146
paliperidone er.....	92	phenytec.....	44	potassium chloride in nacl 20-0.9 meq/l-% solution.....	146
PANRETIN.....	120	phenytoin.....	44	potassium chloride in nacl 40-0.9 meq/l-% solution.....	147
pantoprazole sodium.....	172	phenytoin infatabs.....	44	potassium citrate er.....	135
paricalcitol.....	130	phenytoin sodium extended.....	44	PRALUENT.....	58
paromomycin sulfate.....	14	PHOSPHOLINE IODIDE.....	154	pramipexole dihydrochloride.....	90
paroxetine hcl.....	46	PIFELTRO.....	99	prasugrel hcl.....	137
paroxetine hcl er.....	46	pilocarpine hcl.....	152,155	pravastatin sodium.....	57
PASER.....	62	pimecrolimus.....	125	praziquantel.....	26
PAXLOVID (150/100).....	100	PIMOZIDE.....	165	prazosin hcl.....	59
PAXLOVID (300/100).....	101	pimtrea.....	114	prednisolone.....	117
pazopanib hcl.....	81	pindolol.....	103		
PEDIARIX.....	170	pioglitazone hcl.....	52		
PEDVAX HIB.....	173				
peg 3350-kcl-na bicarb-nacl.....	140				

PREDNISOLONE ACETATE . . . . .	157	promethazine hcl . . . . .	56	RELTONE . . . . .	133
prednisolone sodium phosphate . . . . .	117	propafenone hcl . . . . .	32	RENACIDIN . . . . .	135
PREDNISOLONE SODIUM PHOSPHATE . . . . .	117	propafenone hcl er . . . . .	32	repaglinide . . . . .	52
PHOSPHATE . . . . .	157	propranolol hcl . . . . .	104	REPATHA . . . . .	58
prednisolone sodium phosphate 25 mg/5ml solution . . . . .	117	propranolol hcl er . . . . .	104	REPATHA PUSHTRONEX SYSTEM . . . . .	58
prednisolone sodium phosphate 6.7 (5 base) mg/5ml solution . . . . .	117	propylthiouracil . . . . .	169	REPATHA SURECLICK . . . . .	58
prednisone . . . . .	117	PROQUAD . . . . .	175	RETACRIT . . . . .	138
PREDNISONE . . . . .	117	protriptyline hcl . . . . .	48	RETEVMO . . . . .	81,82
PREDNISONE INTENSOL . . . . .	117	PULMOZYME . . . . .	167	REVLIMID . . . . .	148
pregabalin . . . . .	41,42	PURIXAN . . . . .	63	REXULTI . . . . .	96
PREHEVBRIO . . . . .	174	pyrazinamide . . . . .	62	REYATAZ . . . . .	99
PREMARIN . . . . .	176	pyridostigmine bromide . . . . .	61,62	REZLIDHIA . . . . .	82
prenatal vitamin . . . . .	152	pyridostigmine bromide er . . . . .	62	REZUROCK . . . . .	148
PRENATAL VITAMIN WITH MINERALS AND FOLIC ACID GREATER THAN 0.8 MG ORAL TABLET . . . . .	152	pyrimethamine . . . . .	61	RHOPRESSA . . . . .	156
prevalite . . . . .	56	<b>Q</b>		RIBAVIRIN 200 MG CAP . . . . .	101
PREVNAR 20 . . . . .	173	QINLOCK . . . . .	81	RIBAVIRIN 200 MG TAB . . . . .	102
PREVYMIS . . . . .	101	QUADRACEL . . . . .	171	rifabutin . . . . .	62
PREZCOBIX . . . . .	99	Quadrivalent Influenza Vaccines	175	rifampin . . . . .	62
PREZISTA . . . . .	99	quetiapine fumarate . . . . .	94	riluzole . . . . .	153
PRIFTIN . . . . .	62	quetiapine fumarate er . . . . .	94	RIMANTADINE HCL . . . . .	102
primaquine phosphate . . . . .	61	quinapril hcl . . . . .	58	RINVOQ . . . . .	18
PRIMAQUINE PHOSPHATE 26.3 (15 BASE) MG TAB . . . . .	61	quinidine gluconate er . . . . .	32	risedronate sodium . . . . .	128
PRIMIDONE . . . . .	42	QUINIDINE SULFATE . . . . .	32	risperidone . . . . .	92
PRIORIX . . . . .	175	quinine sulfate . . . . .	61	risperidone microspheres er . . . . .	92,93
PRIVIGEN . . . . .	159	QVAR REDHALER . . . . .	34	ritonavir . . . . .	99
probenecid . . . . .	136	<b>R</b>		rivastigmine . . . . .	163
prochlorperazine . . . . .	95	RABAVERT . . . . .	175	rivastigmine tartrate . . . . .	163
prochlorperazine maleate . . . . .	95	rabeprazole sodium . . . . .	172	rizatriptan benzoate . . . . .	145
procto-med hc . . . . .	25	RADICAVA ORS . . . . .	153	ROCKLATAN . . . . .	156
proctosol hc . . . . .	25	RADICAVA ORS STARTER KIT . . . . .	153	roflumilast . . . . .	34
proctozone-hc . . . . .	25	raloxifene hcl . . . . .	129	ropinirole hcl . . . . .	90
progesterone . . . . .	162	ramelteon . . . . .	140	ropinirole hcl er . . . . .	90
PROGRAF . . . . .	150	ramipril . . . . .	58	rosuvastatin calcium . . . . .	57
PROMACTA . . . . .	138	ranolazine er . . . . .	30	ROTARIX . . . . .	175
		rasagiline mesylate . . . . .	90	ROTATEQ . . . . .	175
		reclipsen . . . . .	114	roweepra . . . . .	42
		RECOMBIVAX HB . . . . .	175	ROZLYTREK . . . . .	82
		REGRANEX . . . . .	126	RUBRACA . . . . .	82
		RELISTOR . . . . .	134	RUCONEST . . . . .	137
				rufinamide . . . . .	42
				RUKOBIA . . . . .	99

RYDAPT.....	82	solifenacin succinate.....	172	sumatriptan succinate.....	145
<b>S</b>		SOLQUA.....	49	sumatriptan succinate refill.....	145
sajazir.....	136	SOLTAMOX.....	69	sumatriptan-naproxen sodium.....	144
SANTYL.....	124	SOLU-CORTEF.....	118	sunitinib malate.....	83
sapropterin dihydrochloride.....	130	SOLU-MEDROL.....	118	SUNLENCA.....	100
SCSEMBLIX.....	82,83	SOLU-MEDROL (PF).....	118	syeda.....	114
scopolamine.....	53	SOMAVERT.....	128	SYMPAZAN.....	39
SECUADO.....	94	sorafenib tosylate.....	83	SYMTUZA.....	100
selegiline hcl.....	90	sorine.....	104	SYNJARDY.....	49
selenium sulfide.....	121	sotalol hcl.....	104	SYNJARDY XR.....	49
SELZENTRY.....	99	sotalol hcl (af).....	104	SYNRIBO.....	87
sertraline hcl.....	46	spironolactone.....	127	SYNTHROID.....	170
setlakin.....	114	spironolactone-hctz.....	126	<b>T</b>	
sevelamer carbonate.....	135	sprintec 28.....	114	TABLOID.....	63
sf.....	151	SPRITAM.....	42	TABRECTA.....	83
sf 5000 plus.....	151	SPRYCEL.....	83	tacrolimus.....	125,150
sharobel.....	116	SPS.....	150	tadalafil (pah).....	107
SHINGRIX.....	175	sronyx.....	114	TAFINLAR.....	83
SIGNIFOR.....	131	ssd.....	122	TAGRISSE.....	66
sildenafil citrate.....	107	STAMARIL.....	175	TALZ.....	121
silodosin.....	136	STELARA.....	121	TALZENNA.....	84
silver sulfadiazine.....	122	STIOLTO RESPIMAT.....	36	tamoxifen citrate.....	69
SIMPONI.....	18	STIVARGA.....	83	tamsulosin hcl.....	136
simvastatin.....	57	STREPTOMYCIN SULFATE.....	14	tarina 24 fe.....	114
sirolimus.....	150	STRIBILD.....	99	tarina fe 1/20.....	114
SIRTURO.....	62	STRIVERDI RESPIMAT.....	36	tarina fe 1/20 eq.....	114
SIVEXTRO.....	29	SUCRAID.....	126	TASIGNA.....	84
SKYRIZI.....	121,134	sucralfate.....	171	tasimelteon.....	140
SKYRIZI PEN.....	121	SUFLAVE.....	140	tazarotene.....	121
SKYTROFA.....	129	SULFACETAMIDE SODIUM.....	156	TAZICEF.....	110
SLYND.....	116	sulfacetamide sodium.....	156	tazicef 1 gm recon soln.....	110
sodium chloride.....	135,148	sulfacetamide sodium (acne).....	118	tazicef 2 gm recon soln.....	110
sodium fluoride.....	147,151	SULFACETAMIDE- PREDNISOLONE.....	157	taztia xt.....	105
sodium fluoride 2.2 mg.....	147	SULFADIAZINE.....	168	TAZVERIK.....	84
sodium fluoride 5000 plus.....	151	sulfamethoxazole-trimethoprim.....	27	TDVAX.....	171
sodium fluoride 5000 ppm.....	151	SULFAMYLON.....	122	TEFLARO.....	110
SODIUM OXYBATE.....	162	sulfasalazine.....	134	telmisartan.....	59
sodium phenylbutyrate.....	130	sulfatrim pediatric.....	27	TELMISARTAN-AMLODIPINE.....	60
sodium polystyrene sulfonate.....	150	sulindac.....	20	telmisartan-hctz.....	60
SOFOSBUVIR-VELPATASVIR.....	102	sumatriptan.....	145	temazepam.....	139

TEMIXYS	100	timolol maleate	104,154	trifluoperazine hcl	95
temozolomide	63	tinidazole	26	TRIFLURIDINE	156
TENIVAC	171	TIVICAY	100	trihexyphenidyl hcl	88
tenofovir disoproxil fumarate	100	TIVICAY PD	100	TRIHXYPHENIDYL HCL 0.4 MG/ML SOLUTION	88
TEPMETKO	84	tizanidine hcl	152	TRIJARDY XR	49
terazosin hcl	59	tobramycin	14,156	TRIKAFTA	167
terbinafine hcl	54	TOBRAMYCIN SULFATE	15	trimethoprim	26
terbutaline sulfate	36	tobramycin-dexamethasone	157	trimipramine maleate	48
terconazole	176	tolcapone	89	TRINTELLIX	47
teriflunomide	165	tolterodine tartrate	172	TRIUMEQ	100
teriparatide	128	tolterodine tartrate er	172	TRIUMEQ PD	100
TERIPARATIDE (RECOMBINANT)	128	topiramate	42	trivora (28)	114
testosterone	24,25	toremifene citrate	70	TRIZIVIR	100
TESTOSTERONE	25	torsemide	127	TROGARZO	100
testosterone 25 mg/2.5gm (1%) gel	25	TOUJEO MAX SOLOSTAR	51	tropium chloride	172
testosterone 50 mg/5gm (1%) gel	25	TOUJEO SOLOSTAR	51	tropium chloride er	172
TESTOSTERONE CYPIONATE	25	TRADJENTA	50	TRULICITY	50
testosterone cypionate 100 mg/ml solution	25	tramadol hcl	23	TRUMENBA	173
testosterone cypionate 200 mg/ml solution	25	tramadol-acetaminophen	23	TRUQAP	84
TESTOSTERONE ENANTHATE	25	trandolapril	58	TUKYSA	65
TETANUS-DIPHThERIA TOXOIDS TD	171	tranexamic acid	138	tulana	116
tetrabenazine	164	tranylcypromine sulfate	45	TURALIO	85
tetracycline hcl	169	travoprost (bak free)	158	turqoz	114
THALOMID	149	trazodone hcl	46	TWINRIX	175
theophylline	36	TRECTOR	62	TYBLUME	114
theophylline er	36	TRELEGY ELLIPTA	36	tydemy	114
thioridazine hcl	95	TRELSTAR MIXJECT	70	TYPHIM VI	173
thiothixene	96	tretinoin	88,119		
tiadylt er	105	tri femynor	114	<b>U</b>	
tiagabine hcl	43	tri-estarylla	114	UDENYCA	138
TIBSOVO	84	tri-legest fe	114	unithroid	170
TICOVAC	175	tri-lo-estarylla	114	UPTRAVI	107
TIGECYCLINE	168	tri-lo-sprintec	114	ursodiol	133
tigecycline 50 mg recon soln	168	tri-mili	114	UZEDY	93
tilia fe	114	tri-sprintec	114		
		tri-vylibra	114	<b>V</b>	
		triamcinolone		valacyclovir hcl	102
		acetoneide	123,124,151	VALCHLOR	120
		triamterene-hctz	126	valganciclovir hcl	101
		triderm	124	valproic acid	44
		trientine hcl	148		

valsartan	59	VIRACEPT	100	XPOVIO (40 MG ONCE WEEKLY)	71
valsartan-hydrochlorothiazide	60	VIREAD	100	XPOVIO (40 MG TWICE WEEKLY)	71
VALTOCO 10 MG DOSE	39	VITRAKVI	85	XPOVIO (60 MG ONCE WEEKLY)	71
VALTOCO 15 MG DOSE	39	VIVITROL	53	XPOVIO (60 MG TWICE WEEKLY)	71
VALTOCO 20 MG DOSE	39	VIZIMPRO	67	XPOVIO (80 MG ONCE WEEKLY)	71
VALTOCO 5 MG DOSE	39	VONJO	86	XPOVIO (80 MG TWICE WEEKLY)	72
vancomycin hcl	28	voriconazole	55	XTANDI	70
VANCOMYCIN HCL	28	voriconazole 200 mg recon soln	55	xulane	115
VANCOMYCIN HCL IN NACL	28	voriconazole 40 mg/ml recon		XYWAV	162
VANDAZOLE	176	susp	55		
VANFLYTA	85	VOSEVI	102	<b>Y</b>	
VAQTA	175	VRAYLAR	91	YF-VAX	176
varenicline tartrate	166	vyfemla	115	yuvafem	176
varenicline tartrate (starter)	166	vylibra	115		
varenicline tartrate(continue)	166			<b>Z</b>	
VARIVAX	176	<b>W</b>		zafemy	115
VARIZIG	159	warfarin sodium	36	zafirlukast	34
VARUBI (180 MG DOSE)	54	WELIREG	70	zaleplon	139
VAXNEUVANCE	173	wixela inhub	36	ZARXIO	138
VELIVET	114	wymzya fe	115	ZEJULA	86
VELTASSA	150			ZELBORAF	86
VEMLIDY	102	<b>X</b>		zenatane	119
VENCLEXTA	65	XALKORI	86	zidovudine	100
VENCLEXTA STARTING PACK	66	XARELTO	37	ZIEXTENZO	138
venlafaxine hcl	47	XARELTO STARTER PACK	37	ZIMHI	53
venlafaxine hcl er	47	XATMEP	63	ziprasidone hcl	91
VENTOLIN HFA	36	XCOPRI	43	ziprasidone mesylate	91
verapamil hcl	105	XCOPRI (250 MG DAILY DOSE)	42	ZIRGAN	156
VERAPAMIL HCL ER	106	XCOPRI (350 MG DAILY DOSE)	42	ZOLINZA	87
verapamil hcl er	106	XDEMVY	156	zolmitriptan	145
VERKAZIA	156	XELJANZ	18	zolpidem tartrate	139
VERQUVO	108	XELJANZ XR	18	zolpidem tartrate er	139
VERSACLOZ	94	XERMELO	135	ZONISADE	42
VERZENIO	85	XGEVA	128	zonisamide	42
vestura	114	XIFAXAN	26	zovia 1/35 (28)	115
vienva	115	XIIDRA	156	zovia 1/35e (28)	115
vigabatrin	43	XOFLUZA (40 MG DOSE)	102	ZTALMY	42
vigadrone	43	XOFLUZA (80 MG DOSE)	103	ZURZUVAE	45
vigpoder	43	XOLAIR	33	ZYDELIG	87
VIJOICE	150	XOSPATA	86	ZYKADIA	87
vilazodone hcl	47	XPOVIO (100 MG ONCE WEEKLY)	71	ZYPREXA RELPREVV	94

ZYVOX.....29



This formulary was updated on 04/18/2024.

*For more recent information or other questions, please contact:*

**Aspirus Health Plan** Customer Service at 715.631.7411 or 1.855.931.4850 (this call is free)

**TTY users call:** 715.631.7413 or 1.855.931.4852 (this call is free)

**Hours:** 8 am – 8 pm, seven days a week, or visit **[medicare.aspirushealthplan.com](https://www.medicare.aspirushealthplan.com)**.



PO Box 51  
Minneapolis, MN 55440

Aspirus Health Plan Medicare Advantage Plans

**[medicare.aspirushealthplan.com](https://www.medicare.aspirushealthplan.com)**

U50013 (04/2024)